JAN 3 0 1997_

Richard A. Miller Prentiss Incorporated C.B. 2000 Floral Park, New York 11002-2000

Dear Mr. Miller:

3

Subject: Labeling Amendment

EPA Reg. Nos. 655-790 655-791 Prentox Larva-Lur with Dylox

Your submissions dated 18 October 1996

The labeling referred to above submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, has been received and reviewed, and the labeling is acceptable subject to the comment listed below. Please submit five (5) copies of your final printed labeling incorporating these changes before releasing your product for shipment. A stamped copy is enclosed for your records.

Update the statement "Do not contaminate water...wastes" under "Environmental Hazards" to read "Do not contaminate water when disposing of equipment washwaters".

Sincerely,

William Jacobs

Acting Product Manager (14) Insecticide-Rodenticide Branch Registration Division (7505C)

Enclosure cole, 1, 29, 97, 7505C

PRENTOX® LARVA-LUR with DYLOX®

FOR OUTDOOR USE ONLY

NOT FOR USE ON TURF BEING CROWN FOR SALE OR OTHER COMMERCIAL USE AS SOD, OR FOR COMMERCIAL SEED PRODUCTION, OR FOR RESEARCH PURPOSES.

ACTIVE INGREDIENT:

Dimethyl (2,2,2-Trichlore-1-Hydroxyethyl Phosphonate

___ 5.0%

INERT INGREDIENTS:

<u>95.0%</u> 100.0%

DYLOX® is a Registered Trademark of the parent company of Farbenfabriken Bayer, GmbG, Leverkusen

PRENTOX® — Registered Trademark of Prentiss Incorporated

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or poison control center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting or give anything by mouth to an unconscious or convulsing person.

If inhaled: Remove victim to fresh air. Apply artificial respiration if indicated,

If on skin: Remove contaminated clothing and wash affected areas with soap and water.

If in eyes: Flush eyes with plenty of water. Get medical attention if irritation persists.

NOTE TO PHYSICIAN: Antidote — Atropine Sulphate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with

Atropine only if symptoms of cholinesterase inhibition are present.

EPA REG. NO. 655-790

EPA EST. NO.

NET CONTENTS

POUNDS

TOTAL:

Manufactured by:

PRENTISS INCORPORATED

Plant:

Kaolin Road, Sandersville, GA 31082

Office:

C.B. 2000, Floral Park, NY 11002-2000

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

May be harmful if swallowed, inhaled or absorbed through the skin. Do not contaminate feed or food. Avoid prolonged contact with skin. Wash thoroughly after using and before eating or smoking. May cause eye irritation. Avoid eye contact.

Symptoms of Poisoning: A sense of "tightness" in chest, sweating, contracted pupils, stomach pains, vomiting, diarrhea.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wilclife and is extremely toxic to aquatic invertebrates. Keep out of lakes, streams, and ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not apply when weather conditions favor drift from areas treated. Birds and other wildlife feeding in treated areas may be killed.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

ORNAMENTAL/TURF: Use LARVA LUR for effective control of surface feeding Cutworms, Arts, Army Worms and Crickets around the outside of residential buildings and commercial buildings.

PERIMETER TREATMENT: For control of Ants, and Crickets around the outside of residential and commercial buildings, use LARVA-LUR as a broadcast treatment at the rate of ½ to 1 pound per 1,000 square feet of area around homes and buildings to control Pillbugs and Earwigs.

AREA TREATMENT: Apply 20 to 30 pounds of LARVA-LUR per acre to control listed insects.

3

ň

MOUND TREATMENT FOR TEXAS HARVESTER ANT: Apply 2/3 to 1 cup of LARVA-LUR per mound for control of Texas Harvester Ant. Apply as a broadcast treatment over mound surface. Repeat application as needed. Inspect mound regularly, and repeat application that activity is spotted. Apply only by hand broadcast.

Prentox Larva-Lur with Dylox EPA Registration No. 655-790

STORAGE AND DISPOSAL

STORAGE: Store in original container in a cool, dry place inaccessible to children and pets.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Pesticide Container: Do not reuse container. Rinse thoroughly before discarding in trash. Paper Bag: Do not reuse bag. Discard bag in trash.

NOTICE

Seller's guarantee shall be limited to the terms of this label, and subject thereto, the buyer assumes any risks to persons or property rising out of the use or handling and accepts the product on these conditions.