

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

NOV 20 1997

Richard A. Miller Prentiss Incorporated C.B. 2000 Torrance, CA 90501-5089

Dear Mr. Miller:

Subject: Labeling Amendment

Prentox Larva-Lur with Dylox

EPA Reg. No. 655-790

Your submission dated 29 September 1997

The labeling amendment referred to above submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, has been received, and reviewed and the labeling is acceptable subject to the comment listed below. Please submit three (3) copies of your final printed labeling incorporating the changes prior to releasing your product for shipment. A stamped copy is enclosed for your records.

Under the "Environmental Hazards" section of your labeling, the statement "Do not contaminate water when disposing of equipment washwaters" is the appropriate statement. This should not be changed to "Do not contaminate...by cleaning of equipment or disposal of wastes".

Sincerely,

/\$/

Leonard Cole Insecticide-Rodenticide Branch Registration Division (7505C)

Enclosure

20f3

PRENTOX® LARVA-LUR with DYLOX® FOR OUTDOOR USE ONLY

ACTIVE INGREDIENT:	
Dimethyl (2,2,2-Trichloro-1-Hydroxyethyl Phosphonate	. 5.0%
INERT INGREDIENTS:	25.0%
TOTAL:	100.09

DYLOX® is a Registered Trademark of the parent company of Farbenfabriken Bayer, GmbG, Leverkusen PRENTOX®—Registered Trademark of Prentiss Incorporated

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or poison control center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting or give anything by mouth to an unconscious or convulsing person.

If inhaled: Remove victim to fresh air. Apply artificial respiration if indicated.

If on skin: Remove contaminated clothing and wash affected areas with soap and water.

If in eyes: Flush eyes with plenty of water. Get medical attention if irritation persists.

NOTE TO PHYSICIAN: Antidote - Atropine Sulphate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with

Atropine only if symptoms of cholinesterase inhibition are present.

EPA REG. NO. 655-790

EPA EST. NO.

NET CONTENTS _____POUNDS

Manufactured by:

PRENTISS INCORPORATED

Plant:

Kaolin Road, Sandersville, GA 31082

Office:

C.B. 2000. Floral Park, NY 11002-2000

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

May be harmful if swallowed, inhaled or absorbed through the skin. Do not contaminate feed or food. Avoid prolonged contact with skin. Wash thoroughly after using and before eating or smoking. May cause eye irritation. Avoid eye contact.

Symptoms of Poisoning: A sense of "tightness" in chest, sweating, contracted pupils, stomach pains, vomiting, diarrhea.

Personal Protective Equipment: Applicators and other handlers must wear: Long sleeved shirt and long pants, waterproof gloves, and shoes plus socks

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. Aerial application is prohibited.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife and is extremely toxic to aquatic invertebrates. Keep out of lakes, streams, and ponds. Do not contaminate water when disposing of equipment washwaters by cleaning of equipment or disposal of wastes. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not apply when weather conditions favor drift from areas treated. Birds and other wildlife feeding in treated areas may be killed.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

User Safety Recommendations: Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and changes into clean clothing.

Do not treat areas such as drinking cup, mangers, or troughs where livestock feed. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment. Do not apply bait to areas accessible to animals.

PERIMETER TREATMENT: For control of Ants, and Crickets around the outside of residential and commercial buildings, use LARVA-LUR as a broadcast treatment at the rate of 1/2 to 1 pound per 1,000 square feet of area around homes and buildings to control Pillbugs and Earwigs,

Page - 1

343

Prentox Larva-Lur with Dylox PPA Registration No. 655-790

MOUND TREATMENT FOR TEXAS HARVESTER ANT: Apply ²/₃ to 1 cup of LARVA-LUR per mound for control of Texas Harvester Ant. Apply as a broadcast treatment over mound surface. Repeat application as needed. Inspect mound regularly, and repeat application if ant activity is spotted. Apply only by hand broadcast.

STORAGE AND DISPOSAL

STORAGE: Store in original container in a cool, dry place inaccessible to children and pets.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Pesticide Container: Do not reuse container. Rinse thoroughly before discarding in trash. Paper Bag: Do not reuse bag. Discard bag in trash.

NOTICE

Seller's guarantee shall be limited to the terms of this label, and subject thereto, the buyer assumes any risks to persons or property rising out of the use or handling and accepts the product on these conditions.

