

~~365531803~~
17

OCT 15 1997

Richard A. Miller, President
Prentiss Incorporated
C.B. 2000
Floral Park, NY 11002-2000

Dear Mr. Miller:

Subject: Label Amendments in Response to Basic Suppliers Deletion of Certain DDVP Uses
Prentox ® Super D + 2 Brand Insecticide
Reg. No. 655-793
Your Submission Dated May 8, 1995

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable provided that you make the labeling changes indicated below prior to release for shipment of product bearing the amended labeling:

1. Under Environmental Hazards delete the phrase "For terrestrial uses". The statement should begin with "Do not apply directly....."
2. Under directions for use add "Do not apply by air."

What are the container sizes for this product? Is this product in child resistant packages (CRP)? The product meets **both** the toxicity criteria and use criteria for CRP. It would be exempt from CRP if it is marketed in container sizes 5 gallons or greater. Other wise the package needs to be in CRP.

Submit two copies of your final printed labeling before you release the product for shipment. A stamped copy of the labeling is enclosed for your records.

Sincerely,

George T. LaRocca
Product Manager (13)
Insecticide-Rodenticide Branch
Registration Division (7505C)

296

Prentox Super D + 2 Brand Insecticide
EPA Registration No. 655-793

PRENTOX® SUPER D + 2 BRAND INSECTICIDE

~~Recommended For Use by Janitors, Pest Control Operators, Maintenance Personnel,
Lawncare and Landscaping Personnel.~~

FOR SALE TO, USE AND STORAGE BY LICENSED PEST CONTROL OPERATORS ONLY.

ACTIVE INGREDIENTS:

Chlorpyrifos [O,O-diethyl O-(3,5,6-trichloro-2-pyridyl) phosphorothioate]	24.00%
2,2-dichlorovinyl dimethyl phosphate*	5.60%
Related Compounds	0.40%

INERT INGREDIENTS:	70.00%
TOTAL:	100.00%

Contains 2 lbs. Chlorpyrifos and 0.5 lb. DDVP insecticide per gallon
U.S. Patent No. 3,244,586 for Chlorpyrifos.

DANGER  **POISON** 

KEEP OUT OF REACH OF CHILDREN

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand this label, find someone to explain it to you in detail.)

**STATEMENT OF PRACTICAL TREATMENT
ORGANOPHOSPHATE**

If swallowed: Call a physician or Poison Control Center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person. **If inhaled:** Remove victim to fresh air. Apply artificial respiration if indicated. **If on skin:** Wash affected areas with soap and water. **If in eyes:** Flush eyes with plenty of water. Call a physician immediately. **NOTE TO PHYSICIAN:** Active ingredients Chlorpyrifos and Vapona are cholinesterase inhibitors. Treat symptomatically. Atropine by injection only is an antidote. Contains an Aromatic Petroleum Solvent. Treat symptomatically.

See Side Panel For Additional Precautionary Statements.

EPA REG. NO. 655-793

GALLONS NET 2½

EPA EST. NO. 655-GA-1

Manufactured by:

PRENTISS INCORPORATED

Plant: Kaolin Road, Sandersville, GA 31082
Office: C.B. 2000, Floral Park, NY 11061

ACCEPTED
with COMMENTS
by EPA Letter Dated

OCT 15 1997

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

655-793

Prentox Super D + 2 Brand Insecticide
EPA Registration No. 655-793

PRECAUTIONARY STATEMENTS
Hazards To Humans And Domestic Animals

DANGER: Do not take internally. Poisonous if swallowed, inhaled, or absorbed through skin. Do not get in eyes, on skin, or on clothing. Flush contaminated eyes with plenty of water and get prompt medical attention. Do not breathe vapors or spray mist. Avoid spraying food crops. Keep away from food, feedstuffs, and domestic water supplies. Keep container closed. Keep children and pets off treated areas until spray has dried. Do not store in or around the home.

Personal Protective Equipment: Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category G on an EPA chemical resistance category chart. **Applicators and other handlers must wear coveralls over long-sleeved shirt and long pants, chemical resistant apron when cleaning equipment, mixing or loading, and a respirator with either an organic vapor-removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C) or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G).** Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Birds and other wildlife feeding in treated areas may be killed. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively visiting the crop, cover crop, or weeds blooming in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill, or store near heat or open flame. Handle concentrate in a ventilated room.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store product in original container in a cool, dry, locked, place out of reach of children. **PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then dispose of in a sanitary landfill or by other approved State and local procedures.

Prentox Super D + 2 Brand Insecticide
EPA Registration No. 655-793

DIRECTIONS FOR USE - It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation. *Do not use on rangeland grasses.*

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

Agricultural Use Requirements

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, over long-sleeved shirt and long pants, chemical resistant gloves, such as barrier laminate, or viton, chemical resistant footwear plus socks, protective eyewear, chemical resistant headgear for overhead exposure.

Non-Agricultural Use Requirements

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Keep children and pets off treated areas until sprays have dried.

Prentox Super D + 2 Brand Insecticide
EPA Registration No. 655-793

PESTS OUT-OF-DOORS

General Information: Use this product for control of certain pests on outside surfaces of buildings and on lawns and ornamental plants, and for area control of Chiggers. Consult the following directions for dosage and application details to control the pests listed.

PESTS OF ORNAMENTALS: Use this product to treat flowers, shrubs, vines, shade and flowering trees, and evergreens found to be infested with the pests listed in the following table. Dilute with water according to directions given in the table and apply using suitable hand or power spray equipment in a manner to provide complete coverage. For best results apply a wetting spray to both upper and lower leaf surfaces and infested limb and trunk areas. Attempt to penetrate dense foliage but avoid overspraying. Treat when pests appear and repeat at 7 to 10 day intervals, if needed. **Important - Do not use on Hibiscus, Azaleas, Camellias, Poinsettias, Rose Bushes, or Variegated Ivy because of possible injury to foliage.**

DOSAGES AND DILUTIONS FOR USE ON ORNAMENTAL PLANTS

PESTS	Amount of concentrate to use in water to make:		
	3 Gallons	10 Gallons	100 Gallons
Aphids, Mites, Bagworms, Orangestriped Oakworm, Eastern Tent Caterpillar Spittlebug, Fall Webworms, Whiteflies, Grasshoppers, Yellownecked Caterpillar	½ fl. oz.	1.6 fl. oz.	1 pint
Cutworms, Leafhoppers, Mealybugs, Mimosa Webworm, Redhumped Caterpillar, Thrips (Exposed Stages)	1 fl. oz.	3.2 fl. oz.	1 quart
Ash Borer, Lilac Borer, Scale Crawlers (Oak, Lecanium, Pine Needle, Tea, and White Peach Scale)	2 fl. oz.	6.4 fl. oz.	½ gallon

NOTE: MOSQUITOES coming to rest on areas treated for control of Turf and Ornamental plant pests will be killed for varying periods of time after treatment, depending on exposure of treated areas to weathering conditions.

PESTS ON OUTSIDE SURFACES OF BUILDINGS: Use this product at the rate of 2¾ fl. ounces per gallon of water to control Ants, Clover Mites, Cockroaches, Crickets, Earwigs, Fleas, Flies, Millipedes, Mosquitoes, Sowbugs, Spiders, and Ticks by application as a residual spray to outside surfaces of buildings including porches, screens, window frames, eaves, patios, garages, refuse dumps and other areas where these pests congregate or have been seen. Do not treat or allow the spray to contact plants (lawns, flowering plants, shrubs, trees, evergreens, etc.) because of possible injury. Repeat treatment as needed to maintain effectiveness. **NOTE:** To help prevent infestations of buildings by Ants, Crickets, Earwigs, Millipedes, and Sowbugs (Pillbugs) treat a band of soil 6 to 10 feet wide around and adjacent to buildings, also building's foundation to a height of 2 to 3 feet, where pests are active and may find entrance. Use of 16 ounces (1 pint) in 100 gallons of water and apply as a coarse spray at the rate of about 10 gallons spray mixture per 1,000 sq. ft. to thoroughly and uniformly wet the band area.

PESTS OF LAWNS, OTHER ORNAMENTAL AND RECREATIONAL TURF AREAS AND PERENNIAL TURF GRASSES GROWN FOR SEED: Use this product to control pests listed in the following table by application at the recommended dosages and in accordance with the directions given below. Dilute in enough water to obtain complete and uniform coverage of pest infested areas and apply as a coarse, low pressure spray using suitable spray equipment. Thoroughly water after treatment to wash the insecticide into the turf, except as noted. For best results, the lawn should be moist at time of treatment. Do not allow children or pets on sprayed grass until material has been thoroughly watered in and grass has dried.

6 of 6

Prentox Super D + 2 Brand Insecticide
EPA Registration No. 655-793

DOSAGES AND DIRECTIONS FOR USE ON TURF

PEST: Ants, Armyworms, Chiggers, Chinch Bugs, Clover Mites, Crickets, Cutworms, Earwigs, Fleas, Grasshoppers, Ticks, Sod Webworms	*Dosage per 1,000 sq. ft. 1½ fl. oz. **Use in minimum of 2½ to 3 gallons water per 1,000 sq. ft.	Spray when pests first appear, re-treat when needed. For Sod Webworms delay watering or mowing the treated area for 12 to 24 hours after treatment.
PEST: Turfgrass (Hyperodes) Weevil (New York State Only)	Dosage per 1,000 sq. ft. 3 fl. oz. Dilute as above	Spray suspected problem areas in mid-April and in mid-May or as recommended by local Agricultural Extension Service specialist.

*1½ Fluid Ounces/1,000 sq. ft. equals ½ gallon per acre.

**Note that the use of 5 to 10 gals. of water/1,000 sq. ft. will give better control. Amount of water/1,000 sq. ft. varies with program (3 gallons up to 30 gallons).

AREA CONTROL OF TICKS AND CHIGGERS: Use for noncrop areas such as roadsides, footpaths, and trails, picnic and camping sites, parks and other recreational areas where these pests are present and create a nuisance or possible public health problem. Apply 1 pint per acre in sufficient water to mist all areas including low underbrush, grassy areas, weeds, and ground surface and debris using enough spray volume to obtain thorough coverage usually 40 to 100 gallons of water per acre.

ATTENTION: Do not allow public use of treated areas during application or until spray has dried.

NOTICE: Buyer assumes all risk and liability of use, storage and/or handling of this material not in accordance with the terms of this label.