

655-796

12/18/2002

1/5

Prentox Prenbay 1.5 EC
EPA Reg. No. 655-796

Front Panel

ACCEPTED
DEC 18 2002

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide Registered under EPA Reg. No. 655-796



PRENBAY™ 1.5 EC

NSF Registration No. 100996 NSF Category Code: F2

ONLY FOR SALE TO, USE AND STORAGE BY QUALIFIED PEST CONTROL OPERATORS OR COMMERCIAL APPLICATORS
FOR EFFECTIVE CONTROL OF CERTAIN SPECIFIED CRAWLING HOUSEHOLD INSECTS, FLIES, AND MOSQUITOES

ACTIVE INGREDIENT:
Propoxur, 2-(1-Methylethoxy)phenol methylcarbamate 19.6%

INERT OTHER INGREDIENTS: 80.4%

TOTAL 100.0%

Contains 1.5 Lbs Propoxur 2-(1-Methylethoxy)phenol methylcarbamate per gallon
PRENTOX™ — Registered Trademark of Prentiss Incorporated **PRENBAY™** — Trademark of Prentiss Incorporated

STOP - Read the Label Before Use.
Keep Out of Reach of Children
DANGER
 Do not store below 32° F.
 Keep away from direct sunlight, radiators, stoves, and other heat.

PRECAUCION AL USUARIO: Si usted no puede leer o entender inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (TO THE USER: If you cannot read or understand English, do not use this product until the label has been fully explained to you.)

FIRST AID

Have the product container or label with you when calling a poison control center or physician, or going for treatment. You may also contact the National Pesticide Information Center at 1-800-858-7378 for emergency medical treatment.

Contains an N-methyl carbamate that inhibits cholinesterase.

If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a Poison Control Center, physician, or the National Pesticide Information Center at 1-800-858-7378 for treatment advice.
If swallowed	<ul style="list-style-type: none"> • Call a Poison Control Center, physician, or the National Pesticide Information Center immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the Poison Control Center or physician. • Do not give anything by mouth to an unconscious or convulsing person.
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes • Call a Poison Control Center, physician, or the National Pesticide Information Center at 1-800-858-7378 for treatment advice.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. • Call a Poison Control Center, physician, or the National Pesticide Information Center at 1-800-858-7378 for further treatment advice.

NOTE TO PHYSICIAN: ANTIDOTE — Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. Probably mucosal damage may contraindicate the use of gastric lavage.

SYMPTOMS OF POISONING: A sense of "tightness" in the chest. Sweating. Contracted pupils. Stomach pains. Vomiting and diarrhea. If poisoning occurs, get prompt medical aid.

For information of this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.

SEE INSIDE BOOKLET FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND DIRECTIONS FOR USE

EPA Reg. No. 655-796 8/98 EPA Est. No. 655-GA-1
 Net Contents:

Manufactured by:

PRENTISS INCORPORATED
 Plant: Kaolin Road, Sandersville, GA 31082
 Office: C.B. 2000, Floral Park, NY 11002-2000

PRETOX® PRENBAY™ 1.5 EC

NSF Registration No. 100996

NSF Category Code: F2

ONLY FOR SALE TO, USE AND STORAGE BY QUALIFIED PEST CONTROL OPERATORS OR COMMERCIAL APPLICATORS FOR EFFECTIVE CONTROL OF CERTAIN SPECIFIED CRAWLING HOUSEHOLD INSECTS, FLIES, AND MOSQUITOES

ACTIVE INGREDIENT:

Propoxur 2-(1-Methylethoxy)phenol methylcarbamate 19.6%

OTHER INGREDIENTS:

TOTAL 80.4%

100.0%

Contains 1.5 Lbs. Propoxur 2-(1-Methylethoxy)phenol methylcarbamate per gallon
PRETOX — Registered Trademark of Prentiss Incorporated

PRENBAY™ — Trademark of Prentiss Incorporated

KEEP OUT OF REACH OF CHILDREN

DANGER

Do not store below 32° F.

Keep away from direct sunlight, radiators, stoves, and other heat.

PELIGRO

PRECAUCION AL USUARIO: Si usted no puede leer o entender inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (TO THE USER: If you cannot read or understand English, do not use this product until the label has been fully explained to you.)

FIRST AID

Have the product container or label with you when calling a poison control center or physician, or going for treatment. You may also contact the National Pesticide Information Center at 1-800-858-7378 for emergency medical treatment.

Contains an N-methyl carbamate that inhibits cholinesterase.

If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a Poison Control Center, physician, or the National Pesticide Information Center at 1-800-858-7378 for treatment advice.
If swallowed	<ul style="list-style-type: none"> • Call a Poison Control Center, physician, or the National Pesticide Information Center immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the Poison Control Center or physician. • Do not give anything by mouth to an unconscious or convulsing person.
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes • Call a Poison Control Center, physician, or the National Pesticide Information Center at 1-800-858-7378 for treatment advice.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. • Call a Poison Control Center, physician, or the National Pesticide Information Center at 1-800-858-7378 for further treatment advice.

NOTE TO PHYSICIAN: ANTIDOTE – Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. Probably mucosal damage may contraindicate the use of gastric lavage.

SYMPTOMS OF POISONING: A sense of "tightness" in the chest. Sweating. Contracted pupils. Stomach pains. Vomiting and diarrhea. If poisoning occurs, get prompt medical aid.

For information of this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.

SEE INSIDE BOOKLET FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND DIRECTIONS FOR USE

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER

DANGER: Corrosive. Causes skin burns. May be fatal if swallowed. Harmful if absorbed through skin or inhaled. Causes moderate eye irritation. Do not get on skin or on clothing. Avoid breathing spray mist. Remove contaminated clothing and wash before reuse.

Personal Protective Equipment:

Applicators and other handlers must wear:

- Coveralls over long-sleeved shirt and long pants
- Socks and chemical-resistant footwear
- Chemical-resistant gloves (such as barrier laminate or butyl rubber)
- Chemical-resistant apron

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations:

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to wildlife and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL/CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

IMPORTANT: Read these entire Directions and Conditions of Sale before using PRENTOX® PRENBAY™ 1.5 EC.

CONDITIONS OF SALE: THE DIRECTIONS ON THIS LABEL WERE DETERMINED THROUGH RESEARCH TO BE APPROPRIATE FOR THE CORRECT USE OF THIS PRODUCT. THIS PRODUCT HAS BEEN TESTED UNDER DIFFERENT ENVIRONMENTAL CONDITIONS BOTH INDOORS AND OUTDOORS UNDER CONDITIONS SIMILAR TO THOSE THAT ARE ORDINARY AND CUSTOMARY WHERE THE PRODUCT IS TO BE USED. INSUFFICIENT CONTROL OF PESTS OR PLANT INJURY MAY RESULT FROM THE OCCURRENCE OF EXTRAORDINARY OR UNUSUAL CONDITIONS, OR FROM FAILURE TO FOLLOW LABEL DIRECTIONS. IN ADDITION, FAILURE TO FOLLOW LABEL DIRECTIONS MAY CAUSE INJURY TO ANIMALS, MAN, AND DAMAGE TO THE ENVIRONMENT. PRENTISS INCORPORATED OFFERS, AND THE BUYER ACCEPTS AND USES, THIS PRODUCT SUBJECT TO THE CONDITIONS THAT EXTRAORDINARY OR UNUSUAL ENVIRONMENTAL CONDITIONS, OR FAILURE TO FOLLOW LABEL DIRECTIONS ARE BEYOND THE CONTROL OF PRENTISS INCORPORATED AND ARE, THEREFORE, THE RESPONSIBILITY OF THE BUYER.

PRENTOX® PRENBAY™ 1.5 EC gives excellent control of ants, cockroaches, clover mites, crickets, earwigs, fleas (exterior structural surfaces), mosquitoes (exterior structural surfaces), flies, hornets, millipedes, saw-toothed grain beetles (exposed stage), scorpions, silverfish, sowbugs, spiders, brown dog ticks, wasps, waterbugs, punkies and sand flies. It provides good flushing action of cockroaches, rapid knockdown and long residual control of these and the other insects. PRENTOX® PRENBAY™ 1.5 EC will also control strains of cockroaches and mosquitoes resistant to certain chlorinated hydrocarbon and organophosphate insecticides. PRENTOX® PRENBAY™ 1.5 EC mixes readily with water and may be applied with most types of hand or power operated sprayers. Agitate spray mixture frequently. Do not apply this product using a trigger pump sprayer.

Do not formulate this product into other end use products.

NOTE: Do not use in fiberglass tanks. The spray mixture made from this formulation may loosen paint coatings in metal tanks if allowed to stand for more than a few hours. Clean tanks thoroughly before and after use.

INDOORS:

Pest Control in Homes, Apartment Buildings, Stores and Warehouses: For residual control of ants, cockroaches, millipedes, silverfish, spiders, waterbugs and to aid in control of saw-toothed grain beetles (exposed stage), mix 8 fluid ounces (½ pint) of PRENTOX® PRENBAY™ 1.5 EC in 1 gallon of water* (1.1% concentration). Apply as a coarse spray to control the above listed pests. Spray cracks, crevices, along baseboards, door and window sills, as well as inaccessible areas behind stoves, refrigerators, around garbage cans, compactors, and utility installations. DO NOT spray open floor areas, carpets, furniture, beds, or bedding. For ants, spray trails and places where ants enter premises. Repeat as necessary. Do not spray foodstuffs or house plants. DO NOT USE AS A SPACE SPRAY. PROVIDE ADEQUATE VENTILATION OF AREA BEING TREATED.

Pest Control in Meat Packing and Food Processing Plants, Food Storage Areas, Restaurants, and other Food Handling Establishments (places other than private residences in which exposed food is held, processed, prepared or served): For residual control of ants, cockroaches, millipedes, silverfish, spiders, waterbugs, and to aid in control of saw-toothed grain beetles (exposed stage), mix 8 fluid ounces (½ pint) of PRENTOX® PRENBAY™ 1.5 EC in 1 gallon of water* (1.1% concentration).

Non-Food Areas: Includes garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, office, locker rooms, machine rooms, boiler rooms, garage, mop closets and storage (after canning or bottling). Apply to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter.

Food Areas: LIMITED TO CRACK AND CREVICE TREATMENT ONLY — Apply a small amount of material as a pin stream directly into cracks and crevices such as expansion joints between different elements of construction or between equipment bases and the floor, wall voids, or hollow equipment legs where the insects noted above hide. Do not use this in conduits, motor housings, and electrical switch boxes.

Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT, ARE NOT PERMITTED.

Spraying unloading docks and outside areas where insects congregate will aid in preventing re-infestations. Good sanitation and proper disposal of wastes is essential in any effective control program.

EXTERIOR STRUCTURAL SURFACES

Residual Spray for Ants, Cockroaches, Earwigs, Flies, Hornets, Millipedes, Mosquitoes, Spiders, Crickets, Clover Mites, Fleas, Scorpions, Sowbugs, Brown Dog Ticks, Wasps, and Waterbugs.

Mix 8 fluid ounces (½ pint) of PRENTOX® PRENBAY™ 1.5 EC in 1 gallon of water* (1.1% concentration) and apply as a residual spray to surfaces of buildings, porches, window frames, and garages. Apply around foundations, patios, driveways, and sidewalks as a spot treatment where insects congregate. For control of wasps and hornets, apply after dark when all of the insects have returned to the nest. Repeat as necessary. Do not apply as a landscape treatment to lawns, shrubs or trees, or to garden plants.

To control Sand Flies or Pankies (Culicoides spp), mix 8 fluid ounces (1/2 pint) of Prentox Prenbay 1.5 EC in 1 quart of water* (4.5% concentration). Remove screens from areas where insects may enter buildings and spray in an area where no children are present. Allow screens to dry thoroughly before replacing.

*The use of this material in water at 40° F or below will result in crystallization in the spray tank. Do not use in oil. Do not allow spray mixture to stand overnight in the spray tank.

MIXING CHART

Concentration Required	Fluid Ounces of PRENBAY™ 1.5 EC to Add to:		
	1 Gallon U.S.	3 Gallons U.S.	10 Gallons U.S.
1.1%	8 (½ pint)	24 (1½ pints)	80 (5 pints)
4.5%	32 (2 pints)	96 (6 pints)	320 (20 pints)

RESTRICTIONS

Since this is a water suspension material, do not apply to rugs, carpets, draperies, wallpaper, or similar materials that may be stained or watermarked. The solvents of this formulation may stain certain plastic, rubber, and asphalt materials, such as tiles and floor coverings. Do not treat such materials without first testing a small inconspicuous area.

Do not use as a space spray. Provide adequate ventilation of area being treated.

Do not apply to animals or humans. Do not use on food crops.

Do not use on plants.

Do not allow children to contact treated surfaces until surfaces are completely dry.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Do not store below 32° F. Keep away from direct sunlight, radiators, stoves and other heat. Store in original container and out of the reach of children, preferably in a locked storage area.

Handle an open container in a manner as to prevent spillage. If container is leaking, invert to prevent leakage. If the container is leaking or material is spilled for any reason or cause, carefully dam up spilled material to prevent runoff. Refer to Precautionary Statements on label for hazards associated with the handling of this material. Do not walk through spilled material. Absorb spilled material with absorbing type compounds and dispose of as directed for pesticides above. In spill or leak incidents, keep unauthorized people away.

Pesticide Disposal: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Adhesive Panel

PRENTOX[®] PRENBAY[™] 1.5 EC

NSF Registration No. 100996

NSF Category Code: F2

ONLY FOR SALE TO, USE AND STORAGE BY QUALIFIED PEST CONTROL OPERATORS OR COMMERCIAL APPLICATORS FOR EFFECTIVE CONTROL OF CERTAIN SPECIFIED CRAWLING HOUSEHOLD INSECTS, FLIES, AND MOSQUITOES

ACTIVE INGREDIENT:

Propoxur 2-(1-Methylethoxy)phenol methylcarbamate 19.6%

OTHER INGREDIENTS:

80.4%

TOTAL

100.0%

Contains 1.5 Lbs. Propoxur 2-(1-Methylethoxy)phenol methylcarbamate per gallon

PRENTOX[®] — Registered Trademark of Prentiss Incorporated

PRENBAY[™] — Trademark of Prentiss Incorporated

**STOP - Read the Label Before Use.
Keep Out of Reach of Children**

DANGER

Do not store below 32° F.

Keep away from direct sunlight, radiators, stoves, and other heat.

PELIGRO

PRECAUCION AL USUARIO: Si usted no puede leer o entender inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (TO THE USER: If you cannot read or understand English, do not use this product until the label has been fully explained to you.)

FIRST AID

Have the product container or label with you when calling a poison control center or physician, or going for treatment. You may also contact the National Pesticide Information Center at 1-800-858-7378 for emergency medical treatment.

Contains an N-methyl carbamate that inhibits cholinesterase.

If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a Poison Control Center, physician, or the National Pesticide Information Center at 1-800-858-7378 for treatment advice.
If swallowed	<ul style="list-style-type: none"> • Call a Poison Control Center, physician, or the National Pesticide Information Center immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the Poison Control Center or physician. • Do not give anything by mouth to an unconscious or convulsing person.
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes • Call a Poison Control Center, physician, or the National Pesticide Information Center at 1-800-858-7378 for treatment advice.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. • Call a Poison Control Center, physician, or the National Pesticide Information Center at 1-800-858-7378 for further treatment advice.

NOTE TO PHYSICIAN: ANTIDOTE - Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. Probably mucosal damage may contraindicate the use of gastric lavage.

SYMPTOMS OF POISONING: A sense of "tightness" in the chest. Sweating. Contracted pupils. Stomach pains. Vomiting and diarrhea. If poisoning occurs, get prompt medical aid.

For information of this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.

SEE INSIDE BOOKLET FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND DIRECTIONS FOR USE

EPA Reg. No. 655-796

8/98

EPA Est. No. 655-GA-1

Net Contents

Manufactured by:

PRENTISS INCORPORATED

Plant: Kaolin Road, Sandersville, GA 31082
Office: C.B. 2000, Floral Park, NY 11002-2000