

# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY - AND POLLUTION PREVENTION

Prentiss LLC c/o Mr. Michael Kellogg Pyxis Regulatory Consulting, Inc. 4110 136<sup>th</sup> Street NW Gig Harbor, WA 98332

FEB 2 1 2012

Dear Mr. Kellogg:

Subject: Application for Pesticide Notification (PRN 98-10)

Update Company name and address,

Make existing marketing claims optional and add claims

Add PROSAR and CHEMTREC in place of NPIC, and

Update trademark designation section

Revise Conditions of Sale and Limitations of Warranty and Liability

Prentox ExciteR

EPA Reg. No. 655-798

Your submission dated January 26, 2012

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated January 26, 2012 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds the action requested falls within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on <u>nonrefillable</u> containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions regarding this letter, please contact Dana Pilitt, Ph.D. at (703) 305-7071 or via e-mail at <a href="mailto:pilitt.dana@epa.gov">pilitt.dana@epa.gov</a>.

Sincerely,

Richard Gebken Product Manager 10 Insecticide Branch

Registration Division (7505P)

Son & Ceebl

2048

Please read instructions on	reverse before c eting	form.	Market A.	Form Appro	OMB No. 20	70-0060	D. Approval expires 2-28-95
<b>⊗EPA</b>	<b>Environmental Pr</b>	d States Otection Ag n, DC 20460	jency	\[	Registrat Amendm Other		OPP Identifier Number
	Ар	plication for	Pesticide	- Section	1		
1. Company/Product Number 655-798	ır		2. EPA Pro R. Gebk	oduct Manager en		3. Pro	posed Classification  None Restricted
4. Company/Product (Name Prentiss LLC / Prentox Excit			PM#	10			
5. Name and Address of Ap Prentiss LLC c/o Pyxis Regulatory Co 4110 136th St. NW Gig Harbor, WA 98332 Check if this			(b)(i), my to: EPA Re	product is sing. No.		al in cor	FIFRA Section 3(c)(3) mposition and labeling
		Se	ction - II				
Amendment - Explain  Resubmission in resp  Notification - Explain	onse to Agency letter date	be	_ <u>_</u> :	inal printed lab gency letter do Me Too" Appli Other - Explain I	cation.	to	
Explanation: Use addition Notification of minor label results. 152.46, and no other change U.S.C. Sec. 1001 to willfully and 40 CFR 152.46, this pro-	visions per PRN 98-10. This es have been made to the lal make any false statement to	notification is cons beling or the confid EPA. I further und	sistent with the lential statement derstand that if	nt of formula of this notification	this product. I un is not consistent	derstand with the t	that it is a violation of 18 terms of PR Notice 98-10
		Sec	ction - III				
1. Material This Product Wil	l Be Packaged In:		MELES ST				
Child-Resistant Packaging Yes No	Unit Packaging  Yes  ✓ No	<b>/</b>	er Soluble Pac Yes No	kaging		Metal Plastic Glass	
* Certification must be submitted		o. per ontainer   If "Ye Pack	es" age wgt	No. per container		Paper Other (S	pecify)
3. Location of Net Contents  Label	Information 4. S	Size(s) Retail Cont	tainer pt.	5. L	On Label On Labeling a		
6. Manner in Which Label is	Affixed to Product	Lithograph Paper glued Stenciled		Other			3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
		Sec	ction - IV			3333	3
1. Contact Point   Complete	items directly below for id	entification of ind	lividual to be c	ontacted, if ne	cessary, to proc	ess this	application)
Name Michael Kellogg		Title Agent			}(	253) 85	No. (Include Area Code)
	ments I have made on this y knowlinglly false or misl				curate and comp		6. Date Application
2. Signature  Newhor Alle	DOM.	3. Title Agent	t				
4. Typed Name Michael Kellogg		5. Date	aclia				

## PY AS REGULATORY CONSULTING, INC.

41'10 136<sup>th</sup> St. NW Gig Harbor, WA 98332 Phone: 253-853-7369 Fax: 253-853-5516 www.PyxisRC.com

January 26, 2012

#### **COURIER DELIVERY**

Richard Gebken (PM 10)
Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 S. Crystal Drive
Arlington, VA 22202

RE: Prentiss LLC – Prentox ExciteR (EPA Reg. No. 655-798)
Notification of Minor Label Revisions permitted by PRN 98-10

Dear Mr. Gebken,

On behalf of Prentiss LLC, please find the enclosed notification of minor label revisions to the Prentox ExciteR label. Changes made to the enclosed labeling include the following:

- 1) Updated company name and address
- 2) Made existing marketing claims "optional" and added additional marketing claims
- 3) Revised the emergency contact telephone number in the First Aid section and added emergency contact numbers as Prentiss subscribes to both PROSAR and CHEMTREC
- 4) Updated the trademark designation section
- 5) Revised the Conditions of Sale and Limitation of Warranty and Liability language

In support of this notification application, we submit the following documents:

- 1. Application for Pesticide Registration (EPA Form 8570-1)
- 2. One (1) copy of the Prentox ExciteR Bait label with changes tracked
- 3. One (1) copy of Prentox ExciteR label with changes incorporated
- 4. CD containing an electronic copy of the Prentox ExciteR label
- 5. Certification with Respect to Label Integrity
- 6. Letter of Authorization

Please feel free to contact me by phone (253) 853-7369 or by email at Mike@PyxisRC.com if you have any questions or need any additional information.

Sincerely

Michael Kellogg

**Enclosures** 



# **ExciteR**<sup>TM</sup>

[Note to reviewer: [] bracketed text indicates optional language]

[\* PROVIDES RAPID KNOCKDOWN AND KILL OF INSECTS]

- [\* MAY BE TANK-MIXED WITH RESIDUAL INSECTICIDES AND INSECT GROWTH REGULATORS]
- [\* FOR USE IN GERMAN COCKROACH RESISTANCE MANAGEMENT PROGRAMS]
- [\* MAY BE APPLIED AS A WET SPRAY WHILE FOOD PLANTS ARE IN OPERATION]
- [\* NOT FOR USE ON TURF BEING GROWN FOR SALE OR OTHER COMMERCIAL USE AS SOD, OR FOR COMMERCIAL SEED PRODUCTION, OR FOR RESEARCH PURPOSES.]
- [\* WITH PYRETHRINS, A FLORAL INSECTICIDE]
- [\* POWERED BY PYRONYL]
- [\* RAPID KNOCKDOWN AND KILL]
- [\* POWERFUL FLUSHING ACTION]
- [\* A TANK MIX PARTNER FOR RESISTANCE MANAGEMENT]
- [\* BASIC COMPONENT FOR FLEA PROGRAMS]
- [\* CONTAINS 6% PY AND 60% PBO]

NOTIFICATION FEB 2 1 2012

**ACTIVE INGREDIENTS:** 

\*\*Contains Petroleum Distillates

PRENTOX® - Registered Trademark of Prentiss LLC
ExciteR™ - Trademark of Prentiss LLC

KEEP OUT OF REACH OF CHILDREN **CAUTION** FIRST AID Have the product container or label with you when calling a poison control center or physician, or obtaining treatment Call a physician, Poison Control Center, or PROSAR at 866-257-4118 immediately for treatment advice. • Do not induce vomiting unless told to do so by the Poison Control Center or physician. If swallowed · Do not give any liquid to the person. · Avoid alcohol. • Do not give anything by mouth to an unconscious or convulsing person. • Hold eye open and rinse slowly and gently with water for 15-20 minutes. If in eyes • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a physician, Poison Control Center, or PROSAR at 866-257-4118 immediately for treatment advice. · Take off contaminated clothing. If on skin or · Rinse skin immediately with plenty of water for 15-20 minutes. clothing • Call a physician, Poison Control Center, or PROSAR at 866-257-4118 immediately for treatment advice. · Move person to fresh air. If inhaled · If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth. Call a physician, Poison Control Center, or PROSAR at 866-257-4118 immediately for treatment advice. NOTE TO PHYSICIAN: Contains petroleum distillate – vomiting may cause aspiration pneumonia. For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call 866-257-4118. 20200 SEE INSIDE LEAFLET FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND DIRECTIONS FOR USE

> For Chemical Spill, Leak, Fire, or Exposure, Call: CHEMTREC 1-800-424-9300 For Medical Emergencies Only, Call: 866-257-4118

EPA Reg. NO. 655-798		

NET CONTENTS

Manufactured by:

Prentiss LLC 501 Cascade Pointe Lane, Suite 103 Cary, NC 27513 EPA Est. NO.

333333

LOT#\_

<sup>\*</sup>Equivalent to min. 48.0% (butylcarbityl)(6-propypiperonyl) ether and 12.0% related compounds.

# PRECAUTIONARY STATEMENTS Hazards To Humans & Domestic Animals

**CAUTION:** Harmful if swallowed or inhaled. Causes eye irritation. Avoid breathing spray mist. Avoid contact with eyes. Wear protective clothing. Wash skin thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

When using this product as a space spray in food processing plants, foods should be removed or covered during treatment. Do not apply as a space spray while food processing is underway. Food processing surfaces and equipment must be covered during treatment or cleaned with an effective detergent and rinsed with potable water before reuse. Except in Federally inspected meat and poultry plants, food processing operations may continue when this product is applied as a surface spray with care and in accordance with the directions and precautions given above.

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish, shrimp, crab and other aquatic organisms. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high watermark. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated.

#### PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

## Tank Mixes in Combination With Residual Insecticides:

This product can be mixed with Cynoff<sup>®2</sup> EC Insecticide #279-3081, Cynoff<sup>®2</sup> WP Insecticide #279-3070, Conquer<sup>®3</sup> Residual Insecticide Concentrate # 1021-1565-57076, Prelude<sup>®4</sup> Termiticide/Insecticide #10182-95, Demon<sup>®4</sup> EC Insecticide #100-1004, Perm-Up<sup>®5</sup> 3.2 EC #70506-9, Astro<sup>®2</sup> Insecticide #279-3141, LG<sup>®</sup> Permethrin 3.2 Termiticide/Insecticide #71532-2, Unicorn<sup>7</sup> 40% Permethrin EC #28293-354, Atroban<sup>®8</sup> 11% EC #773-59, Prentox<sup>®9</sup> Prenbay<sup>™9</sup> 1.5 EC #655-796, Prentox<sup>®9</sup> Perm-X<sup>™9</sup> 1E #655-783, at the rate of ¼ to ½ fl. ounce (equivalent to ½ to 1 tablespoon or 7.4 to 14.8 ml) per gallon of finished spray, for use as a flushing and knockdown agent to aid in control of crawling insects and flying insects as listed on the labels of each product, in accordance with the most restrictive of label limitations and precautions. No label dosage rates should be exceeded. This product cannot be mixed with any product containing a label prohibition against such mixing. To provide increased control of resistant German Cockroaches: tank mix 2.125 to 4.25 fl. ounces of ExciterR<sup>TM</sup> with the appropriate amount of companion insecticide label.

Prior to tank mixing, a small jar compatibility test should be conducted using the proper proportions of chemicals and water to ensure the physical compatibility of the mixture. When tank-mixing ExciteR with wettable powder formulations, first add the wettable powder to the diluent and agitate to thoroughly suspend it in solution and then add the desired amount of ExciteR to the diluted wettable powder. Tank-mix applications must be made in accordance with the more restrictive of label limitations and precautions. No label application rates may be exceeded. This product cannot be tank-mixed with any product with label prohibitions against such mixing.

Trademark designations: ¹McLaughlin Gormley King Co., ²FMC Company, ³Paragon Professional Pest Control Products, ⁴Syngenta Professional Products, ⁵United Phosphorus, ⁵LG Chem Investment, Inc., ⁵Unicorn Laboratories, ⁵Intervet Inc., ⁵Prentiss LLC.

A highly versatile, synergized, pyrethrin, insecticide concentrate for indoor or outdoor application as a surface, space, area or contact spray. ExciteR may be applied through mechanical, aerosol or ULV generators as well as thermal fogging equipment and conventional fogging or spraying equipment. ExciteR may be applied as a general surface, space, spot or crack and crevice treatment in both food and non-food areas of food handling establishments and is authorized for use in all areas of official establishments operating under the Meat, Poultry, Shell Egg Grading and Egg Products Inspection Programs.

ExciteR is intended for use in and around buildings and structures as well as modes of transport. INDOOR USE AREAS: Apartment buildings, bakeries, beverage plants, bottling facilities, breweries, cafeterias, candy plants, canneries, cereal processing and manufacturing plants, dairies and dairy product processing plants, flour mills, food processing plants, frozen food plants, grain elevators, grain mills, granaries, homes, hospitals, howels, houses, industrial buildings, kennels, kitchens, laboratories, manufacturing facilities, mausoleums, meat processing and packaging plants, meat and vegetable cameries motels, nursing homes, office buildings, restaurants, schools, spice plants, stores, supermarkets, warehouses, wineries and similar structures. OUTDOOR AREAS: Drive-in restaurants, drive-in theaters, golf courses, parks, playgrounds, recreational areas, urban areas and zoos. MODES OF TRANSPORT: Aircraft (do not use in occupied aircraft cabins), buses, trucks, trailers, rail cars and marine vessels.

Do not apply this product is such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons. Do not enter treated areas without protective clothing until sprays have dried.

ExciteR may be diluted with water or oil and applied with conventional application equipment including, but not limited to, compressed air spzayers, power sprayers, mechanical aerosol generators (ULV generators, or cold foggers) and thermal foggers (oil dilutions only). When diluting with water, prepare only the amount needed for immediate use and agitate occasionally during use. Holding a water dilution more than 24 hours is not recommended. For oil dilutions that are applied in food handling establishments, a deodorized petroleum oil which conforms with CFR 21 (especially section 172.884) is required (such as Exxon Isopar M, Ashland Low Odor Base Solvent or the equivalent).



#### INDOOR USE AS A CONTACT AND SURFACE SPRAY

GENERAL PEST CONTROL: To control accessible, exposed stages of crawling insects including, but not limited to Ants, Cockroaches, Cadelles, Cigarette Beetles, Dark Mealworms, Dried Fruit Beetles, Drugstore Beetles, Confused Flour Beetles, Grain Mites, Red Flour Beetles, Rice Weevils, Sawtoothed Grain Beetles, Spider Beetles, Yellow Mealworms in sites that include, but are not limited to, apartments, homes, restaurants, food processing plants, industrial installations and warehouses, dilute at the rate of up to 4.25 fluid ounces of ExciteR per gallon of water and apply at the rate of 1 gallon to 750 square feet. Thoroughly spray the surfaces where these insects areusually found including walls, baseboards, moldings, doors, cabinets, shelves, sinks and pipes with special attention to cracks and crevices, niches, dark corners, drains and other harborage sites.

Except in Federally inspected meat and poultry plants, food processing operations may continue when ExcieR is applied as a surface, spot or crack and crevice treatment in accordance with the directions and precautions given above.

#### DILUTION CHART

Fluid Ounces of ExciteR Per Gallon	% Pyrethrins	Approximate % Piperonyl Butoxide	
0.25	0.0125	0.125	
0.5	0.025	0.25	
1.0	0.05	0.5	
2.125	0.1	1.0	
4.25	0.2	2.0	

IN USDA INSPECTED FACILITIES: To control accessible, exposed stages of crawling insects including, but not limited to, Ants, Cockroaches, Cadelles, Cigarette Beetles, Confused Flour Beetles, Dark Mealworms, Dried Fruit Beetles, Drugstore Beetles, Grain Mites, Red Flour Beetles, Rice Weevils, Sawtoothed Grain Beetles, Spider Beetles, Yellow Mealworms, dilute 2.125 fluid ounces of ExciteR per gallon of water and apply at the rate of 1 gallon to 750 square feet. Thoroughly spray the surfaces where these insects are usually found including walls, baseboards, moldings, doors, cabinets, shelves, sinks and pipes with special attention to cracks and crevices, niches, dark corners, drains and other harborage sites.

FLEA AND TICK CONTROL IN BUILDINGS: Dilute 2.125 to 4.25 fluid ounces of ExciteR per gallon of water and apply the spray thoroughly to infested areas such as pet beds and resting quarters, nearby cracks and crevices, rugs and floor coverings (including under their edges) between and under the cushions of upholstered furniture and other areas where these pests may be present. Entire rugs and furniture should be treated at the rate of 1 gallon of dilute spray per 750 square feet of surface. In combination with conventional residual insecticides: To provide quick knockdown of adult fleas, tank-mix 0.5 to 1.0 fluid ounce of ExciteR with the appropriate amount of companion insecticide per finished gallon and apply per the Directions for Use on the companion insecticide label.

In combination with insect Growth Regulators: To provide quick knockdown of adult fleas, tank-mix 2.125 to 4.25 fluid ounces of ExciteR with the appropriate amount of companion insecticide per finished gallon and apply per the Directions for Use on the companion insecticide label.

Pet bedding should be removed and replaced with fresh bedding after treatment of pet areas. The pets should also be treated with and EPA registered product before they are allowed to enter the treated area.

PANTRY PEST CONTROL: To control exposed adult and immature stages of Stored Product Insects including, but not limited to, Almond Moths, Angoumois Grain Moths, Cadelles, Cigarette Beetles, Confused Flour Beetles, Drugstore Beetles, Flat Grain Beetles, Granary Weevils, Indianmeal Moths, Lesser Grain Borers, Maize Weevils, Mediterranean Flour Moths, Merchant Grain Beetles, Red Flour Beetles, Rice Weevils, Rusty Grain Beetles, Sawtoothed Grain Beetles and Squarenecked Grain Beetles, dilute 2.125 to 4.25 fluid ounces of ExciteR per gallon of water and apply to cupboards, shelves and storage areas. Remove all utensils, unprotected foodstuffs (or any with original packaging that has been opened), shelf paper and other objects before treatment. Allow treated surfaces to dry and then cover shelves with clean paper before replacing any utensils, foodstuffs or other items. Discard any foodstuff that was accidentally contaminated with the spray solution.

**PREMISE PEST CONTROL:** Termite swarmers: To control swarming termites, dilute 2.125 to 4.25 fluid ounces of ExciteR per gallon of water and apply as a surface spray at the rate of 1 gallon per 750 square feet. Apply as a crack and crevice treatment to the locations from which the termites are emerging.

Carpet Beetles: To control carpet beetles (black, furniture and varied), dilute 4.25 fluid ounces of ExciteR per gallon of water and apply to the entire carpet at the rate of 1 gallon per 750 square feet. Make localized applications under the edge of carpets, floor coverings, and furniture as well as along baseboards, in closets and to infested areas of shelving.

BED BUGS: To control *Bedbugs*, dilute 2.125 fluid ounces of ExciteR per gallon of water and apply thoroughly to the top, ends, sides and bottoms of mattresses paying special attention to tufts, seams and folds. Treat bedsprings and frames, including all cracks and joints. Apply as a crack and crevice treatment to all baseboards, moldings, flooring, closets, shelves, furniture and picture frames that may provide harborage to bedbugs.

WEBBING CLOTHES MOTHS: To control Clothes Moths, remove infested articles from storage, brush them thoroughly and air-dry them in sunlight for several hours. Dilute 2.125 fluid ounces of ExciteR per gallon of water and apply as a crack and crevice treatment to empty chests, bureaus and storage sites. After airing, infested articles may be lightly treated with the spray solution (keep the nozzle at least three feet from the fabric to avoid staining).

FOR INDOOR APPLICATIONS: Remove pets (including birds) from the area being treated and cover fish aquaria before spraying.

### INDOOR USE

To control crawling and flying insects in sites that include, but are not limited to, food processing plants, (INCLUDING USDA INSPECTED FACILITIES), industrial installations and warehouses, ExciteR may be diluted with water and applied as a space spray. For best results, close doors and windows before spraying and keep them closed for 30 minutes after treatment. The applicator must vacate the area after treatment and ventilate before reoccupying. Where oil residues are not undesirable, ExciteR can be diluted in deodorized base oil instead of water and applied with mechanical, thermal or ULV applicators.

The use of this product, as a space spray, in food processing or food handling establishments must be confined to time periods when the plant is not in operation. Foods must be covered or removed during treatment. Food processing surfaces and equipment must be covered during treatment or cleaned with an effective detergent and rinsed with potable water before use.

CRAWLING AND FLYING INSECTS: For control of accessible, exposed stages of CRAWLING INSECTS including, but not limited to, Ants, Cockroaches, Cadelles, Cigarette Beetles, Confused Flour Beetles, Dark Mealworms, Dried Fruit Beetles, Drugstore Beetles, Grain Mites, Red Flour Beetles, Rice Weevils, Saw-toothed Grain Beetles, Spider Beetles, Yellow Mealworms and Flying Insects including, but not limited to, Angoumois Grain Moths, Cheese Skippers, Fruit Flies, Fungus Gnats, Gnats, House Flies, Indianmeal Moths, Mosquitoes, Mediterranean Flour Moths, Small Flying Moths, Tobacco Moths, dilute 10.67 fluid ounces of ExciteR per gallon of water or oil and apply at the rate of 1 ounce per 1000 cubic feet of space. Direct the spray towards the ceiling and upper corners of the area and behind obstructions. Vacate the treated area and keep the area closed for at least 30 minutes after treatment. Ventilate the area before reoccupying. Repeat treatment as necessary.

FLYING INSECTS: For control of accessible, exposed stages of flying insects including, but not limited to, Angoumois Grain Moths, Cheese Skippers, Fruit Flies, Fungus Gnats, Gnats, House Flies, Indianmeal Moths, Mosquitoes, Mediterranean Flour Moths, Small Flying Moths, Tobacco Moths, dilute 2.67 fluid ounces of ExciteR per gallon of water or oil and apply at the rate of 1 ounce per 1000 cubic feet of space. Direct the spray towards the ceiling and upper corners of the area and behind obstructions. Vacate the treated area and keep the area closed for at least 30 minutes after treatment. Ventilate the area before reoccupying. Repeat treatment as necessary.

VOID AREA TREATMENT: Undiluted ULV treatment: To treat inaccessible voids including, but not limited to, attics, false ceilings, wall and equipment voids, calculate the volume of the void and apply ExciteR through ULV equipment adjusted for crack and crevice application at the rate of 0.33 fluid ounces per 1000 cubic feet of space.

#### **OUTDOOR USE**

PERIMETER TREATMENTS: To control Ants, Bees, Centipedes, Cockroaches, Crickets, Firebrats, Fleas, Ground Beetles, Millipedes, Pillbugs, Silverfish, Sowbugs, Spiders, Ticks and Wasps, dilute 2.125 to 4.25 fluid ounces of ExciteR per gallon of water and apply at the rate of 1 gallon per 750 square feet to a band of soil and vegetation 6 to 10 feet wide around and adjacent to buildings. Treat the building foundation to a height of 2 to 3 feet at the rate of 1 gallon per 750 square feet.

TICK CONTROL: To control *Brown Dog Ticks* around residential areas, rural fields, woods, lots, roadsides, pathways and coastal vegetation areas, dilute 4.25 fluid ounces of ExciteR per gallon of water and apply with a mist blower (or other similar equipment) calibrated to deliver 3 gallons per acre. Apply during the peak of infestation and repeat as necessary to maintain control. Thorough applications should be made to the vegetation upon which the ticks rest.

FLEA CONTROL: To control fleas around residential areas, dog houses, kennels, paths, patios and under plants, shrubs, trees or other shaded, moist areas where pets may rest, dilute 4.25 fluid ounces of ExciteR per gallon of water and apply at the rate of 1 gallon per 750 square feet.

In combination with other insecticides: To provide quick knockdown of insects when used with a residual insecticide, tank-mix 1.0 to 2.125 fluid ounces of ExciteR with the proper amount of companion insecticide and apply per the Directions for Use on the companion insecticide label.

USE ON TURF AND GRASS: Used alone as a contact spray: To control Ants, Armyworms, Billbugs, Chinch Bugs, Chiggers, Crickets, Cutworms, Earwigs, Fleas, Grasshoppers, Hyperodes Weevils (adults), Japanese Beetles (adults), Mole Crickets, Sod Webworms And Ticks, dilute and apply per the instructions in the following table:

Treatment Area (Square Feet)	Fluid Ounces of ExciteR	Suggested Volume <sup>a</sup> Of Water (Gallons)
1000	0.25 to 0.5	2.5 to 5.0
5000	1.25 to 2.5	12.5 to 25.0
20000	5.0 to 10.0	50.0 to 100.0
43560 <sup>b</sup>	12.0 to 24.0	110.0 to 220.0

<sup>&</sup>lt;sup>a</sup> Dilute with enough water to obtain thorough coverage.

In combination with other insecticides: To provide quick knockdown of insects when used with a residual insecticide, tank-mix ExciteR at the rate listed above with the proper amount of companion insecticide and apply per the Directions for Use on the companion insecticide label.

As a turf pest diagnostic aid: To detect turf insects prior to making an insecticide application or to evaluate control from previous treatments, dilute 0.5 fluid ounces of ExciteR per gallon of water and apply evenly with a sprinkling can over one square yard of turf. Record the species and himber of insects present ten minutes after application. Sample 3 to 5 sites per 5000 square feet. Note: This procedure does not bring white grubs or billbug grubs to the surface. Use other methods to sample for these pests.

33333

<sup>&</sup>lt;sup>b</sup> 43560 square feet = 1 acre.



#### PETS

#### PRE-TREATMENT DIRECTIONS

#### READ ENTIRE LABEL BEFORE EACH USE

USE ONLY ON DOGS TO KILL FLEAS AND TICKS: Do not use on dogs under 12 weeks.

#### SPECIAL ANIMALS

Consult a veterinarian or call the National Pesticide Information Center at 1-800-858-7378, before using this product on debilitated, aged, pregnant nursing or medicated animals.

#### ADVERSE REACTION INFORMATION

Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your dog with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately, or call the National Pesticide Information Center at 1-800-858-7378.

#### APPLICATION DIRECTIONS

TO CONTROL FLEAS AND TICKS ON DOGS: Dogs may be treated with ExciteR by diluting at the rate of 1.0 to 2.125 fluid ounces per gallon of water and spraying or sponging thoroughly (to penetrate the hair and contact the skin) to all parts of the animal's body except the eyes, nose, mouth and genitalia. For best results against fleas and ticks on dogs, the animal's quarters should also be treated and bedding should be removed and replaced after the pet areas are treated.

#### REAPPLICATION DIRECTIONS

Do not reapply product for 7 days.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE AND SPILL PROCEDURES: Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste.

CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. Clean container promptly after emptying. {Containers 5 gallons or less} Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling if available or reconditioning if appropriate. {Containers larger than 5 gallons} Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and for several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Offer for recycling if available or reconditioning if appropriate.

#### CONDITION OF SALE AND LIMITATION OF WARRANTY AND LIABILITY NOTICE:

Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded. The Directions for Use of this Product must be followed carefully. It is impossible to eliminate all risks inherently associated with he use of this product. Ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather, presence of other materials or other influencing factors in the use of the product, which are beyond the control of Prentiss LLC or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Prentiss LLC and Seller harmless for any claims relating to such factors. Prentiss LLC warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or Prentiss LLC, and Buyer and User assume the risk of any such use. To the extent consistent with applicable law, PRENTISS LLC MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE. To the extent consistent with applicable law, in no event shall Prentiss LLC or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. To the extent consistent with applicable law, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF PRENTISS LLC AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF PRENTISS LLC OR SELLER, THE REPLACEMENT OF THE PRODUCT.

Prentiss LLC and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Prentiss LLC.