

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D C 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Mr Michael Kellogg Agent for Prentiss c/o Pyris Regulatory Consulting, Inc 4110 136th St , NW Gig Harbor, WA 98332

JUNE 25 2012

Dear Mr Kellogg

Subject Amendment- adding use sites

Prentox-Perm-X UL 4-4

EPA Registration Number 655-898 Your submission dated May 22, 2012

The application referred to above submitted in connection with registration under the Federal Insecticide Fungicide and Rodenticide Act as amended is acceptable with the following comments

1 Delete Municipal on page 1 This is not on the cited product

If you have any questions regarding this action please contact Linda A DeLuise of my team at (703) 305-5428

Sincerely yours

Rıchard Gebken

Product Manager (10) Insecticide Branch

Lefe A Da Levin

Registration Division (7505P)

Enclosure



PERM-XTM UL 4-4

For use only by federal, state, tribal or local government officials responsible for public health or vector control or by persons centified in the appropriate category or otherwise authorized by the state or tribal lead pesticide regulatory agency to perform adult mosquito control applications or by persons under their direct supervision

A Ready to Use, Quick Knockdown, Low Odor, Non Corrosive Synergized Synthetic Pyrethroid for the control of Adult Mosquitoes, In Residential, Municipal and Recreational areas Provides quick knockdown and effective control of mosquitoes, flies, black flies, gnats, biting and non-biting midges, as well as other biting flies

ACTIVE INGREDIENTS

Permethrin 4 0% Piperonyl Butoxide 40% **OTHER INGREDIENTS*** 92 0% **TOTAL** 100 0%

*Contains Petroleum Distillate Contains 0 2783 lb A I Piperonyl Butoxide per gallon

PRENTOX® - Registered Trademark of Prentiss LLC PERM-XTM - Trademark of Prentiss LLC

LOMMENTS A EPA Latter Patro

JUN 25 2012

Under the Federal Insertation Tungicide, and Rocentrid. Acu sa amended, for the pe neighbored under EPA R. 455-898

KEEP OUT OF REACH OF CHILDREN **CAUTION**

PRECAUCION AL USUARIO Si usted no lee ingles no use este producto hasta que la etiqueta haya sido evalicado ampliamente

	explicado ampliamente			
	FIRST AID			
If swallowed	Immediately call a Poison Control Center or physician for treatment advice			
	Do not induce vomiting unless told to do so by the Poison Control Center or physician			
	Do not give any liquid to the person			
	Do not give anything by mouth to an unconscious or convulsing person			
If on skin or clothing	Take off contaminated clothing			
	Rinse skin immediately with plenty of water for 15 20 minutes			
	Call a Poison Control Center or physician for treatment advice			
	Hold eye open and rinse slowly and gently with water for 15-20 minutes			
If in eyes	Remove contact lenses if present after the first 5 minutes, then continue rinsing eye			
	Call a Poison Control Center or physician for treatment advice			
If inhaled	Move person to fresh air			
	• If person is not breathing call 911 or an ambulance then give artificial respiration, preferably			
	mouth to mouth if possible			
	Call a Poison Control Center or physician for treatment advice			
	HOT LINE NUMBER			

Have the product container or label with you when calling a poison control center or doctor, or going for treatment You may contact 1 800-222-1222 for emergency medical treatment information. You may also contact PROSAR at 866-257-4118 for information including health concerns medical emergencies or pesticide incidents

NOTE TO PHYSICIAN Contains Petioleum Distillates - vomiting may cause aspiration pneumonia

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

For Chemical Spill, Leak, Fire or Γλposure, Call CHEMTREC 1-800-424-9300 For Medical Emergencies Only, Call 866-257-4118

EPA Reg No 655-898

Net Contents		Lot No
Manufactured by	PRENTISS LLC	
	2155 West Croft Circle	

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Spartanburg SC 29302

CAUTION Harmful if swallowed Harmful if absorbed through skin Avoid contact with skin, eyes, or clothing Causes moderate eye irritation

Personal Protective Equipment (PPE)

Some materials that are chemical resistant to this product are listed below. Mixers, loaders, applicators and other handlers (including during mixing/loading, repair and cleaning of equipment and disposal of pesticide) must wear the following

- Long-sleeved shirt and long pants
- Shoes plus socks,
- Chemical resistant gloves such as barrier laminate, viton, neoprene rubber or nitrile rubber Chemical resistant apron for mixers/loaders persons cleaning equipment and persons exposed to the concentrate

In addition to the above PPE mixers and loaders supporting aerial applications to forests must wear at least a NIOSH-approved respirator with

- A dust/mist filter with MSHA/NIOSH approval number prefix TC 21C, or any R, P, or HE filter

See engineering controls for additional requirements

User Safety Requirements

Follow manufacturer s instructions for cleaning/maintaining PPE If there are no such instructions for washables, use detergent and hot water Keep and wash PPE separately from other laundry

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate Do not reuse them

Engineering Controls

Pilots must use an enclosed cockpit that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170 240(d)(6)]

Human flagging is prohibited Flagging to support aerial application is limited to use of the Global Positioning System (GPS) or mechanical flaggers

User Safety Recommendations-

- Users should wash hands before eating, drinking chewing gum, using tobacco or using the toilet
 Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing soon as possible, wash thoroughly and change into clean clothing.

4088

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms including fish and invertebrates. Runoff from treated areas or deposition of spray droplets into a body of water may be hazardous to fish and aquatic invertebrates. Before making the first application in a season it is advisable to consult with the state or tribal agency with primary responsibility for pesticide regulation to determine if permits or other regulatory requirements exist.

Do not apply over bodies of water (lakes rivers permanent streams, natural ponds commercial fish ponds, swamps, marshes or estuaries), except when necessary to target areas where adult mosquitoes are present, and weather conditions will facilitate movement of applied material away from the water in order to minimize incidental deposition into the water body. Do not contaminate bodies of water when disposing of equipment rinsate or wash-waters

This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

PHYSICAL OR CHEMICAL HAZARDS

Do not use pour spill or store near heat or open flame

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

For use only by federal, state tribal or local government officials responsible for public health or vector control or by persons certified in the appropriate category or otherwise authorized by the state or tribal lead pesticide regulatory agency to perform adult mosquito control applications or by persons under their direct supervision

Precautions and Use Restrictions

- Apply this product only as specified on this label
- Apply this product at temperatures greater than 50°F and when wind speed equals or exceeds 1 mph
- Not for use in metered release systems or animal premise automatic misting systems Not for use in outdoor residential misting systems
- Do not spray this product on or allow it to drift onto cropland (other than those listed) or potable water supplies
- In the treatment of corrals feedlots, animal confinements/houses, swine lots, poultry ranges and zoos, cover any exposed drinking water, drinking fountains and animal feed before application
- For hand carried and/or lawn mower foggers Do not fog wet foliage Do not fog when wind conditions exceed 10 miles per hour Only use a clean, well maintained and properly calibrated fogger known to give excellent performance Fog down wind
 - Do not apply by fixed wing aircraft at a height less than 100 feet or by helicopter at a height less than 75 feet unless specifically approved by the state or tribe based on public health needs
- Apply when wind speed is greater than 1 mph
- Do not make applications during rain
- Except when applying to storm drains drainage pipes and pipe chases as instructed on this label, do not apply directly to sewers and drains or to any area like a gutter where drainage to sewers storm drains water bodies or aquatic habitat can occur
- Do not use in dairy barns or facilities

Do not retreat site more than once in 3 days. Do not exceed 25 applications at 0 007 lbs permethrin per acre per application or 0 007 lbs piperonyl butoxide per acre per application or 0 18 lbs of permethrin per acre per season or 0 18 lbs piperonyl butoxide per acre per year. More frequent treatments may be made to prevent or control a threat to public and/or animal health determined by a state, tribal or local health or vector control agency on the basis of documented evidence of disease-causing agents in vector mosquitoes or the occurrence of mosquito borne disease in animal or human populations or if spec fically approved by the state or tribe during a natural disaster recovery effort.

Perm-X UL 4-4 is recommended for application as an Ultra Low Volume (ULV) Thermal or Non thermal aerosol (cold fog) of for control of adult mosquitoes and flies in residential recreational industrial urban and other areas where these insect pests



are found Perm-X UL 4 4 provides effective control of mosquitoes and flies in areas such as parks, campsites, woodlands, athletic fields, golf courses, residential areas municipalities roadsides, animal quarters barns, playgrounds, and non-crop waste areas. Treat when mosquitoes or insects are most active and weather conditions are conducive to keeping the fog close to the ground e.g. cool temperatures and ground wind speeds are not greater than 10 mph. Applications during the cool hours of night or early morning are usually preferable. Repeat treatment when recommended by Public Health officials, or Mosquito Abatement Districts.

Perm-X UL 4 4 may be applied over specific growing crops and range grasses prior to harvest for the control of adult mosquitoes and biting flies with or adjacent to those areas. Application can only be made where the following crops are present

Alfalfa Onion bulb Corn grain Almond Corn stover Peach Apple Corn sweet kernel + cob with husks removed Pepper, bell Pistachio Artichoke Eggplant Potato Asparagus Fruit, pome group 11 Soybean, seed Avocado Garlic

AvocadoGarlicSoybean, seeBroccoliRange grassesSpinachBrussels sproutsHorseradishTomato

Cabbage Leaf petioles subgroup 4B Vegetable, cucurbit, group 9*

Cauliflower Leafy greens subgroup 4A Walnut
Celery Lettuce head Watercress
Cherry Mushroom

Cherry Corn, forage

*40 CFR 180 41Crop Group 9 Cucurbit Vegetables includes Crop Subgroup 9A (melon) and Crop Subgroup 9B (squash/cucumber)

Do not allow spray treatment to drift on pastureland cropland, (other than crops listed) or water supplies. In treatment of corrals feedlots, animal confinements/houses swine lots and zoos cover any exposed drinking water, drinking fountains and animal feed before application

Spray Dioplet Size Determination

Ground-Based Application Spray equipment must be adjusted so that the volume median diameter is less than 30 microns (Dv 0 5 < 30 μ m) and that 90% of the spray is contained in droplets smaller than 50 microns (Dv 0 9 < 50 μ m) Directions from the equipment manufacturer or vendor pesticide registrant or a test facility using laser based equipment to produce acceptable droplet spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated

Aerial Application made at ≤ 200 feet above ground elevation. Spray equipment must be adjusted so that the volume median diameter produced is less than 60 microns (Dv 0 > < 60 μ m) and that 90% of the spray is contained in droplets smaller than 100 microns (Dv 0 9 < 100 μ m). The effects of flight speed and for non rotary nozzles, nozzle angle on the droplet size spectrum must be considered. Directions from the equipment manufacturer or vendor, pesticide registrant or a test facility using a wind tunnel and laser based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated.

Aerial Application made at > 200 feet above ground elevation. Spray equipment must be adjusted so that the volume median diameter produced is less than 70 microns (Dv 0 5 < 70 μ m) and that 90% of the spray is contained in droplets smaller than 145 microns (Dv 0 9 < 145 μ m). The effects of flight speed and, for non-rotary nozzles, nozzle angle on the droplet size spectrum must be considered. Directions from the equipment manufacturer or vendor pesticide registrant or a test facility using a wind tunnel and laser based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated.

GROUND APPLICATION

ULV NON-THERMAL AEROSOL (COLD FOG) To control adult mosquitoes, flies, and gnats (blackflies) apply Perm X UL 4-4 using truck mounted ground ULV (cold fog) equipment with a swath width of 300 feet in areas such as residential, recreational, industrial areas. Apply when insects are most active and conditions are conducive to keeping the fog close to the ground. Apply the undiluted product at flow rates of 4 092 to 19 092 fluid oz per minute at a truck speed of 10 mph. These rates are equivalent to 0 001 to 0 007 pounds of permethin a 1 and 0 001 to 0 007 pounds of piperonyl butoxide a 1 per acre. If a different vehicle speed is used adjust the flow rate accordingly. An accurate flow control system must be used to ensure proper flow rate. Use the maximum flow rates and application rates on this label to treat heavy vegetation or when target insect populations are high. Do not exceed the highest flow rates specified by the manufacturer. Perm X UL 4-4 may also be applied by diluting with a light mineral oil or another suitable solvent, applied so as not to exceed 0 007 lbs. a 1 per acre using a swath width of 300 feet for calculation. Refer to Chart 2 for suggested rates for diluted use. Perm-X UL 4-4 may be used to treat outdoor aggregation and harborage sites including storm drains, underground drainage pipes, and pipe chases.

THERMAL AEROSOL APPLICATIONS For use in thermal fogging equipment such as truck-mounted thermal foggenerators or other equipment capable of making thermal fogging applications. Perm X UL 4 4 may be applied either diluted or undiluted. If diluted use a light mineral oil or another suitable non phytotoxic diluent. Do not exceed the maximum rate of 0 007 lbs a i per acre. May be applied with truck mounted equipment at speeds of 5 mph to 20 mph. Use a swath width of 300 feet for calculation. For use with handheld, backpick or lawn mower thermal fogging equipment do not exceed the maximum rate of 0 007 lbs. a i per acre. Use a walking speed of 2 mph (3 2 kph) and a swath width of 300 feet for calculations. May be used to treat aggregation and harborage sites such as abandoned buildings, warehouses, storm drains, underground drainage pipes, pipe chases and other areas where adult mosquitoes find harborage.

BARRIER APPLICATIONS For use in non thermal ULV motorized, portable, backpack, handheld or truck-mounted fogging equipment or mist blower equipment apply Perm X UL 4 4 with equipment adjusted to deliver ULV particles of 50 to 100 volume median diameter. Perm-X UL 4 4 may be applied undiluted or diluted (see Application Rates Charts on this label). If diluted use a light mineral oil or another suitable non phytotoxic diluent. For truck-mounted applications use not more than 0 007 lbs permethrin per acre. Use a 300 ft (15.2 m) swath width (see application rate charts on this label) for calculations. For backpack or handheld applications use not more than 0 007 lbs a 1 per acre. Use a 300 ft swath width and a walking speed of 2 mph (3.2 kph) for calculations. Direct spray onto foliage at the perimeter of areas from which mosquitoes or flies are to be excluded or direct spray into halboinge areas where adult mosquitoes or flies may be found. May be used to treat aggregation and harborage sites such as abandoned buildings, residential buildings warehouses, storm drains, underground drainage pipes and other areas where adult mosquitoes find harborage.

AIRIAL APPLICTION

Use aircraft specially equipped and capable of applying Ultra Low Volumes of Perm-X UL 4-4 Applications can be made diluted or undiluted but cannot exceed the specified rates of 0 007 lbs permethrin per acre and 0 007 lbs piperonyl butoxide per acre, equivalent to 3 1819 floz of undiluted Perm X UL 4 4 per acre. Applications should be made at an altitude of 100 to 300 feet. Apply at airspeed sufficient to deliver the appropriate amount of active ingredient per acre. The minimum height (from the ground) for aerial application of this product is 100 feet. Treat when insects are most active and meteorological conditions are conducive to keeping the spray cloud close to the ground. In order to compensate for windy conditions and ensure drift onto the target area aerial application with aircraft equipped with Global Positioning Systems (GPS) is recommended.

PROHIBITION ON AERIAL USE IN FLORIDA Not for aerial application in the State of Florida UNLESS specifically authorized by the Bureau of Entomology and Pest Control Florida Department of Agriculture and Consumer Services

CHART NO 1 – FOR USE UNDILUTED

Conditions and Rates To Use Perm X UL 4 4 Undiluted for Mosquito Control							
			Applicat	ion Rates			
Pounds Per Acre		F	luid Ounce	es per Min	ute	()	
Permethrin	PBO	5 mph	10 mph	15 mph	20 mph	Fluid Ounces and Milliliters Per Acre	
0 007	0 007	9 546	19 092	28 637	38 183	3 1819(94 1 ml)	
0 0035	0 0035	4 773	9 545	14 318	19 091	1 5909 (47 05 ml)	
0 001	0 001	1 363	2 728	+ 092	5 455	0 4546 (13 44 ml)	

CHART NO 2 - DILUIE I PART WITH 2 PARTS MINERAL OIL

Amounts to Use After Diluting 1 Part Perm X UL 4 4 with 2 Parts Mineral Oil								
Application Rates for Fluid Ounces of Diluted Product								
Lbs of A I	Per Acre	Per Minute Per MPH						
Permethrin	PBO	5 mph	10 mph	15 mph	20 mph	Diluted Fl Oz (ml) to Apply Per Acre		
0 007	0 007	26 250	52 50	78 75	105 00	8 75 (258 76 ml)		
0 0035	0 0035	3 125	26 25	39 38	52 50	4 38 (129 53 ml)		
0 0010	0 0010	3 750	7 50	11 25	15 00	1 25 (36 96 ml)		

STORAGE & DISPOSAL

Do not contaminate water food or feed by storage or disposal

PESTICIDE STORAGE Store product in its original labeled container in a cool, dry, locked place designated for such insecticides and out of reach of children. In case of spillage, soak up with absorbent material such as sawdust, or fuller's earth, sweep up and place in a labeled container and dispose of as follows.

PESTICIDE DISPOSAL Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility

CONTAINER DISPOSAL Non refillable container Do not refill or reuse this container Clean container promptly after emptying [For Containers 5 gallons or less] Triple rinse as follows Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip Fill the container ¼ full with mineral oil (or other solvent used when diluting the product) and lecap Shake for 10 seconds Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal Diain for 10 seconds after the flow begins to drip Repeat this procedure two more times. Then offer for recycling if available or reconditioning if appropriate or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. [For Containers greater than 5 gallons] Triple rinse as follows. Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with mineral oil (or other solvent used when diluting the product). Replace and tighten closures. Tip container on it side and roll it back and forth ensuring at least one complete revolution for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling if available or reconditioning if appropriate or puncture and dispose of in a sanitary landfill or by other procedures approved by State and local authorities.

CONDITION OF SALE AND LIMITATION OF WARRANTY AND LIABILITYNOTICE Read the entire Directions for Use and Conditions of Sale and Limitation of Wallanty and Liability before buying or using this product. If the terms are not acceptable, return the product at once unopened and the purchase price will be refunded. The Directions for Use of this Product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product Ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather, presence of other materials or other influencing factors in the use of the product, which are beyond the control of Prentiss LLC or Seller All such risks shall be assumed by Buyer and User and Buyer and User agree to hold Prentiss LLC and Seller harmless for any claims relating to such factors Prentiss LLC warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or Prentiss LLC and Buyer and User assume the risk of any such use To the extent consistent with applicable law PRENTISS LLC MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE To the extent consistent with applicable law in no event shall Prentiss LLC or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. To the extent consistent with applicable law. THE EXCLUSIVE REMEDY OF THE USER OR BUYER AND THE EXCLUSIVE LIABILITY OF PRENTISS ILC AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS LASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE



PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF PRENTISS LLC OR SELLER, THE REPLACEMENT OF THE PRODUCT

Prentiss LLC and Seller offer this product and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability which may not be modified except by written agreement signed by a duly authorized representative of Prentiss LLC

[EPA approval date]

