

Wyandotte™

FEB 4-1972

662-48

4185-2

Mildewstatic Laundry Sour

Imparts Mildew Protection To Fabrics, For Periods Up To 30 Days

ACTIVE INGREDIENTS:

Zinc fluosilicate
4-Chloro-3, 5-xyleneol

66.00%
8.25%
25.75%
100.00%

INERT INGREDIENTS

WARNING

KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS. MAY BE FATAL IF SWALLOWED. Do not breathe dust. Do not contaminate feed and food-stuffs.

CAUSES SEVERE EYE IRRITATION. Do not get in eyes. Avoid contact with skin. In case of contact with skin, flush with plenty of water. If irritation persists, get medical attention. In case of contact with eyes, flush with plenty of water. For eyes get immediate medical attention.

Do not reuse empty container or plastic liner. Destroy them by burying with waste or burning. Stay away from smoke or fumes.

USE DIRECTIONS

Add dry to the wheel, using the normal 6 inch water level at approximately 100 F. Run the operation for a minimum of 5 minutes.

Do not attempt to prepare stock solutions.

In water containing up to 150 ppm bicarbonate alkalinity, use 1 1/2 ounces by weight (equivalent to 1 1/2 ounces by volume) per each hundred pounds dry fabric. This will normally produce a concentration of 1 weight ounce per 35 gallons of water.

If additional souring action is required, due to high bicarbonate alkalinity water, Wyandotte Sour-Flo, Sour-Tec, or other suitable laundry sour may be added as necessary.

Not intended for use as a terminal disinfectant.

EPA REG. NO. 662-48

FOR INDUSTRIAL USE ONLY

NET WEIGHT 300 LBS.