

Wyandotte™

# MULTI-CHLOR® D

## Highly-Soluble Chlorine Sanitizer

ACCEPTED  
662-57  
JUN 27 1975  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
ED UNDER NO. 662-57 SUBJECT  
TO ATTACHED COMMENTS.

**WARNING—KEEP OUT OF REACH OF CHILDREN. MAY BE HARMFUL IF SWALLOWED.**

Undiluted product may cause skin irritation. Avoid contact with skin or eyes. Avoid contamination of food.

**FIRST AID**—In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician immediately.

If swallowed, drink milk, egg white, starch paste, milk of magnesia, aluminum hydroxide gel, or magnesium trisilicate gel. Call a physician. Avoid sodium bicarbonate because of the release of carbon dioxide. Do not use acid first aid.

Store in a cool dry place. Avoid steam pipes and damp areas. Replace cover after each use. Avoid exposure to heat or moisture. Do not keep in hot areas or on hot surfaces.

The empty container should be thoroughly rinsed with water and discarded.

**USE DIRECTIONS**

Terminal Sanitizing Rinse for Glasses, Dishes and Utensils

1. Scrape and pre-flush articles to be washed.
2. Wash with recommended Wyandotte brand product.
3. Rinse in potable water.

4. Sanitize in Wyandotte Multi-Chlor D solution using 1 ounce in 6 gallons of water (providing 100 ppm available chlorine). Immerse all articles for at least two minutes, or for contact time specified by governing sanitary regulations. Test solution periodically with chlorine tester. When solution depreciates to 50 ppm available chlorine, it should be discarded.

✓ Sanitizing Dairy, Beverage and Food Processing Equipment

1. Rinse equipment with water immediately after use.
2. Wash with recommended Wyandotte brand product.
3. Rinse with potable water.
4. Air-dry, protect from dust and dirt.
5. Sanitize immediately before re-use, using a solution of 1 ounce of Multi-Chlor D in 6 gallons of water (this provides 100 ppm available chlorine). Test this solution periodically with chlorine test kits and when it depreciates to 50 ppm available chlorine, it should be discarded.

Special Applications

1. Deodorizing—Use 1 ounce of Multi-Chlor D in one gallon of water to provide a solution containing 600 ppm available chlorine. Rinse or spray equipment or odor problem areas. After deodorizing, rinse food contact surfaces with potable water before re-use.

2. Stock Solutions—These may be required in automatic sanitizing units for milk and beverage bottlers. Stock solutions can be made up to 10 ounces of Multi-Chlor D per gallon of water to give an available chlorine content of 6000 ppm. Stock solutions may be held as long as 48 hours without excessive loss. Use cold or warm (100° F.) water to make Multi-Chlor D stock solutions.

Do not rinse after sanitizing with Multi-Chlor D solutions unless required to do so by local health regulations; then rinse with potable water.

Contact Time

The laws in some states require that utensils and equipment remain in contact with a germicidal solution for at least 2 minutes. Check with your health department.

ACTIVE INGREDIENTS

Potassium dichloro-s-triazinetrione	13.8%
INERT INGREDIENTS	86.2%
Available Chlorine, min.	100.0%
	8%

Wyandotte Multi-Chlor D fulfills the criteria of Appendix F, the Grade "A" Pasteurized Milk Ordinance 1965 Recommendations of the USPHS when tested by the AOAC Germicidal and Detergent Sanitizer Test.

EPA Reg. No. 662-57 AA  
EPA Est. 662-MI-1

Freight Classification: Disinfectant, O/T Medicinal

FOR INDUSTRY USE ONLY

### 40 LBS. NET WEIGHT

# BASF



BASF Wyandotte Corporation  
Chemical Specialties Division  
Wyandotte, Michigan 48192

Wyandotte™

**MULTI-C**

**Highly-Soluble C**

**WARNING—KEEP OUT OF REACH OF CHILDREN. MAY BE HARMFUL IF SWALLOWED.**

Undiluted product may cause skin irritation. Avoid contact with skin or eyes. Avoid contamination of food.

**FIRST AID**—In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician immediately.

If swallowed, drink milk, egg white, starch paste, milk of magnesia, aluminum hydroxide gel, or magnesium trisilicate gel. Call a physician. Avoid sodium bicarbonate because of the release of carbon dioxide. Do not use acid first aid.

Store in a cool dry place. Avoid steam pipes and damp areas. Replace cover after each use. Avoid exposure to heat or moisture. Do not keep in hot areas or on hot surfaces.

The empty container should be thoroughly rinsed with water and discarded.

**USE DIRECTIONS**

Terminal Sanitizing Rinse for Glasses, Dishes and Utensils

1. Scrape and pre-flush articles to be washed.
2. Wash with recommended Wyandotte brand product.
3. Rinse in potable water.

4. Sanitize in Wyandotte solution using 1 ounce (providing 100 ppm) per gallon. Immerse all articles for 10 minutes, or for longer periods as governing sanitation regulations require. Rinse periodically with potable water. When solution contains available chlorine less than 100 ppm, it should be replaced.

Sanitizing Dairy, Beverage and Processing Equipment

1. Rinse equipment with potable water after use.
2. Wash with recommended Wyandotte brand product.
3. Rinse with potable water.
4. Air-dry, protect from moisture.
5. Sanitize immediately with a solution of 1 ounce per gallon of water. Rinse periodically with potable water. When available chlorine is less than 100 ppm, it should be replaced.


Special Applications

1. Deodorizing—Use 1 ounce per gallon in one gallon of water. Sanitize for 10 minutes containing 60 ppm available chlorine. Rinse or spray with potable water. Rinse problem areas. Avoid food contact surfaces. Rinse before re-use.

**FOR INDUSTRIAL USE**

**40 LBS. NET WT.**

**BASF**



**BASF**  
Chemical  
Wyandotte