


MC-95 Rev.

10/10/73

Page 10 of 10



E. DANGER-KEEP OUT OF REACH OF CHILDREN.  
Corrosive. Causes eye damage and severe skin irritation.  
Avoid breathing spray mist. Do not get in eyes, on skin, or  
on clothing. Protect skin and eyes when handling concentrate.  
Harmful or fatal if swallowed. Avoid contamination of food.  
Do not use, pour, spill or store near heat or open flame.  
Rinse empty container thoroughly with water and discard it.

FIRST AID: In case of contact, immediately flush eyes or  
skin with plenty of water for at least 15 minutes. For eyes,  
call a physician immediately. Remove and wash contaminated  
clothing before reuse. If swallowed, drink promptly a large  
quantity of milk, egg whites, gelatin solution, or if these  
are not available, drink large quantities of water. Avoid  
mineral oil and alcohol and call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate  
the use of gastric lavage. Measures against circulatory  
shock, respiratory depression and convulsion may be needed.

---



---

## LIVESTOCK AREA AND EQUIPMENT DISINFECTION

Hy-Kresol, a Veterinary Service, Animal, Plant Health Inspection Service, Permitted Disinfectant for Disinfection and Decontamination of Poultry Houses, Stockyard Premises and Vehicles Used in Interstate Transportation of Livestock.

This disinfectant may be used for official disinfection of stock cars, trucks, boats, aircraft, other vehicles and premises that have contained poultry, livestock, or other animals affected with, or carrying the infection of contagious, infectious or communicable disease of poultry or livestock at a dilution of not less than four fluid ounces of the disinfectant to one gallon of water. Remove poultry or livestock from area. Remove all litter and manure from the vehicle or premises. Empty all troughs, feeders and watering equipment. Saturate entire area including walls, floors, chutes, etc. using 4 oz. HY-KRESOL per gallon of water. Do not house poultry or livestock until treatment has absorbed, set or dried. All treated feeders and waterers must be thoroughly scrubbed with detergents and rinsed with potable water prior to reuse.

Not for use in milking stalls, milking parlors, or milk houses.

After treatment of surfaces: Ventilate buildings, vehicles and other closed spaces.

---



---

CONTENTS.....

DEODORANT **Hy-Kresol** DISINFECTANT

ACTIVE INGREDIENTS:	
Cresylic Acid .....	50%
Soap .....	30%
INERT INGREDIENTS .....	20%
	100%

For Disinfection and Decontamination of Poultry Houses, Stockyard Premises and Vehicles Used in Interstate Transportation of Livestock.

**DANGER:** Keep Out of Reach of Children. CORROSIVE. Causes eye damage and severe burns. May be fatal if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Wash thoroughly after handling. Avoid inhaling fumes or spray mist. Avoid contamination of feed or foodstuffs.

**FIRST AID: EXTERNAL:** In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, get prompt medical attention.

**INTERNAL:** If swallowed, give milk, white of raw eggs, mucilage, or corn starch paste, and follow with an emetic such as a tablespoonful of mustard in a tumbler of warm water.

**NOTE TO PHYSICIAN:** Measures against circulatory shock, respiratory depression and convulsion may be needed. Watch for signs of pulmonary edema, which may develop rapidly.

Rinse Empty Container Thoroughly with Water and Discard it.

1910  
University Ave.  
St. Paul, Minn.  
55104



Phone:  
646-6131

ACCEPTED

27

UNDER DEPT.

FUNCTIONAL

FOR ACC.

ED UND.

670-40