

M 32 670-46 1/1
1/12/90



HY-KRESOL may be used for the disinfection of livestock cars, trucks and premises that have contained poultry, livestock or other animals that may be infected with communicable diseases.

VEHICLES OR LIVESTOCK AREA DISINFECTION

Remove poultry or livestock from area. Remove all litter and manure. Empty all troughs, feeders, and watering equipment. Saturate entire area, walls, chutes, floors, etc., with a solution diluted at the rate of 4 ounces HY-KRESOL per gallon of water. Allow solution to be absorbed or dry before allowing livestock to enter. All treated feeders and waterers must be thoroughly scrubbed with detergents and rinsed with potable water before re-use. Ventilate building, vehicles or other closed spaces after the treatment. HY-KRESOL is not to be used in milking stalls, parlors or milk houses.

POULTRY HOUSE DISINFECTION

It is recommended that poultry barns be treated between each flock change. Remove poultry from barn and pressure wash all areas with BARN CLEANER. Remove litter. When dry, apply a solution diluted at the rate of 2 ounces per gallon of water to saturate walls, ceilings, rafters, fans, ducts, posts, feeders and waterers. Retreatment is recommended for hard to reach areas. All feeders and waterers must be thoroughly scrubbed with detergents and rinsed with potable water before re-use. Allow solution to absorb or dry before birds reenter. Ventilate closed spaces.

E.P.A. Reg. #678-46
E.P.A. Est. #678-MN-81

FOR INDUSTRIAL USE ONLY

HY-KRESOL
Deodorant-Disinfectant

Active Ingredients:
Cresylic Acid 50%
Inert Ingredients 50%

DANGER: KEEP OUT OF REACH OF CHILDREN.
ONLY FOR SALE TO, USE, AND STORAGE BY SERVICE PERSONS.

Sunburst Chemicals, Inc.
220 W. 86th St.
Bloomington, MN 55420
612-384-3144

DANGER: CORROSIVE: Causes burns. May be fatal if swallowed or absorbed through skin. Do not get on skin, in eyes or on clothing. Avoid inhaling fumes or sprayed mist. Avoid contamination of foodstuffs. Wash thoroughly after handling. Wear rubber gloves, boots and apron, and protective face shield.

FIRST AID: EXTERNAL Immediately flush skin or eyes with plenty of water for 15 minutes. Get medical attention.

INTERNAL If swallowed, drink large quantity of milk, raw eggs, corn starch paste or water. Get immediate medical attention.
NOTE TO PHYSICIAN: Measures against circulatory shock, respiratory depression and convulsions may be needed. Watch for signs of pulmonary edema which may develop rapidly.

STORAGE & DISPOSAL: This product must be kept under locked storage sufficient to make it inaccessible to children or person unfamiliar with its proper use. Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.


PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL/PLASTIC CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning, stay out of smoke.

METAL CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

GENERAL: Consult federal, state or local authorities for approved alternative procedures such as limited open burning.

Net Contents: _____



Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.