

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

JUL 25 1990

Paul J. Kruger
Lehn & Fink Industrial Products Division
Sterling Drug Inc.
225 Summit Avenue
Montvale, NJ 07645

Subject: Amphyl® Disinfectant-Deodorant Spray
EPA Registration No. 675-25
Your Submission Dated March 28, 1990

Dear Mr. Kruger:

This is in response to your submission of augmented data and a revised label in response to Agency letter dated February 27, 1990.

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comment below. A stamped copy of the labeling is enclosed for your records.

Submit five copies of the finished labeling before you release the product for shipment.

If you have any questions, you may call Wallace Powell at (703) 557-6938.

Sincerely,



Walter C. Francis
Acting Product Manager (32)
Antimicrobial Program Branch
Registration Division (H-7504C)

Enclosure

CONCURRENCES

| SYMBOL | CONCURRENCES | | | | | | |
|---------|--------------|--|--|--|--|--|--|
| SURNAME | | | | | | | |
| DATE | | | | | | | |

AMPHYL^R
DISINFECTANT-DEODORANT
SPRAY

ACCEPTED
with COMMENTS
in EPA Letter Dated
JUL 25 1980

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
675-25

E.P.A. Registration No. 675-25
E.P.A. Est. No. 777-IL-1,NJ-2 (See Bottom)

FOR HOSPITAL USE

- o Germicidal
- o Tuberculocidal
- o Fungicidal
- o Virucidal*

*See back panel

| ACTIVE INGREDIENTS | |
|-----------------------------|---------|
| o-Phenylphenol | 0.136% |
| Ethanol | 78.500% |
| INERT INGREDIFNTS | |
| | 21.364% |

KEEP OUT OF THE REACH OF CHILDREN
WARNING: SEE BACK PANEL FOR ADDITIONAL
PRECAUTIONS

NET WEIGHT 13 oz.

AMPHYL Spray

POWERFUL HOSPITAL SPRAY DISINFECTANT for nonporous environmental surfaces such as:

- | | | |
|-----------------------|----------------------|------------------|
| air duct louvers | door handles | dressing carts |
| bed springs | linen carts, hampers | stretcher wheels |
| toilet seats, urinals | clean-up carts | bassinets |
| garbage cans | blood pressure sets | wheelchairs |

GERMICIDAL: Staphylocidal . Tuberculocidal . Pseudomonacidal .
VIRUCIDAL* against Herpes Simplex Type 1, Influenza A₂ (Hong Kong), and Vaccinia on hard inanimate surfaces.

FUNGICIDAL: Against Trichophyton mentagrophytes (athlete's foot fungus) on environmental surfaces, such as floors, showers, and bathtubs.

KILLS MOLD AND MILDEW. Dries instantly, leaves no oily film. Repeat application when new mildew growth appears.
QUICK ACTION DEODORIZER. Removes offensive odors from dressing rooms, patient rooms, utility areas.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

WARNING: Avoid spraying in eyes. Avoid contact with food.

FIRST AID: In case of eye contact, immediately flush eyes thoroughly with water, remove any contact lenses and continue to flush eyes with plenty of water for at least 15 minutes. Get medical attention if irritation persists.

PHYSICAL OR CHEMICAL HAZARDS:

FLAMMABLE. Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F. may cause bursting.

STORAGE AND DISPOSAL:

Storage: Store in original container in areas inaccessible to small children. **Disposal:** Replace cap. Wrap and discard in trash. Do not puncture or incinerate.

BEST AVAILABLE COPY

U.S. 11

D I R E C T I O N S F O R U S E

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

TO DISINFECT:

1. Thoroughly clean surface prior to application of Amphyl Spray.
2. Hold can upright, 6" to 8" from surface.
3. Spray surface 2 to 3 seconds until thoroughly wet.
4. Allow to stand ten minutes for effectiveness.
5. Wipe dry with cloth.

For tuberculocidal activity, Amphyl Spray is effective in 10 minutes at 20° C. (68° F.) on surfaces that have been thoroughly cleaned prior to application of Amphyl Spray.

TO DEODORIZE:

1. Hold can upright, pointing valve in desired direction.
2. Spray into air 3 to 5 seconds, towards center of room.

TO PREVENT MILDEW:

Spray surface until moist. Allow to dry on surface and repeat when mildew growth appears.

DO NOT USE ON POLISHED WOOD FURNITURE OR RAYON FABRICS

NATIONAL LABORATORIES
LEHN & FINK PRODUCTS GROUP
MONTVALE, N.J. 07645
PLANT: TOLEDO, OHIO 43612