ACCEPTED 10-11-73 UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTER-ED UNDER NO. 675-26

Cross-contamination is of major housekeeping concern not only in hospitals, but in schools, institutions, and industry. QUATSYL 256 is formulated for this problem area. It both cleans and disinfects effectively and is virucidal when used as directed. Its hard surface disinfecting action will reduce the hazard of cross-contamination from environmental surfaces.

When used as directed. QUATSYL 256 will deodorize toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and other places where bacterial growth can cause mail odors.

This product is economical to use because it is highly concentrated. It should be handled with care

DANGER:

Corrosive: Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID:

R

In case of contact, immediately flush eyes or skin with plenty of plater for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites gelatin solution; with these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, as well as oxygen and measures to support breathing manually or mechanically may be needed. If persistent, convulsions may be controlled by the cautious intravenous injection of a short-acting barbiturate drug.

SY 256 *

CLEANER DISINFECTANT

Deodorizer-Fungicide-Virucide for Hospital and Institutional Use. Highly Concentrated Germicide Based on a Unique Blend of Quaternaries.

Active Ingredients

Octyl Decyl Dimethyl Ammonium Chlorid	e 3.750%
Dioctyl Dimethyl Ammonium Chloride	1.875%
Didecyl Dimethyl Ammonium Chloride	1.875%
Alkyl (C11, 50%; C12, 40%; C14, 10%)	
Benzyl Dimethyl Ammonium Chloride	5.000%
Tetrasodium Ethylenediamine Tetraaceta	ate 3.420%
Isopropyl Alcohol	3.000%
Ethyl Alcohol	1.000%
Inert Ingredients	80.080%
• •	100.000%

EPA Registration No. 675-26-AA NET CONTENTS 21/2 U.S. GALLONS



NATIONAL LABORATORIES LEHN & FINK INDUSTRIAL PRODUCTS DIVISION OF STERLING DRUG INC. 225 SUMMIT AVENUE, MONTVALE, NEW JERSEY 07645

DANGER: KEEP OUT OF REACH OF CHILDREN, SEE LEFT PANEL FOR ANTIDOTE STATEMENT AND OTHER PRECAUTIONS. Trademark

USE DIRECTIONS

Add 1/2 ounce per gallon of water

Apply QUATSYL 256 to walls, floors, and other hard surfaces such as tables, chairs, and bed frames with a cloth or mop. For heavily soiled areas, a preliminary cleaning may be required.

At 1/2 sunce per galion use-level

QUATSYL 256 is effective against Pseudomonas aeruginosa. Staphylococcus auteus. Salmonella choleraesuis, and Trichophyton interdigitale, the athlete's foot fungus. Germicidal performance against the first three organisms has been confirmed by the AOAC Use-Dilution test. Fungicidal performance against T. interdigitale was determined by the AOAC Fungicidal test.

The broad spectrum effectiveness of QUATSYL 256 is shown by its germicidal action against the following additional organisms.

Escherichia coli Klebsiella pneumoniae Aerobacter aerogenes (enterobacter) Salmonella schottmuelleri Streptococcus faecalis Shigella dysenteriae Brevibacterium ammoniagenes

ه

ADAC Phenol Coefficients

Staph. aureus (ATCC No. 6538) 104.0 Salmonella typhosa (ATCC No. 6539) 40.6

At 1/2 ounce per gallon use-level

QUATSYL 256 is virucidal against Herpes simplex (a member of the virus family that causes infectious mononucleosis). Vaccinia (representative of the pox viruses), and Influenza A₂ (the Hong Kong flu virus), on inanimate environmental surfaces.

Rinse empty container with water before discarding.