

Front Panel

675-26
5/1/73
1/1
P11 31

QUATSYL 256

CLEANER DISINFECTANT

Deodorizer-Fungicide-Virucide⁺ for Hospital and Institutional Use
Highly Concentrated Germicide Based on a
Unique Blend of Quaternaries.

Active Ingredients

Octyl Decyl Dimethyl Ammonium Chloride	3.750%
Dioctyl Dimethyl Ammonium Chloride	1.875%
Didecyl Dimethyl Ammonium Chloride	1.875%
Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%) Benzyl Dimethyl Ammonium Chloride	5.000%
Inert Ingredients	<u>87.500%</u>
	100.000%


EPA Registration No. 675-26

NET CONTENTS 2-1/2 U.S. GALLONS

NATIONAL LABORATORIES
LEHN & FINK PRODUCTS
225 Summit Avenue
Montvale, New Jersey 07645

**DANGER: KEEP OUT OF REACH OF CHILDREN. SEE SIDE PANEL FOR
FIRST AID STATEMENT AND OTHER PRECAUTIONS.**

Not Reviewed. Registrant claims to be in accordance with
Reregistration of Pesticide Product Guidance for Phase 2
Response, Page 2.12, Active to Inert Change in Status.



QUATSYL 256 CLEANER DISINFECTANT

Cross-contamination is of major housekeeping concern not only in hospitals, but in schools, institutions, and industry. QUATSYL 256 is formulated for this problem area. It both cleans and disinfects effectively and is virucidal when used as directed. Its hard surface disinfecting action will reduce the hazard of cross-contamination from environmental surfaces.

When used as directed, QUATSYL 256 will deodorize toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and other places where bacterial growth can cause malodors.

This product is economical to use because it is highly concentrated. It should be handled with care.

DANGER:


Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites or gelatin solution; if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, as well as oxygen and measures to support breathing manually or mechanically may be needed. If persistent, convulsions may be controlled by the cautious intravenous injection of a short-acting barbiturate drug.



QUATSYL 256 CLEANER DISINFECTANT

USE DIRECTIONS

Add 1/2 ounce per gallon of water.
Apply QUATSYL 256 to walls, floors, and other hard surfaces such as tables, chairs, and bed frames with a cloth or mop. For heavily soiled areas, a preliminary cleaning may be required.

At 1/2 ounce per gallon use-level
QUATSYL 256 is effective against *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Salmonella choleraesuis*, and *Trichophyton interdigitale*, the athlete's foot fungus. Germicidal performance against the first three organisms has been confirmed by the AOAC Use-Dilution test. Fungicidal performance against *T. interdigitale* was determined by the AOAC Fungicidal test

The broad spectrum effectiveness of QUATSYL 256 is shown by its germicidal action against the following additional organisms.

<i>Escherichia coli</i>	<i>Streptococcus faecalis</i>
<i>Klebsiella pneumoniae</i>	<i>Shigella dysenteriae</i>
<i>Aerobacter aerogenes</i> (enterobacter)	<i>Brevibacterium ammoniagenes</i>
<i>Salmonella schottmuelleri</i>	

AOAC Phenol Coefficients

<i>Staph. aureus</i> (ATCC No. 6538)	104.0
<i>Salmonella typhosa</i> (ATCC No. 6539)	40.6

+At 1/2 ounce per gallon use-level
QUATSYL 256 is virucidal against *Herpes simplex* (a member of the virus family that causes infectious mononucleosis), *Vaccinia* (representative of the pox viruses), and *Influenza A₂* (the Hong Kong flu virus), on inanimate environmental surfaces.

Rinse empty container with water before discarding.

