

1981

M17 675-32

INSTITUTIONAL d-CON



Net Wt. 6.25 oz. (177.18 gm)

INSTITUTIONAL d-CON® MIST INSECTICIDE MODULE

INSTITUTIONAL d-CON MIST IS AN EFFECTIVE FORMULATION DESIGNED FOR USE IN THE AUTOMATIC SPACE PROGRAMMER.

DIRECTIONS FOR USE:
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Used in the ENVIRONMENTAL SPACE PROGRAMMER, the special valve is actuated automatically, emitting 55 mg. doses every 15 minutes. Each dose contains millions of tiny particles which float in the air, killing a high proportion of flies, mosquitoes, gnats. Usually the effectiveness of Institutional d-CON Mist Insecticide will be noticeable within one hour after the dispenser is actuated. If less than 24 hour control is required, the dispenser should be set to start one hour before control is desired and run one hour after control is established.

Factors such as air change rate, size and shape of space treated, humidity and temperature affect insect activity and control. One Programmer will treat up to 6,000 cubic feet. For best results, mount the dispenser as high as possible and in a location where moving air will carry the spray throughout the desired area. Do not spray on polished or varnished surfaces.

As with any method of insect control, improved performance is achieved when good sanitary practices are used. The 6.25 oz. can contains approximately 3300 shots and, therefore, will operate for about one month on a 24 hour basis or about two months on a 12 hour basis. Change container accordingly.

DOT-20
EPA Reg. 675-32
EPA Rec. #11715-TII-1

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS
Warning: May cause eye or skin irritation. Avoid contact with eyes or skin.

IF IN EYES: Remove contact lenses. Flush eyes with plenty of water for at least 15 minutes. If irritation occurs, obtain medical attention.

IF ON SKIN: Wash with soap and water. If irritation occurs consult physician.

PHYSICAL OR CHEMICAL HAZARDS
Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator. Use 12' or more from exposed food or food handling or dispensing surfaces. Do not spray on face. Do not use in nurseries or room where infants, ill or aged persons are confined.

STORAGE AND DISPOSAL
Storage: Store in original container in areas inaccessible to small children.
Disposal: Replace cap and discard container in trash. Do not puncture or incinerate.

Active Ingredients:

Pyrethrins	0.90%
*Piperonyl Butoxide, Technical	1.80%
N-octyl bicycloheptene dicarboximide	3.00%
Petroleum Distillates	14.30%
Inert Ingredients	80.0%

*Equivalent to 1.44% (butylcarbityl) (6-propylpiperonyl) ether and 36% of related compounds.

**NATIONAL
LABORATORIES**
Lehn & Fink Industrial Products Division of Sterling Drug Inc.
Montvale, NJ 07645

ACCEPTED
DEC 8 8 1987
675-32
[675-32]