

**NEW**  
**TERGIQUAT\***  
Germicidal Cleaner

TERGIQUAT is authorized for use in the following category under the U. S. D. A. Poultry, Meat, Rabbit and Egg Products Inspection Programs and in plants operating under the U. S. Department of Commerce, Fishery Products Inspection Program:

**CATEGORY F** — Sanitizers, Disinfectants and Sanitizing Cleaners in All Departments — Potable Water Rinse Required.

**DANGER:** Keep Out of Reach of Children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food. Rinse empty container with water and discard.

**FIRST AID:** In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

AB-8197/LO-651.

**NEW**  
**TERGIQUAT\***  
Germicidal Cleaner

**USE DIRECTIONS** — For cleaning, disinfecting or sanitizing, and counteracting odors.



**NEW**  
**TERGIQUAT\***  
Germicidal Cleaner

**CLEANS • DISINFECTS • SANITIZES • COUNTERACTS ODORS**

Food Service Areas, Food Processing Plants, Dairies, Schools, Hospitals and Nursing Homes, and environmental surfaces in other industrial, professional, and commercial facilities.

E.P.A. Registration No. 675-36-AA

**ACTIVE INGREDIENTS:** Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>) dimethyl benzyl ammonium chloride 2.3%, Tetrasodium ethylenediamine tetraacetate 1.9%, Didecyl dimethyl ammonium chloride 0.7%.

**INERT INGREDIENTS:** 95.1%.

**DANGER:** Keep Out Of Reach Of Children

See side panel for First Aid and other Precautions.

**NET CONTENTS ONE GALLON**

NATIONAL LABORATORIES  
LEHN & FINK INDUSTRIAL PRODUCTS DIVISION  
of Sterling Drug Inc.  
Montvale, N. J. 07645 Plant: Toledo, Ohio 43612

**... NEW.**  
**TERGIQUAT\***  
Germicidal Cleaner

TERGIQUAT is a synergistic combination of modern quaternary ammonium compounds and powerful detergent agents.

Call a physician immediately.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

AB-8197/1.0-651.

**NET CONTENTS ONE GALLON**

**NATIONAL LABORATORIES  
LEHN & FINK INDUSTRIAL PRODUCTS DIVISION  
of Sterling Drug Inc.**  
Montvale, N. J. 07645 Plant: Toledo, Ohio 43612

**NEW  
TERGIQUAT\***  
Germicidal Cleaner

**USE DIRECTIONS** — For cleaning, disinfecting or sanitizing, and counteracting odors.

**FOR LIGHT DUTY CLEANING AND SANITIZING:**

1. Use 1 ounce (1:128) of TERGIQUAT per gallon of water. (Provides 225 ppm quaternary active ingredients.)
2. Apply solution to surfaces with cloth, mop, or spray equipment. (TERGIQUAT may be used in all types of pressure spraying equipment.)
3. All treated food contact surfaces must be rinsed with potable water prior to reuse. Follow local health regulations.

**FOR HEAVY DUTY CLEANING AND DISINFECTING:**

Use 2 ounces (1:64) of TERGIQUAT per gallon of water (provides 450 ppm quaternary active ingredients). Apply as per Steps 2 and 3 above under Light Duty Cleaning and Sanitizing.

**MOLD AND MILDEW:**

For controlling mold and mildew on hard, nonporous environmental surfaces, clean first, then apply a 1:64 TERGIQUAT solution with mop, cloth or sprayer in an amount to moisten surfaces thoroughly. Do not rinse. Repeat application as necessary to maintain control.

**SUGGESTED AREAS OF APPLICATION FOR TERGIQUAT:**

**Food Service and Dietary Areas:** Equipment, counters, floors, waste cans.

**Bairies:** Equipment, floors, walls.

**Food Processing Plants:** Equipment, floors, walls.

**Supermarkets:** Equipment, display cases, floors, walls, waste cans.

**Fast Food Operations:** Equipment, counters, waste cans, outdoor areas, floors, walls.

**Schools:** Washrooms, locker rooms, classrooms, equipment, walls, floors.

**Health Care Facilities:** Use a 1:64 solution of TERGIQUAT for floors, walls, furniture, bed frames and all hard surfaces. Suitable for critical area disinfection such as O.R. and isolation areas. Suitable for use on conductive floors.

**Veterinary:** Use a 1:64 solution of TERGIQUAT for operating tables, equipment, floors, walls, kennels, cages, runs.

**ACCEPTED**  
SEP 23 1975  
Under the Federal Food, Drug, and Cosmetic Act, as amended, for the purpose of...  
675-36  
Comments

**NEW  
TERGIQUAT\***  
Germicidal Cleaner

TERGIQUAT is a synergistic combination of modern quaternary ammonium compounds and powerful detergent agents.

TERGIQUAT is:

STAPHYLOCIDAL†

PSEUDOMONACIDAL†

VIRUCIDAL† (against most Lipophilic viruses including Herpes simplex, Influenza A<sub>2</sub>, Vaccinia)

FUNGICIDAL† (against pathogenic fungi)

CONTROLS THE GROWTH OF MOLD AND MILDEW†

†On hard, nonporous, environmental surfaces.

PASSES AOAC USE-DILUTION TEST AT 1:64 (2 oz. per gallon) AGAINST:

- Salmonella choleraesuis ATCC 10708
- Salmonella paratyphi ATCC 9281
- Salmonella schottmuelleri ATCC 10719
- Shigella dysenteria ATCC 11835
- Enterobacter aerogenes ATCC 13048
- Escherichia coli (AMC 198) ATCC 11229
- Proteus vulgaris ATCC 9920
- Pseudomonas aeruginosa ATCC 15422
- Klebsiella pneumoniae ATCC 9997

- Neisseria elongata ATCC 25295
- Serratia marcescens ATCC 8195
- Staphylococcus aureus ATCC 6538
- Staphylococcus aureus 80/81 (Penicillin Resistant)
- Streptococcus faecalis ATCC 828
- Streptococcus pyogenes ATCC 12384
- Streptococcus salivarius ATCC 9222
- Corynebacterium diphtheria ATCC 11913

TERGIQUAT fulfills the criteria of Appendix F of the Grade A Pasteurized Milk Ordinance 1965 Recommendations of the U. S. Public Health Service in waters up to 700 ppm hardness calculated as CaCO<sub>3</sub>, when tested at a 1:128 dilution by the AOAC Germicidal and Detergent Sanitizers Official Method.

\*Trademark

**ACCEPTED WITH COMMENTS**