

**FRONT PANEL - RIGHT SIDE**

25  
5 14  
5 14  
17 2

**TERGIQUAT**

**Germicidal Cleaner**

**E.P.A. Registration No. 675-36**

**CLEANS . DISINFECTS . SANITIZES . COUNTERACTS ODORS**

For use by Professional Maintenance Personnel Only in Food Service Areas, Food Processing Plants, Dairies, Schools, Hospitals and Nursing Homes and on Environmental Surfaces in Institutional and Industrial Facilities.

Authorized for use under U.S.D.A. Inspection and Grading Programs

**ACTIVE INGREDIENTS:**


Alkyl (50% C <sub>14</sub> , 40% C <sub>12</sub> , 10% C <sub>16</sub> ) dimethyl benzyl ammonium Chloride	.....	2.3%
Didecyl dimethyl ammonium Chloride	.....	0.7%
INERT INGREDIENTS	.....	<u>97.0%</u>
TOTAL		100.0%

**DANGER: Keep Out Of Reach Of Children**

See side panel for First Aid and other Precautions

**NET CONTENTS ONE GALLON**

**NATIONAL LABORATORIES**  
**LEHN & FINK PRODUCTS GROUP**  
 Montvale, NJ 07645      Plant: Toledo, Ohio 43612



Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12. Active to Inert Change in Status.

FRONT PANEL - LEFT SIDE

2, 4

**TERGIQUAT**

**Germicidal Cleaner**

TERGIQUAT is authorized for use in the following category under U.S.D.A. Inspection and Grading Programs and in plants operating under the U.S. Department of Commerce Fishery Inspection Program.

**U.S.D.A. CATEGORY - Sanitizes for All Surfaces Always Requiring a Rinse.**

**DANGER:** Keep Out of Reach of Children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food. Rinse empty container with water and discard.

**FIRST AID:** In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.


If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

**STORAGE/DISPOSAL -**

**STORAGE:** Store in original container in areas inaccessible to small children. Keep securely closed. Do not contaminate food or feed.

**DISPOSAL:** Do not reuse empty container. Rinse thoroughly with water and detergent. Discard in trash.



BACK PANEL RIGHT SIDE

**TERGIQUAT**  
Germicidal Cleaner

TERGIQUAT is a synergistic combination of modern quaternary ammonium compounds and powerful detergent agents.

TERGIQUAT IS:

STAPHYLOCIDAL\*

PSEUDOMONACIDAL\*

VIRUCIDAL\* (against most Lipophilic viruses including Herpes simplex, Influenza A<sub>2</sub>, Vaccinia)

FUNGICIDAL\* (against pathogenic fungi)


CONTROLS THE GROWTH OF MOLD AND MILDEW\*

\*On hard, nonporous, environmental surfaces.

PASSES AOAC USE-DILUTION TEST AT 1:64 (2 OZ. per gallon) AGAINST:

Salmonella choleraesuis ATCC 10708	Neisseria elongata ATCC 25295
Salmonella paratyphi ATCC 9281	Serratia marcescens ATCC 8195
Salmonella schottmulleri ATCC 10719	Staphylococcus aureus ATCC 6538
Shigella dysenteriae ATCC 11835	Staphylococcus aureus 80/81 (Penicillin Resistant)
Enterobacter aerogenes ATCC 13048	Streptococcus faecalis ATCC 828
Escherichia coli(AMC 198)ATCC 11229	Streptococcus pyogenes ATCC 12384
Proteus vulgaris ATCC 9920	Streptococcus salivarius ATCC 922
Pseudomonas aeruginosa ATCC 15422	Corynebacterium diphtheriae ATCC 11913
Klebsiella pneumoniae ATCC 9997	

TERGIQUAT fulfills the criteria of Appendix F of the Grade A Pasteurized Milk Ordinance 1965 Recommendations of the U.S. Public Health Service in waters up to 700 ppm hardness calculated as CaCO<sub>3</sub> when tested at a 1:128 dilution by the AOAC Germicidal and Detergent Sanitizers Official Method.



**BACK PANEL - LEFT SIDE**

**TERGIQUAT  
Germicidal Cleaner**

**USE DIRECTIONS -** For cleaning, disinfecting or sanitizing, and counteracting odors.

**FOR LIGHT DUTY CLEANING AND SANITIZING:**

1. Use 1 ounce (1:128) of TERGIQUAT per gallon of water. (Provides 225 ppm quaternary active ingredients.)
2. Apply solution to surfaces with cloth, mop, or spray equipment. (TERGIQUAT may be used in all types of pressure spraying equipment.)
3. All treated food contact surfaces must be rinsed with potable water prior to reuse. Follow local health regulations.

**FOR HEAVY DUTY CLEANING AND DISINFECTING:**

Use 2 ounces (1:64) of TERGIQUAT per gallon of water (provides 450 ppm quaternary active ingredients). Apply as per Steps 2 and 3 above under Light Duty Cleaning and Sanitizing.

**MOLD AND MILDEW:**

For controlling mold and mildew on hard, nonporous environmental surfaces, clean first, then apply a 1:64 TERGIQUAT solution with mop, cloth or sprayer in an amount to moisten surfaces thoroughly. Do not rinse. Repeat application as necessary to maintain control.

**SUGGESTED AREAS OF APPLICATION FOR TERGIQUAT:**

**Food Service and Dietary Areas:** Equipment, counters, floors, waste cans.

**Dairies:** Equipment, floors, walls.

**Food Processing Plants:** Equipment, floors, walls.

**Supermarkets:** Equipment, display cases, floors, walls, waste cans.

**Fast Food Operations:** Equipment, counters, waste cans, outdoor areas, floors, walls.

**Schools:** Washrooms, locker rooms, classrooms, equipment, walls, floors.

**Health Care Facilities:** Use a 1:64 solution of TERGIQUAT for floors, walls, furniture, bed frames and all hard surfaces...

Suitable for critical area disinfection such as O.R. and isolation areas. Suitable for use on conductive floors.

**Veterinary:** Use a 1:64 solution of TERGIQUAT for operating tables, equipment, floors, walls, kennels, cages, runs.