

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

March 19, 2018

Abbi Turner Regulatory Specialist Reckitt Benckiser LLC. Morris Corporate Center IV 399 Interpace Parkway Parsippany, NJ 07054

Subject: Label Amendment– Add secondary container label and other label modifications

Product Name: Tergiquat Germicidal Cleaner

EPA Registration Number: 675-36 Application Date: November 20, 2017

Decision Number: 536212

Dear Ms. Turner:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance

Page 2 of 2 EPA Reg. No. 675-36 Decision No. 536212

with FIFRA section 6. If you have any questions, you may contact Joe Daniels at (703) 347-8669 or via email at daniels.joseph@epa.gov.

Sincerely, E. Midelloff

Eric Miederhoff

Product Manager 31

Regulatory Management Branch I Antimicrobials Division (7510P)

Office of Pesticide Programs

Enclosure

Tergiquat Germicidal Cleaner Amendment: 11-20-2017 v5 EPA Reg. No.: 675-36 Page No.: 1 of 9

<< FRONT PANEL >>

ACTIVE INGREDIENTS:

KEEP OUT OF REACH OF CHILDREN

DANGER: See (back) (side) panel for additional precautionary statements (and first aid).

 $(NET \ CONTENTS:) \ \ \begin{matrix} X \ FL. \ OZ. \\ X \ X \ X \ FL. \\ OZ. \end{matrix} \qquad \begin{matrix} ((X \ PT.) \ (X \ QT.) \ (X \ GAL.) \ (X \ FL. \ OZ.)) \\ EACH: \ X \ FL. \ OZ. \ ((X \ PT.) \ (X \ QT.) \ (X \ GAL.) \ (X \ FL. \ OZ.)) \\ TOTAL: \ X \ FL. \ OZ. \ ((X \ PT.) \ (X \ QT.) \ (X \ GAL.) \ (X \ FL. \ OZ.)) \\ OZ.)) \end{matrix} \qquad X \ (mL) \ (L) \\ X \ (mL) \ (mL) \ (mL) \\ X \ (mL) \ (mL) \ (mL) \ (mL) \\ X \ (mL) \$

<< FRONT / BACK PANEL >>

EPA Reg. No.: 675-36

EPA Est. No.:

312-WI-3 (Y) (YY) 09019-OH-001 (Y) (YY) 70424-CAN-001 (Y) (YY) 475-PA-001 (Y) (YY) 09019-OH-002 (Y) (YY) 75371-IN-001 (Y) (YY) 75371-IN-003 (Y) (YY) 777-MO-001 (Y) (YY) 11525-IL-1 (Y) (YY) 54487-GA-1 (Y) (YY) 777-MO-2 (Y) (YY) 13891-IN-1 (Y) (YY) 82206-NY-003 (Y) (YY) 777-PA-1 (Y) (YY) 50757-WI-1 (Y) (YY) 777-GA-1 (Y) (YY) 58996-MO-1 (Y) (YY) 74291-MO-001 (Y) (YY) 777-CA-1 (Y) (YY) 61203-MA-001 (Y) (YY) 38654-NJ-001 (Y) (YY) 777-NJ-2 (Y) (YY) 68058-IL-001 (Y) (YY) 38654-PA-001 (Y) (YY) 8251-WI-005 (Y) (YY) 69209-MA-001 (Y) (YY)

(See bottom or side) (for Lot / Date code)

(Beginning of) (batch) (lot) code indicates EPA (Est.) (Establishment) (#) (No.) (Number) See (batch) (lot) code for EPA (Est.) (Establishment) (#) (No.) (Number)

<< BACK PANEL >>

(Questions?) (() (Comments?) (Call:) (1-800-677-9218) (1-800-560-6619) (1-xxx-xxx-xxxx)

For ingredient and other information, (www.rbnainfo.com) (website) Distributed by: Reckitt Benckiser, Parsippany, NJ 07054(-xxxx)

Made in U.S.A. © {year} RB

Contains no phosphates

This (bottle) (container) is made of 25% post-consumer recycled plastic.

Company graphic logo

Reckitt
Benckiser

NSF certification symbol:



<< BACK PANEL - Optional text >>

Recycle Symbol

ACCEPTED

03/19/2018

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

675-36

NOTE: Bracketed information is denoted as: << directive >>, { insert as noted }, (optional text), [required qualifier]. The term "this product" used throughout this document may be replaced with the marketed product brand name. To use the term "germ**" the product must be efficacious against 2 of the 3 major classes of organisms. The product label must identify the specific bacteria, virus, fungus & mold. The term (x) is a placeholder that represents a number between 1 and 99. The term "Y" is a place holder for a character A – Z.

Tergiquat Germicidal Cleaner Amendment: 11-20-2017 v5 EPA Reg. No.: 675-36 Page No.: 2 of 9

<< MARKETING CLAIMS >>

Areas of application for (this product):

- Food Service and Dietary Areas equipment, counters, floors, waste cans
- Dairies equipment, floors, walls
- Food Processing Plant equipment, floors, walls
- Supermarkets equipment, display cases, floors, walls, waste cans
- Fast Food Operations equipment, counters, waste cans, floors, walls
- Schools washrooms, locker rooms, classrooms, equipment, walls floors

Before use in food service / dietary areas, dairies, food processing plants, supermarkets and fast food operations, all food products and packaging materials must be removed from the room or carefully protected.

(Cleans) (Disinfects) (Disinfectant) (Fungicidal) (Sanitizer) (Sanitizes)

(Counteracts Odors) (Concentrated) (Concentrate) (Cleaning Power) (One product cleans & disinfects)

Controls the growth of mold and mildew*

For Commercial Use

For use by Professional Maintenance Personnel only.

For use in (Food Service Areas) (Food Processing Plants) (Dairies) (Schools) (Hospitals) (Nursing Homes)

For use on hard, non-porous environmental surfaces in (Institutional) (and) (Industrial) facilities.

Suitable for Food Service & Processing Areas

(Suitable) for use as a (disinfectant) (and) (sanitizer) on hard, non-porous surfaces located in {insert use sites – see Appendix 2}

(This product) disinfects hard, non-porous (environmental) surfaces such as {insert use sites / use surfaces – see Appendix 2}

(This product) meets the requirements of the OSHA Bloodborne Pathogen Standard for Decontamination

(This product) meets the AOAC Germicidal efficacy testing method for hospital disinfectants

(This product) is a synergistic combination of quaternary ammonium compounds and detergent agents.

Use on hard, non-porous environmental surfaces (in Institutions and Industrial Facilities).

<< SANITIZING CLAIMS - Hard, non-porous, non-food contact surfaces >>

Sanitizes: {insert organisms - See Appendix 1}

(This product) is a sanitizer for hard, non-porous, non-food contact surface areas in (60 seconds) (1 minute) against Staphylococcus aureus and Enterobacter aerogenes according to the Non-Food Contact Surface Sanitizer method. (This product) Kills 99.9% of (Enterobacter aerogenes) (and) (Staphylococcus aureus) on hard, non-porous surfaces in (60 seconds) (1 minute).

<< DISINFECTING CLAIMS - Hard, non-porous, non-food contact surfaces >>

Cleans, disinfects, sanitizes and counteracts odors.

Kills (Salmonella enterica) (Salmonella) and (Escherichia coli) (E. coli)

Kills: {insert organisms - See Appendix 1}

Kills 99.9% of (viruses) & (bacteria)**

Passes AOAC Use-Dilution Test at 1:16 [8 fl. oz. per gallon] against: (Aspergillus niger), (Corynebacterium diphtheriae), (Cytomegalovirus), (Enterobacter aerogenes), (Enterococcus faecalis), (Escherichia coli), (Human Immunodeficiency Virus Type 1), (Klebsiella pneumoniae), (Neisseria elongata), (Proteus vulgaris), (Pseudomonas aeruginosa), (Salmonella enterica), (Salmonella paratyphi), (Salmonella schottmuelleri), (Serratia marcescens), (Shigella dysenteriae), (Staphylococcus aureus), (Staphylococcus aureus 80/81 [Penicillin Resistant]), (Streptococcus pyogenes), (Streptococcus salivarius) (and) (Trichophyton mentagrophytes).

(This product is a) (GERMICIDAL**) (BACTERICIDAL*) (STAPHYLOCIDAL*) (PSEUDOMONACIDAL*) (FUNGICIDAL*) (– against pathogenic fungi) (VIRUCIDAL†) (– against Lipophilic viruses: Herpes Simplex Virus Type 1, Influenza A₂ Virus, Vaccinia (Virus))

When used on surfaces in locker rooms, restrooms and exercise facilities, this product is an effective fungicide against Trichophyton mentagrophytes (Athlete's Food Fungus) when used as a disinfectant.

NOTE: Bracketed information is denoted as: << directive >>, { insert as noted }, (optional text), [required qualifier]. The term "this product" used throughout this document may be replaced with the marketed product brand name. To use the term "germ**" the product must be efficacious against 2 of the 3 major classes of organisms. The product label must identify the specific bacteria, virus, fungus & mold. The term (x) is a placeholder that represents a number between 1 and 99.

Tergiquat Germicidal Cleaner Amendment: 11-20-2017 v5 EPA Reg. No.: 675-36 Page No.: 3 of 9

<< USE DIRECTIONS >>

<< Terminal Sterilant Statement - qualified metal surfaces >>

This product is not for use on critical & semi-critical medical devices or medical equipment surfaces.

<< Terminal Sterilant Statement - unqualified metal surfaces >>

This product is not to be used as a terminal sterilant / high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body; or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical devices prior to sterilization or high level disinfection.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Food contact surfaces must be rinsed with clean potable water prior to reuse. Do not use on glasses, dishes or utensils. Prepare a fresh solution daily or more often if solution becomes visibly dirty, soiled or cloudy.

To Clean Heavily Soiled Surfaces:

- 1. Dilute 2 fl. oz. of (this product) per gallon of water.
- 2. Apply solution with a cloth, sponge or sprayer; thoroughly wetting the surface.
- For sprayer applications, use a coarse spray device. Spray 6-8 inches from surface. Rub with a brush, sponge or cloth. Avoid breathing spray mist.
- 4. Wipe dry with a clean sponge, mop or cloth or allow to air dry.

To Sanitize:

- 1. Pre-clean hard, non-porous surfaces according to cleaning directions.
- 2. Dilute 2 fl. oz. of (this product) per gallon of water.
- 3. Apply to surface until thoroughly wet and allow to remain wet for 60 seconds (1 minute).

To Disinfect:

- 1. Pre-clean hard, non-porous surfaces according to cleaning directions.
- 2. Dilute 8 fl. oz. of (this product) per gallon of water.
- 3. Apply to surface until thoroughly wet and allow to remain wet for 10 minutes.

To Control Mold & Mildew (on hard, non-porous environmental surfaces): Clean first, then apply a 1:16 solution of (this product) with a mop, cloth or sprayer in an amount to moisten surfaces thoroughly. Let stand 10 minutes. Do not rinse. Repeat application as necessary to maintain control.

(Insert Brand Name)

Dilution Ratio	Quantity Needed	Quantity Needed	
	Product	Water	
1:64	2 fl. oz.	128 fl. oz.	
1:16	8 fl. oz.	128 fl. oz.	

To (sanitize)(and)(disinfect): (see use directions)(use as directed).

<< VETERINARY CLINICS / ANIMAL CARE CENTERS / ANIMAL LABORATORIES >>

For Use in Veterinary Clinics, Animal Care Centers and Animal Laboratories:

For cleaning and disinfecting the following hard, non-porous surfaces: operating tables, equipment, floors, walls, kennels, cages, runs, feeding and watering equipment, utensils, instruments, stables, catteries, etc.

- 1. Remove all animals and feeds from premises, animal transportation vehicles, crates, etc.
- Remove all litter, droppings and manure from walls, floors and surfaces of facilities occupied of traversed by animals.
- 3. Thoroughly clean all surfaces with soap or detergent and rinse with water.
- 4. Saturate surfaces with a use solution of 8 fl. oz. per gallon of water [1:16] for a period of 10 minutes.
- 5. Immerse all halters, ropes and other types of equipment used in handling and restraining animals as well as forks, shovels and scrapers used for removing litter and manure.

NOTE: Bracketed information is denoted as: << directive >>, { insert as noted }, (optional text), [required qualifier].

The term "this product" used throughout this document may be replaced with the marketed product brand name.

To use the term "germ**" the product must be efficacious against 2 of the 3 major classes of organisms.

The product label must identify the specific bacteria, virus, fungus & mold.

The term (x) is a placeholder that represents a number between 1 and 99.

Tergiquat Germicidal Cleaner Amendment: 11-20-2017 v5 EPA Reg. No.: 675-36 Page No.: 4 of 9

6. Ventilate buildings and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, dried or set.

7. Thoroughly scrub all treated feeding and watering appliances with soap or detergent and rinse with clean (potable) water before reuse.

<< HEALTH CARE FACILITIES >>

For Use in Health Care Facilities: Pre-clean hard, non-porous surfaces according to Cleaning directions. Use a 1:16 solution of (this product) for floors, walls, furniture, bed frames and all hard, non-porous surfaces. Apply to surface until thoroughly wet and allow to remain wet for 10 minutes. (This product) is suitable for disinfecting critical care areas such as O.R. and isolation rooms. This product is also, suitable for use on conductive floors.

<< BLOODBORNE PATHOGEN USE DIRECTIONS >>

KILLS HUMAN IMMUNODEFICIENCY VIRUS TYPE 1 [HIV-1 AIDS Virus] ON PRE-CLEANED ENVIRONMENTAL

SURFACES / OBJECTS PREVIOUSLY SOILED WITH BLOOD / BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces / objects with blood / body fluids; and in which the surfaces / objects likely to be soiled with blood / body fluids can be associated with the potential for transmission of HIV-1 [associated with AIDS].

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 [AIDS Virus] ON SURFACES / OBJECTS SOILED WITH BLOOD / BODY FLUIDS:

PERSONAL PROTECTION: When handling items soiled with blood / body fluids, use disposable latex gloves, gowns, masks and eye protection.

CLEANING PROCEDURES: Blood / body fluids must be thoroughly cleaned from surfaces / objects before application of (this product).

CONTACT TIME: Allow surfaces / objects to remain wet for 10 minutes.

DISPOSAL OF INFECTIOUS MATERIALS: Blood / body fluids must be autoclaved and disposed of according to local regulations for infectious waste disposal.

<< PRECAUTIONARY / FIRST AID / STORAGE & DISPOSAL >>

PRECAUTIONARY STATEMENT: Hazards to Humans and Domestic Animals.

DANGER: Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. Harmful if swallowed or absorbed through the skin. Wear protective eyewear [goggles, face shield or safety glasses], protective clothing and rubber gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse.

	FIRST AID		
If in Eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes.		
	Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.		
If on Skin	Take off contaminated clothing.		
or Clothing	Rinse skin immediately with plenty of water for 15-20 minutes.		
	Call a Poison Control Center or doctor for treatment advice.		
If Swallowed	Call a Poison Control Center or doctor immediately for treatment advice.		
	Have person sip a glass of water if able to swallow.		
	Do not induce vomiting unless told to do so by the Poison Control Center or doctor.		
	Do not give anything by mouth to an unconscious person		
	CONTACT NUMBER		
Questions? Comn	nents or In case of an emergency call toll free (1-800-677-9218) (1-800-560-6619) (1-xxx-xxx-		
	xxxx).		
Have the product co	ontainer or label with you when calling a Poison Control Center or doctor or going for treatment.		
	NOTE TO PHYSICIAN		
	Probable mucosal damage may contraindicate the use of gastric lavage.		
Measure	es against circulatory shock, respiratory depression and convulsion may be needed.		

<< STORAGE & DISPOSAL - Commercial / Institutional / Industrial containers >>

STORAGE AND DISPOSAL:

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store in original container in areas inaccessible to children. Keep securely closed.

NOTE: Bracketed information is denoted as: << directive >>, { insert as noted }, (optional text), [required qualifier]. The term "this product" used throughout this document may be replaced with the marketed product brand name.

The term "this product" used throughout this document may be replaced with the marketed product brand name. To use the term "germ**" the product must be efficacious against 2 of the 3 major classes of organisms.

The product label must identify the specific bacteria, virus, fungus & mold.

The term (x) is a placeholder that represents a number between 1 and 99.

Tergiquat Germicidal Cleaner Amendment: 11-20-2017 v5 EPA Reg. No.: 675-36 Page No.: 5 of 9

PESTICIDE DISPOSAL: Pesticide wastes may be hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to the label directions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Fill container 1/4 full with water and recap. Shake for 10 seconds. Drain for 10 seconds after the flow begins to drip. Follow Pesticide Disposal instructions for rinsate disposal. Repeat procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish, aquatic invertebrates, oysters and shrimp.

Tergiquat Germicidal Cleaner Amendment: 11-20-2017 v5 EPA Reg. No.: 675-36 Page No.: 6 of 9

<< APPENDIX 1 >>

<< SUPPORTING CLAIM QUALIFIERS – must appear before 'Directions For Use' on Back Panel label >>

* On hard, non-porous environmental surfaces

<< SUPPORTING DISINFECTION QUALIFIERS - must appear before 'Directions For Use' on Back Panel label >>

- ** Kills (99.9% of) (Escherichia coli O157:H7), (Pseudomonas aeruginosa), (Salmonella enterica), (Staphylococcus aureus), (Streptococcus pyogenes) and (Herpes Simplex Virus Type 1), (Human Immunodeficiency Virus Type 1), (Respiratory Syncytial Virus), (and) (Influenza A₂ Virus) (on hard, non-porous surfaces) (in 10 minutes).
- Kills (Cytomegalovirus) (Herpes Simplex Virus Type 1) (Human Immunodeficiency Virus Type 1 (HIV-1) AIDS Virus)) (2009-H1N1 Influenza A Virus (Novel H1N1)) (Influenza A₂ Virus) (Respiratory Syncytial Virus (RSV)) Vaccinia (Virus)) (on hard, non-porous surfaces) (in 10 minutes).

This product has been tested and found effective against the following micro-organisms:

Bacteria / Fungi / Virus << Disinfection - Hard, non-porous surfaces >>						
Bacteria (10 minutes)	(ATCC No.)	Viruses (10 minutes)	(ATCC No.)			
Acinetobacter baumannii	(19606)	Cytomegalovirus (†)	(VR-538)			
Corynebacterium diphtheriae	(11913)	Herpes Simplex Virus Type 1 (†)				
Enterobacter aerogenes	(13048)	Human Immunodeficiency Virus Type 1 (HIV-1) (AIDS Virus) (†)				
Enterococcus (Streptococcus) faecalis	(828)	2009-H1N1 Influenza A Virus (Novel H1N1)				
Escherichia coli	(11229)	Influenza A ₂ Virus ^(†)				
Escherichia coli O157:H7	(43888)	Respiratory Syncytial Virus (RSV) (†)				
Klebsiella pneumonia	(9997)	Vaccinia (Virus) (†)				
Methicillin Resistant Staphylococcus aureus (MRSA)	(33592)					
Neisseria elongata	(25259)	Fungi (10 minutes)	(ATCC No.)			
Proteus vulgaris	(9920)	Trichophyton mentagrophytes	(9533)			
Pseudomonas aeruginosa	(15422)					
Salmonella enterica	(10708)					
Salmonella paratyphi	(9281)					
Salmonella schottmuelleri	(10719)					
Serratia marcescens	(8195)					
Shigella dysenteriae	(11835)					
Staphylococcus aureus	(6538)					
Staphylococcus aureus 80/81 [Penicillin Resistant]						
Streptococcus pyogenes	(12384)					
Streptococcus salivarius	(9222)					
Vancomycin Resistant Enterococcus faecalis (VRE)	(51575)					
<< Sanitization –	Hard, non-pore	ous, non-food contact surfaces >>	•			
Bacteria (60 seconds) (1 minute)			(ATCC No.)			
Enterobacter aerogenes						
Staphylococcus aureus						
Staphylococcus aureus (6538) < Mildew Fungistat – Hard, non-porous surfaces >>						
Fungi			(ATCC No.)			
Aspergillus niger						

Tergiquat Germicidal Cleaner Amendment: 11-20-2017 v5 EPA Reg. No.: 675-36 Amendment: 11-20-2017 v5 Page No.: 7 of 9

<< APPENDIX 2 >>

<< SURFACES / USE SITES - May be listed on product label in the singular or plural form >>

Hard Non-porous Surfaces: (Graphic - depicting use site)

Counters Floors / Walls (Waste) (Garbage) Cans

Display Cases Medical (Lamps) (Stands) (Trays)

Professional Use Sites: (Graphic - depicting use site)

Cafeteria(Hotels) (Motels)RestaurantsDay Care CentersKennelRestroomsDental OfficesKitchen(School) (College)Doctor's OfficeNursing HomesVeterinary Office

Health Care Facility

Office Buildings
Hospitals

Physician's Office

Tergiquat Germicidal Cleaner EPA Reg. No.: 675-36

Amendment: 11-20-2017 v5

8 of 9

Page No.:

<< SECONDARY CONTAINER LABEL >>

ACTIVE INGREDIENT OF CONCENTRATE:

Alkyl (50% C₁₄, 40% C₁₂, 10% C₁₆) dimethyl benzyl ammonium chloride . . . 0.7% OTHER INGREDIENTS: 97.0% 100.0%

EPA Reg. No.: 675-36

(Questions?) (Call:) (1-800-228-4722) (1-800-677-9218) (1-xxx-xxx-xxxx) (or) (visit) (us) (at) (www.rbainfo.com) (www.reckittprofessional.com) (For ingredient) (and other) (information,) (www.rbnainfo.com) (website) Distributed by: Reckitt Benckiser, Parsippany, NJ 07054(-xxxx)

Made in U.S.A. © {year} RB

Reckitt



Company graphic logo

HAZARD RATING:

Health Hazard	3	Reactivity	0
Fire Hazard	1	Personal Protection	D

Benckiser

CUSTOMER AFFIXED LABEL

NOT FOR RETAIL SALE

<< USE DIRECTIONS >>

Follow the directions for use on the pesticide label when applying this product. The product in this container is diluted as directed on the pesticide product label.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Food contact surfaces must be rinsed with clean potable water prior to reuse. Do not use on glasses, dishes or utensils. Prepare a fresh solution daily or more often if solution becomes visibly dirty, soiled or cloudy.

To Clean Heavily Soiled Surfaces: Dilute 2 fl. oz. of this product per gallon of water. Apply solution with a cloth, sponge or sprayer; thoroughly wetting the surface. For sprayer applications. Use a coarse spray device. Spray 6-8 inches from surface. Rub with a brush, sponge or cloth. Avoid breathing spray mist. Wipe dry with a clean sponge, mop or cloth or allow to air dry.

To Sanitize: Pre-clean hard, non-porous surfaces according to cleaning directions. Dilute 2 fl. oz. of this product per gallon of water. Apply to surface until thoroughly wet and allow to remain wet for 60 seconds.

To Disinfect: Pre-clean hard, non-porous surfaces according to cleaning directions. Dilute 8 fl. oz. of this product per gallon of water. Apply to surface until thoroughly wet and allow to remain wet for 10 minutes.

To Control Mold & Mildew on hard, non-porous environmental surfaces: Clean first, then apply a 1:16 solution of this product with a mop, cloth or sprayer in an amount to moisten surfaces thoroughly. Let stand 10 minutes. Do not rinse. Repeat application as necessary to maintain control.

Food contact surfaces must be rinsed with clean potable water prior to reuse. Do not use on glasses, dishes or utensils. Prepare a fresh solution daily or more often if solution becomes visibly dirty, soiled or cloudy.

For additional directions for use refer to concentrate product label.

<< PRECAUTIONARY / FIRST AID >>

KEEP OUT OF REACH OF CHILDREN

PRECAUTIONARY STATEMENT: Hazards to Humans and Domestic Animals.

NOTE: Bracketed information is denoted as: << directive >>, { insert as noted }, (optional text), [required qualifier]. The term "this product" used throughout this document may be replaced with the marketed product brand name. To use the term "germ**" the product must be efficacious against 2 of the 3 major classes of organisms. The product label must identify the specific bacteria, virus, fungus & mold. The term (x) is a placeholder that represents a number between 1 and 99.

Tergiquat Germicidal Cleaner Amendment: 11-20-2017 v5 EPA Reg. No.: 675-36 Page No.: 9 of 9

DANGER: Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. Harmful if swallowed or absorbed through the skin. Wear protective eyewear [goggles, face shield or safety glasses], protective clothing and rubber gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse.

<< SECONDARY CONTAINER LABEL - continued >>

FIRST AID: If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice. If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

If Swallowed: Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.

CONTACT NUMBER: Questions? Comments or In case of an emergency call toll free (1-800-677-9218) (1-800-560-6619) (1-xxx-xxxx-xxxx). Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

NOTE: Bracketed information is denoted as: << directive >>, { insert as noted }, (optional text), [required qualifier]. The term "this product" used throughout this document may be replaced with the marketed product brand name. To use the term "germ**" the product must be efficacious against 2 of the 3 major classes of organisms. The product label must identify the specific bacteria, virus, fungus & mold. The term (x) is a placeholder that represents a number between 1 and 99.