

ACCEPTED

675-43

NEW AMPHYL

FOR USE BY PROFESSIONAL MAINTENANCE PERSONNEL ONLY IN INSTITUTIONAL AND INDUSTRIAL FACILITIES

DISINFECTANT • DEODORANT • DETERGENT
PHENOL COEFFICIENT 10

GERMICIDAL* Staphylocidal, Pseudomonacidal, Tuberculocidal

FUNGICIDAL* (Against pathogenic fungi)

VIRUCIDAL* (Against most popular viruses such as Herpes simplex, Influenza A (Japan) and Vaccinia)

*In vitro results only

ACTIVE INGREDIENTS

o-Pheny phenol

o-Benyl phenol

INERT INGREDIENTS

EPA Registration No 675-43 EPA Est No 777-OH-1

DANGER: KEEP OUT OF REACH OF CHILDREN

See Statement of Practical Treatment and Precautions on Side Panel

NET CONTENTS: 55 GALLONS (208 liters)

NATIONAL LABORATORIES

LEHN & FINK INDUSTRIAL PRODUCTS DIVISION
OF STERLING DRUG CO.
Montvale, New Jersey 07645 (Part of Division 4361)

HOW TO USE HOSPITAL TYPE AMPHYL

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.
ONE TABLESPOONFUL EQUALS ABOUT FLUID OUNCE OR 30 cc

To prepare proper dilutions in required quantities add full strength AMPHYL to water as below

NOTE

FOR GENERAL CLEANING

FOR GENERAL DISINFECTION

FOR DISINFECTION OF RUBBER GOODS

FOR DISINFECTION OF SURGICAL AND DENTAL INSTRUMENTS

Correct Dilution Strength	AMPHYL	WATER
1/2%		

1/2%

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER

STATEMENT OF PRACTICAL TREATMENT

STORAGE AND DISPOSAL

ACCEPTED

675-43

HOW TO USE HOSPITAL TYPE

AMPHYL

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

ONE TABLESPOONFUL EQUALS ABOUT 2 FLUID OUNCE OR 15 cc

When used as a disinfectant, it should be applied to the surface to be disinfected and allowed to remain in contact for the required time.

NOTE:

AMPHYL should not be used on surfaces which are to be painted or varnished.

To prepare proper dilutions in required quantities, add full strength AMPHYL to water as below.

FOR GENERAL CLEANING

Correct Dilution Strength

AMPHYL WATER

FOR GENERAL DISINFECTION

FOR DISINFECTION OF RUBBER GOODS

FOR DISINFECTION OF SURGICAL AND DENTAL INSTRUMENTS



FOR USE BY PROFESSIONAL MAINTENANCE PERSONNEL ONLY IN INSTITUTIONAL AND INDUSTRIAL FACILITIES

NEW AMPHYL

DISINFECTANT • DEODORANT • DETERGENT
PHENOL COEFFICIENT 10

GERMICIDAL* Staphylocidal, Pseudomonacidal, Tuberculocidal

FUNGICIDAL* Against pathogenic fungi

VIRUCIDAL* (Against most poxlike viruses such as Herpes simplex, influenza A (Japanese) and Vaccinia)

ACTIVE INGREDIENTS

100% AMPHYL 100% 100%

INERT INGREDIENTS 84%

EPA Registration No. 675-43

EPA Est. No. 777-OH-1

DANGER: KEEP OUT OF REACH OF CHILDREN

NET CONTENTS 1 GALLON (3.78 liters)

NATIONAL LABORATORIES
INDUSTRIAL PRODUCTS DIVISION
RTE. 1, BOX 100, WILSON, N.C.

3

4

INSIDE



FOR USE BY PROFESSIONAL MAINTENANCE PERSONNEL ONLY IN INSTITUTIONAL AND INDUSTRIAL FACILITIES

NEW AMPHYL

DISINFECTANT • DEODORANT • DETERGENT
PHENOL COEFFICIENT 10

GERMICIDAL* Staphylococci, Pseudomonas, Tubercle bacillus
FUNGICIDAL* Against pathogenic fungi
VIRUCIDAL* Against most alphaviruses, such as dengue, reovirus, influenza A, hepatitis and Vaccinia
*See Engineering Bulletin

ACTIVE INGREDIENTS

Phenol 100% 100%

INERT INGREDIENTS

Water 100% 100%

EPA Registration No. 675-43

EPA Est No. 777-OH-1

DANGER: KEEP OUT OF REACH OF CHILDREN

See Statement of Practical Treatment and Precautions

NET CONTENTS 1 GALLON (3.78 liters)

NATIONAL LABORATORIES
F. H. & F. K. INDUSTRIAL PRODUCTS CO., INC.
OF STERLING DRUG CO., INC.
M. J. C. NEW YORK, N. Y.

DISINFECTS AND DEODORIZES IN ONE OPERATION

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Caution should be exercised in the use of this product. Avoid contact with eyes, nose, mouth, and skin. Wear protective clothing and gloves. Avoid breathing dust or fumes. Avoid contact with food and drink.

STATEMENT OF PRACTICAL TREATMENT

Apply to surfaces to be disinfected. Allow to remain wet for 10 minutes. Rinse with water. For deodorizing, apply to surfaces and allow to dry. For disinfecting, apply to surfaces and allow to dry. If these are not sufficient, repeat the treatment. Avoid contact with food and drink.

STORAGE AND DISPOSAL

Store in original container. Do not use if container is damaged. Dispose of contents in accordance with local regulations.