

**INSTITUTIONAL d-CON<sup>R</sup>**

**ANT & ROACH KILLER  
SPRAY II**

- Kills on Contact
- Keeps Working Even After it Dries
- 15 Day Killing Power

**KEEP OUT OF REACH OF CHILDREN**


**CAUTION: See back panel for additional precautionary statements.**

**FOR INSTITUTIONAL AND INDUSTRIAL USE  
ONLY**

**SHAKE WELL**

**NET WEIGHT 18 OZ.**

Reviewed. Do not use in homes, schools, hospitals, or other public places. For use only in institutional and industrial settings.



**APPLICATION WITHIN NONFOOD AREAS:** Use in industrial, institutional and commercial buildings including hospitals, stores, manufacturing plants and warehouses for control of COCKROACHES, ANTS, CRICKETS, FIREBRATS, SILVERFISH AND SPIDERS. Spray localized areas where normally found, including dark corners of rooms and closets; cracks and crevices in walls; along and behind baseboards; beneath and behind sinks; around plumbing and other utility installations. For ANTS, apply to ant trails, also around doors and windows and wherever else these pests may find entrance. Note: A period of 4 to 7 days is normally required for maximum effect on cockroaches.

**FOR CONTROL OF CARPET BEETLES:**

Thoroughly spray for spot treatment along baseboards and edges of carpeting, under carpeting, rugs and furniture, in closets and on shelving and wherever else these insects are seen or suspected.

**FOR CONTROL OF FLEAS AND BROWN DOG TICKS:**


Thoroughly spray for spot treatment to infested areas such as cracks and crevices; along and behind baseboards, window and door frames and localized areas of floor and floor coverings where these pests may be present. DO NOT TREAT PETS WITH THIS PRODUCT. To control the source of flea infestation, treat pets with a product registered for application to animals.

**FOR CONTROL OF FLIES AND MOSQUITOES:**

For outdoor use only as an aid in reducing annoyance from these insects. Spray outside surfaces of doors, window frames or wherever these insects may enter.

**PRECAUTIONARY STATEMENTS  
Hazards to Humans & Domestic Animals**

**CAUTION:** Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with skin, eyes, or clothing. Avoid breathing spray mist.



Cover or remove exposed foods. Avoid contamination of cooking utensils and food preparation surfaces. DO NOT use in edible products areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in food serving areas while food is exposed. Keep children and pets out of treatment area and cover fish bowls and aquariums during treatment. Do not allow children or pets on treated areas until spray has dried. Do not use as a space spray - FOR SURFACE APPLICATION ONLY.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

**PHYSICAL HAZARDS:** Contents under pressure. Do not use near fire, heated surfaces, sparks, or flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting.

#### STATEMENT OF PRACTICAL TREATMENT


- If swallowed: Do not induce vomiting. May present aspiration hazard. Call a Physician or Poison Control Center immediately.
- If inhaled: Remove victim to fresh air.
- If on skin: Wash contaminated skin with soap and plenty of water. Get medical attention if irritation persists.
- If in eyes: Flush eyes with plenty of water.

**NOTE TO PHYSICIAN:** Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine is antidotal.

**STORAGE AND DISPOSAL:** Do not contaminate water, food or feed by storage or disposal of this product.

Storage: Store in a cool dry area away from heat of open flame.

Disposal: Do not reuse empty container. Wrap container and put in trash collection. Exposure to temperatures above 130° F may cause bursting.



**INSTITUTIONAL d-CON<sup>R</sup>  
ANT & ROACH KILLER  
SPRAY II**

Institutional d-CON<sup>R</sup> Ant & Roach Killer Spray II kills insects on contact and keeps on working with residual action even after it dries. It is a multi-purpose insecticide that kills a variety of crawling insects. Institutional d-CON Ant & Roach Killer Spray II is well suited for use in institutions, motels, hotels, restaurants, industrial plants, warehouses, commercial buildings, and in non-food areas of food processing plants.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**IMPORTANT - HOLD CONTAINER IN UPRIGHT POSITION TO SPRAY. SHAKE WELL.** Direct spray away from face. Hold container 6 to 12 inches from surface and spray at a rate of 1 foot per second or until surfaces are wet. If reinfestations occur, repeat applications as necessary.

**GENERAL:** Use Institutional d-CON Ant & Roach Spray II to control the pests indicated in the areas listed below. Repeat the treatment as needed. Do not apply in conduits, motor housing, junction and switch boxes or other electrical equipment because of possible shock hazard. Do not allow spray to contact food, feed-stuffs and water supplies. Thoroughly wash dishes and food handling utensils with soap and water if they become contaminated by application of this product. Do not allow children or pets to contact treated surfaces until spray has dried. Remove pets and cover fish bowls (tanks) before spraying.

**APPLICATION WITHIN FOOD HANDLING ESTABLISHMENTS:** Use as a crack and crevice spot treatment in and around both food and non-food areas to control COCKROACHES, ANTS, CRICKETS, FIRE-BRATS, SILVERFISH, SPIDERS and stored products such as CONFUSED FLOUR BEETLES, SAW TOOTHED GRAIN BEETLES, INDIAN MEAL MOTHS, RICE WEEVILS, AND MEDITERRANEAN FLOUR MOTHS. Areas treated may include dark corners of rooms or closets; along and behind baseboards outside of refrigeration units; floor drains and around plumbing and other utility installations. Do not introduce the spray into the air or allow to contact food or food-contacting surfaces. Repeat treatment as needed, but not more often than once every seven (7) days in restaurants and similar food handling establishments.

**APPLICATION OF THIS PRODUCT IN FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A SPOT AND/OR CRACK AND CREVICE TREATMENT IS NOT PERMITTED.**

ACTIVE INGREDIENTS:

d-trans Allethrin (allyl homolog of Cinerin I)	0.050%
Related compounds	0.004%
* N-Octyl bicycloheptane dicarboximide	0.400%
† Chlorpyrifos [0,0-diethyl 0- (3,5,6-trichloro 2-pyridyl) phosphorothioate]	0.500%

INERT INGREDIENTS

TOTAL 99.046%  
100.000%

- \* MGK-264, Insecticide Synergist.
- † U.S. Patent No. 3,244,586 - Dow Chemical Company.

EPA Reg. No. 675-49  
EPA Establishment No 11715-TN-1  
AB

NATIONAL LABORATORIES  
Lehn & Fink Industrial Products Division  
of Sterling Drug Inc.  
Montvale, N.J. 07645

