NET CONTENTS [redacted]

[redacted] NO. 677-97-AA

ACCEPTED
7-26-71
677-97
UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTER-NO.

# Diamond Shamrock® Chemical Company

## Brush Killer

# LINE RIDER® 4T

Contains 4.0 Pounds 2,4,5-T Acid Equivalent Per Gallon

| | |
|---|---|
| ACTIVE INGREDIENT: | |
| Butyl Ester of 2,4,5-Trichlorophenoxyacetic Acid* | 53.6% |
| INERT INGREDIENTS | 46.4% |
| TOTAL | 100.0% |

*Equivalent to 2,4,5-Trichlorophenoxyacetic Acid 44.0%

**CAUTION: KEEP OUT OF REACH OF CHILDREN. SEE SIDE PANEL FOR ADDITIONAL CAUTIONS.**

**AGRICULTURAL CHEMICALS DIVISION-CLEVELAND, OHIO 44115**

DIAMOND SHAMROCK CORPORATION

AG-148A

3784-A-87E-L-671

**READ ENTIRE LABEL BEFORE USING THIS PRODUCT**

### GENERAL INFORMATION

LINE RIDER 4T BRUSH KILLER is an emulsifiable formulation which forms an emulsion in water and will mix readily with water-free diesel oil, fuel oil or kerosene

DO NOT use around the home, recreation areas or similar sites.

The following plants are included among those susceptible to LINE RIDER 4T:

| | | |
|---|---|---|
| Alder | Elm | Poison ivy |
| Ash | Greenbrier | Palmetto |
| Aspen | Gum | Salmonberry |
| Birch | Honeysuckle | Sumac |
| Boxelder | Locust | Wild cherry |
| Brambles | Maple | Wild grape |
| Buckbrush | Oak | Willow |
| Elderberry | Osageorange | |

TREATING SMALL AREAS: One tablespoonful of LINE RIDER 4T in 1½ gallons of water or oil is about equal to 1 quart in 100 gallons.

When stored at temperatures below freezing, it may be necessary to warm up to at least 45 F and shake thoroughly before using

### DIRECTIONS FOR USE

PREPARATION OF THE SPRAY. Fill the spray tank with half the required amount of water or water-free diesel oil, fuel oil or kerosene, add the recommended amount of LINE RIDER 4T with agitation and continue filling the spray tank with water or petroleum oil In straight oil mixtures, do not let water get into the LINE RIDER 4T itself or into the finished product

LINE RIDER 4T is designed for use in control of brush and woody plants. Its principal use is on rangeland clearance, power lines, rights-of-way, stump land and certain waste areas where it is desired to kill or repress growth of woody plants. This product is not intended for weed control in growing crops

FOLIAGE TREATMENT: Foliage or leaf stem sprays are used during the growing season on dense brush or where vine growth such as Smilax, greenbrier and other woody vines is a problem Apply LINE RIDER 4T after foliage is well developed, using a drenching spray containing 3 to 4 quarts in 100 gallons of water Coverage should be complete, wetting all parts of the plants, including leaves and stems, to point of run-off Applications are more effective when applied to actively growing plants Higher volumes are necessary where the brush is very dense and over 8 to 10 feet high DO NOT treat during periods of severe drought or in early fall when leaves have lost their healthy green color Hard-to-kill species may need retreatment the following season

BASAL BARK TREATMENT This treatment is not adapted for spraying dense stands of brush and woody vines. It can be used anytime of the year to obtain better kill of some species where dense brush and woody vines do not prevent proper application Apply LINE RIDER 4T at the rate of 4 quarts in 25 gallons (1 pint in 3 gallons) of fuel oil, diesel oil or kerosene, treating the basal parts of stems or tree trunks less than 6 inches in diameter from ground line to a height of 12 to 16 inches, thoroughly wetting to run off all sides of

[illegible]

FRILL TREATMENT [illegible] use the frill or notch treatment [illegible] overlapping [illegible] completely [illegible] ground line Treat the [illegible] quarts of LINE RIDER 4T [illegible] 25 gallons [illegible] kerosene [illegible] pint [illegible] 3 gallons

### CAUTION

Harmful if swallowed.

May cause skin irritation

Avoid contact with eyes, skin and clothing If contact with eyes occurs, flush with plenty of water for 15 minutes

DO NOT store near fertilizers, seeds, insecticides or fungicides.

DO NOT contaminate irrigation ditches or water used for domestic purposes.

Use care to avoid spray drift to 2,4,5-T susceptible plants such as cotton, tomatoes, flowers, grapes, fruit trees and ornamentals. Trace amounts of spray drift may cause severe injury to both growing and dormant plants. Coarse sprays are less likely to drift. Spray only on calm days using low pressure and lowered boom. VAPORS from this product may injure 2,4,5-T sensitive plants in the vicinity.

Flush sprayer out on suitable non-crop area after use. DO NOT use the same spray equipment for applying other materials to plants as injury will result.

DO NOT graze dairy animals on treated areas within 6 weeks after application. DO NOT graze meat animals on treated areas within 2 weeks of slaughter.

DO NOT reuse empty container. Return to drum reconditioner, or destroy by perforating, crushing and burying or discarding in a safe place.

This product is toxic to fish. DO NOT contaminate any body of water or apply when conditions favor drift from areas treated. DO NOT contaminate water by cleaning of equipment or disposal of wastes.

### WARRANTY AND LIMITATION OF DAMAGES

SELLER warrants that this material conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use and BUYER assumes the risk of any use contrary to such directions. SELLER makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY, and no agent of SELLER is authorized to do so except in writing with a specific reference to this warranty. In no event shall SELLER's liability for any breach of warranty exceed the purchase price of the material as to which a claim is made.