

**Agricultural Chemicals Division**


Diamond Shamrock Corporation  
1100 Superior Avenue  
Cleveland, Ohio 44114  
216 694-6000

AMINE 6D



**Diamond Shamrock**

**SUPPLEMENTAL LABELING**



AMINE 6D  
(EPA Reg. No. 677-130)

**Control of Water Hyacinth (*Eichornia crassipes*)**

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**NOTE:** To be applied by federal, state or local public agency personnel, trained in aquatic weed control, or by licensed commercial applicators under contract to the above agencies. For use in ponds, lakes, reservoirs, marshes, bayous, drainage ditches, canals, rivers and streams that are quiescent or slow moving.

**WATER HYACINTH**

**AMOUNTS TO USE**

1-1/3 to 2-2/3 quarts of AMINE 6D per acre. Use 2-2/3 quarts when plants are mature or weed mass is dense. Spray weed mass only.

**WHEN TO APPLY**

Apply when water hyacinths are actively growing. Repeat as needed to control regrowth and plants missed by the previous spray.

**SURFACE APPLICATION**

Use power sprayers mounted on a boat, tractor or truck. Apply spray with boom or spray gun. Thorough wetting of foliage is necessary for maximum control. Use 100 to 400 gallons of

Warranty and Limitation of Damages: Seller warrants that this material conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions. Seller makes no other express or implied warranty, including any other express or implied warranty of fitness or of merchantability, and no agent of seller is authorized to do so except in writing with specific reference to this warranty. In no event shall Seller's liability for any breach of warranty exceed the purchase price of the material as to which a claim is made.

AMINE 6D - Water Hyacinth  
Page 2

spray mixture per acre. To avoid drift in areas of sensitive crops, apply spray containing a thickening agent such as Lo-Drift<sup>TM</sup> using low pressure and large nozzle. Do not apply when wind speeds are, or in excess of 10 mph.

AIR APPLICATION

Use drift control spray equipment or a thickening agent such as Lo-Drift. Add Lo-Drift to spray first then required amount of AMINE 6D. Apply 2/3 gallon of AMINE 6D per acre, through standard boom systems with a minimum of 5 gallons of spray mix per acre. For Microfoil drift control spray systems, apply 1 gallon of AMINE 6D in 12 to 15 gallons of spray mix per acre. Do not apply when wind speeds are at or above 5 mph.

NOTICE TO APPLICATORS

State and Local Coordination - Coordination and approval of local and state authorities may be required, either by letter of agreement or issuance of special permits, for such use before application under any project program.

Fish Toxicity-Oxygen Ratio - Oxygen in the water is essential to fish; therefore, a water-oxygen ratio must be maintained. Decaying aquatic weeds decrease oxygen in the water. To avoid fish kill from decaying plant material do not treat more than half the lake or pond at one time. Leave buffer strips of at least 100 feet wide for large bodies of weed-infested waters. Delay treatment of these strips for about 4 weeks or until treated vegetation has decomposed.

Irrigation - Delay the use of treated waters for irrigation for 3 weeks after treatment unless an approved assay shows that the water does not contain more than 0.1 ppm of 2,4-D acid. Do not treat irrigation ditches in areas where water will be used for overhead (sprinkler) irrigation of susceptible crops such as grapes, tomatoes and cotton.

Potable Water - Until such time as an approved assay shows that the water contains no more than 0.1 ppm of 2,4-D acid, delay the use of treated water for domestic purposes for a period of 3 weeks.

NOTE: It is important to read and observe the cautionary statements and all other information appearing on the AMINE 6D label. Use only as directed.

NOTE: This labeling must be in the possession of the user at the time of pesticide application.

Lo-Drift is a registered trademark of Union Carbide Agricultural Products Company, Inc.


Agricultural Chemicals Division  
Diamond Shamrock Corporation  
1100 Superior Avenue  
Cleveland, Ohio 44114  
216/694-5000

AMINE 6D



**Diamond Shamrock**

## SUPPLEMENTAL LABELING



AMINE 6D  
(EPA Reg. No. 677-130)

Control of  
Eurasian Watermilfoil (*Myriophyllum spicatum*)  
in Dams and Reservoirs

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**NOTE:** For use only in programs conducted by the Tennessee Valley Authority in dams and reservoirs of the TVA system.

### WATERMILFOIL

### HOW TO USE

When less than 3-1/3 gallons of AMINE 6D is recommended, dilute AMINE 6D with water to apply a minimum of 5 gallons of spray mix per acre. Treatment should not be made within 1/2 mile of potable water intakes. Shoreline areas should be treated by subsurface injection applied by boat to avoid aerial drift. Do not apply when weather conditions favor drift from target area. Do not contaminate water sources with equipment, rinsate or other disposal wastes.

### AMOUNTS OF USE

1-2/3 to 6-2/3 gallons of AMINE 6D per acre. Use the maximum rate in areas of greater water exchange. A repeat application may be required in these areas.

Warranty and Limitation of Damages: Seller warrants that this material conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions. Seller disclaims any liability for any use contrary to such directions. Seller makes no other express or implied warranty, including any other express or implied warranty of fitness or of merchantability, and no agent of seller is authorized to do so except in writing with a specific reference to this warranty. In no event shall Seller's liability for any breach of warranty exceed the purchase price of the material to which a claim is made.

#### WHEN TO APPLY

Apply in spring or early summer when milfoil starts to grow. This can be checked by sampling plants at lake bottom in areas heavily infested the previous year.

#### OPEN WATER AREAS

To reduce contamination and prevent undue exposure to fish and other aquatic organisms. Do not treat water areas that are not infested with aquatic weeds.

#### SURFACE APPLICATION

Apply AMINE 6D in a minimum spray volume of 5 gallons per acre. Do not apply when wind speeds are at or above 10 mph.

#### AERIAL APPLICATION

Use a thickening agent such as Lo-Drift<sup>TM</sup> or drift control spray equipment. When using Lo-Drift mix with water in spray tank. As tank is being filled to required volume add recommended amount of AMINE 6D. Apply AMINE 6D through standard boom system with a minimum of 5 gallons of spray per acre. In Microfoil drift control spray system apply AMINE 6D in 12 to 15 gallons of spray mix per acre. Do not apply when wind speeds are at or above 5 mph.

#### SUBSURFACE APPLICATION

Apply AMINE 6D undiluted directly into the water through boat-mounted distribution systems.

#### NOTICE TO APPLICATORS

Fish Toxicity-Oxygen Ratio - Oxygen in the water is essential to fish; therefore, a water-oxygen ratio must be maintained. Decaying aquatic weeds decrease oxygen in the water. To avoid fish kill from decaying plant material do not treat more than half the lake or pond at one time. Leave buffer strips of at least 100 feet wide for large bodies of weed-infested waters. Delay treatment of these strips for about 4 weeks or until treated vegetation has decomposed.

AMINE 6D - Eurasian Watermilfoil  
Page 3

NOTE: It is important to read and observe the cautionary statements and all other information appearing on the AMINE 6D label. Use only as directed.

NOTE: This labeling must be in the possession of the user at the time of pesticide application.

Lo-Drift is a registered trademark of Union Carbide Agricultural Products Company, Inc.