

#### DIRECTIONS FOR USE

Although CROP RIDER 20% AQUA GRANULAR is specifically formulated for weed control in ponds and lakes, it may be used for the control of broadleaved weeds such as Chickweed, Dandelion, Plantain and certain other broadleaved weeds infesting grasses on golf courses, playgrounds and other recreation areas.


**LAWNS** When broadleaved weeds appear in lawns and similar turfed areas apply CROP RIDER 20% AQUA GRANULAR at the rate of 1 pound to 4,000 square feet 40 x 100, using a conventional spreader adjusted to a low setting. For uniform coverage several passes may be necessary to empty the hopper over the measured area. Subsequent adjustments can be used to accurately calibrate the spreader to deliver the required amount of CROP RIDER 20% AQUA GRANULAR. Avoid application to creeping grasses such as bent or to newly seeded turf areas until grasses have become well established. Do not apply closer than three feet to ornamental plantings such as shrubs or flowers. This product may cause injury to Dichondra and clovers in lawns.

**WEEDS Ponds and Lakes:** To control submergent, perennial water weeds such as waterhyacinth, duckweed, milfoil, fanwort, tape grass, naiad, ludwigia, and certain other pond weeds, apply CROP RIDER 20% AQUA GRANULAR at the rate of 1 pound per 430 square feet of water surface. Avoid application to choppy water as the granules must settle on the bottom around roots, and stems in a uniform manner. Results should be visible in about 4 to 6 weeks. After application control can be obtained for approximately 1 to 3 years. CROP RIDER 20% AQUA GRANULAR may be applied in the winter on the ice surface before spring thaw at the rate of 100 pounds per acre.

Consult your State Fish & Game Department before applying this product.

**CAUTION:** Decaying vegetation in treated areas of the pond or lake may deplete the oxygen supply in the water, this will result in suffocation of the fish. To avoid this apply CROP RIDER 20% AQUA GRANULAR in wide bands or sections of the lake or pond. The treated portion should not exceed more than one-half of the area of the lake or pond at any one time, except in the case of winter application. Repeat treatment to the untreated area after vegetation has thoroughly decomposed. This should be approximately 2 or 3 months after treatment.

U.S. D.A. REG. NO. 677137



A DIAMOND CHEMICAL

## Weed Killer CROP RIDER® 20% Aqua Granular

#### ACTIVE INGREDIENT:

Isocetyl Ester of 2,4-Dichlorophenoxyacetic Acid\* 30.17%

INERT INGREDIENTS: 69.83%

TOTAL 100.00%

\*Equivalent to 20% 2,4-Dichlorophenoxyacetic Acid.  
Manufactured under U.S. Patent No. 2,792,295

#### GENERAL INFORMATION

CROP RIDER 20% AQUA GRANULAR is formulated as a free flowing 2,4-D Granule using a low volatile ester of 2,4-D as the active ingredient.

#### CAUTION

Harmful if swallowed.

Avoid contact with skin, eyes, or clothing. Avoid inhaling dust.

DO NOT store near fertilizers, seeds, insecticides, or fungicides.

DO NOT use the same equipment for applying other materials to plants, as injury will result.

DO NOT contaminate irrigation ditches or water used for domestic purposes.

Avoid application or allowing CROP RIDER 20% AQUA GRANULAR from coming into direct contact with susceptible plants such as cotton, tomatoes, flowers, grapes, fruit trees, and ornamental plantings. Although the ester used in the production of CROP RIDER 20% AQUA GRANULAR is much less volatile than butyl or isopropyl esters, high temperatures may produce vapors after application which might injure 2,4-D sensitive plants growing nearby.

DO NOT reuse empty container. Bury or discard in a safe place. DO NOT burn.

#### WARRANTY AND LIMITATION OF DAMAGES

SELLER warrants that this material conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use and BUYER assumes the risk of any use contrary to such directions. SELLER makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY, and no agent of SELLER is authorized to do so except in writing with a specific reference to this warranty. In no event shall SELLER's liability for any breach of warranty exceed the purchase price of the material as to which a claim is made.

WARNING: KEEP OUT OF REACH OF CHILDREN

SEE SIDE PANEL FOR ADDITIONAL CAUTIONS

DIAMOND CHEMICAL COMPANY, INC. - ALBANY, N.Y. 12206

ACCEPTED  
MARCH 1, 1972  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under  
EPA Reg. No. 677137

#### DIRECTIONS FOR USE

Although CROP RIDER 20% AQUA GRANULAR is specifically formulated for weed control in ponds and lakes, it may be used for the control of broadleaved weeds such as Chickweed, Dandelion, Plantain and certain other broadleaved weeds infesting grasses on golf courses, playgrounds and other recreation areas.

**LAWNS:** When broadleaved weeds appear in lawns and similar turfed areas apply CROP RIDER 20% AQUA GRANULAR at the rate of 1 pound to 4,000 square feet (40 x 100), using a conventional spreader adjusted to a low setting. For uniform coverage several passes may be necessary to empty the hopper over the measured area. Subsequent adjustments can be used to accurately calibrate the spreader to deliver the required amount of CROP RIDER 20% AQUA GRANULAR. Avoid application to creeping grasses such as bent or to newly seeded turf areas until grasses have become well established. Do not apply closer than three feet to ornamental plantings such as shrubs or flowers. This product may cause injury to Dichondra and clovers in lawns.

**WEEDS Ponds and Lakes:** To control submergent, perennial water weeds such as waterhyacinth, duckweed, milfoil, fanwort, tape grass, naiad, Ludwigia, and certain other pond weeds, apply CROP RIDER 20% AQUA GRANULAR at the rate of 1 pound per 430 square feet of water surface. Avoid application to choppy water as the granules must settle on the bottom around roots, and stems in a uniform manner. Results should be visible in about 4 to 6 weeks. After application control can be obtained for approximately 1 to 3 years. CROP RIDER 20% AQUA GRANULAR may be applied in the winter on the ice surface before spring thaw at the rate of 100 pounds per acre.

Consult your State Fish & Game Department before applying this product.

**CAUTION:** Decaying vegetation in treated areas of the pond or lake may deplete the oxygen supply in the water; this will result in suffocation of the fish. To avoid this apply CROP RIDER 20% AQUA GRANULAR in wide bands or sections of the lake or pond. The treated portion should not exceed more than one-half of the area of the lake or pond at any one time, except in the case of winter application. Repeat treatment to the untreated area after vegetation has thoroughly decomposed. This should be approximately 2 or 3 months after treatment.



A DIAMOND CHEMICAL

## Weed Killer CROP RIDER® 20% Aqua Granular

ACTIVE INGREDIENT:	
Isooctyl Ester of 2,4-Dichlorophenoxyacetic Acid*	30.17%
INERT INGREDIENTS:	
TOTAL	100.00%

\*Equivalent to 20% 2,4-Dichlorophenoxyacetic Acid.  
Manufactured under U.S. Patent No. 2,792,295

#### GENERAL INFORMATION

CROP RIDER 20% AQUA GRANULAR is formulated as a free-flowing 2,4-D Granule using a low volatile ester of 2,4-D as the active ingredient.

#### CAUTION

Harmful if swallowed.  
Avoid contact with skin, eyes, or clothing. Avoid inhaling dust.  
DO NOT store near fertilizers, seeds, insecticides, or fungicides.  
DO NOT use the same equipment for applying other materials to plants, as injury will result.  
DO NOT contaminate irrigation ditches or water used for domestic purposes.  
Avoid application or allowing CROP RIDER 20% AQUA GRANULAR from coming into direct contact with susceptible plants such as cotton, tomatoes, flowers, grapes, fruit trees, and ornamental plantings. Although the ester used in the production of CROP RIDER 20% AQUA GRANULAR is much less volatile than butyl or isopropyl esters, high temperatures may produce vapors after application which might injure 2,4-D sensitive plants growing nearby.  
DO NOT reuse empty container. Bury or discard in a safe place. DO NOT burn.

#### WARRANTY AND LIMITATION OF DAMAGES

SELLER warrants that this material conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use and BUYER assumes the risk of any use contrary to such directions. SELLER makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY, and no agent of SELLER is authorized to do so except in writing with a specific reference to this warranty. In no event shall SELLER's liability for any breach of warranty exceed the purchase price of the material as to which a claim is made.

WARNING KEEP OUT OF REACH OF CHILDREN  
SEE SIDE PANEL FOR ADDITIONAL CAUTIONS  
DIAMOND CHEMICAL CORPORATION - CLEVELAND, OHIO 44115