


EPA REG. NO. 677-315-AA

2 GALLONS



DACONIL 2787[®]

FLOWABLE FUNGICIDE

DACONIL 2787[®] Flowable Fungicide

READ ENTIRE LABEL
AND USE ONLY AS DIRECTED

GENERAL INFORMATION

DACONIL 2787 is highly effective and widely recommended for the control of a number of important golf course turf and ornamental lawn diseases as well as a number of commonly-occurring diseases of ornamentals. DACONIL 2787 is specifically formulated for use on greens, tees and fairways, ornamental turfgrasses as well as on a number of ornamentals.

DO NOT combine DACONIL 2787 in the spray tank with pesticides, surfactants or fertilizers, unless your prior use has shown the combination physically compatible and non-injurious under your conditions of use.

The required amount of DACONIL 2787 should be added slowly into the spray tank during filling with agitator running. Maintain agitation during spray operations.

Contains 6.0 Pounds Chlorothalonil Per Gallon
A Broad-Spectrum Fungicide for Use on
Golf Course Tees, Greens and Fairways, Ornamental
Turfgrass and Ornamentals

ACTIVE INGREDIENT:	
Chlorothalonil (tetrachloroisophthalonitrile)	54.0%
INERT INGREDIENTS:	46.0%
TOTAL	100.0%

* Covered under U.S. Pat. No. 3,290,353,
and No. 3,331,735



DANGER:
KEEP OUT OF REACH
OF CHILDREN.
SEE SIDE PANEL FOR
ADDITIONAL CAUTIONS.

Diamond Shamrock

AGRICULTURAL CHEMICALS DIVISION, DIAMOND SHAMROCK CORPORATION
CLEVELAND, OHIO 44114

DIRECTIONS FOR USE

GOLF COURSE FAIRWAYS:

GOLF COURSE FAIRWAYS: Approximately one quarter of BATES is 1 to 2.5 acres of fairways. Water under several of the fairways is being used for irrigation and power lateral but is not being used.

Test a sample for each spot using DACTON 1787 on a 10% formalin solution beginning at first or second cutting and continuing as long as conditions permit.

Dollar spot: Apply initial application when conditions favor disease development and repeat at 14- to 21-day intervals as needed.

Large brown patch. Make initial application when disease threatens and repeat at 7- to 14-day intervals as needed.

GOLF COURSE TEES AND GREENS and ORNAMENTAL TURF.

GRASS: Apply DACTOIN 1.25 lb in an adequate amount of water to provide complete coverage. The rate and mix may vary from 1 to 2 gallons per 1,000 sq ft of lawn. Do not apply after rain or if a heavy rain is in the forecast. Severe disease outbreaks occur in late summer and early fall. Apply on a regular schedule.

The film is made of water after treatment with a special solution. The film is dry, so it can be wrapped around a bottle of water. The film is made of water after treatment with a special solution. The film is dry, so it can be wrapped around a bottle of water. The film is made of water after treatment with a special solution. The film is dry, so it can be wrapped around a bottle of water.

ORNAMENTALS

LAGOON 2201 is a small lagoon in the lagoon area, a number of species of *Chironomus* and *Procladius* are present. *Chironomus* sp. and *Procladius* sp. are the most common species in this lagoon.

indications of a possible relationship between the two variables. The results of the regression analysis are shown in Table 1. The results indicate that the relationship between the two variables is positive and significant. The coefficient of determination is 0.64, indicating that 64% of the variance in the dependent variable is explained by the independent variable. The F-statistic is 10.12, which is significant at the 0.01 level. The t-statistic is 3.18, which is also significant at the 0.01 level. The results suggest that there is a positive relationship between the two variables, and that the relationship is statistically significant.

1. CON- 7- 2- 1987
 2. CON- 7- 2- 1987
 3. CON- 7- 2- 1987
 4. CON- 7- 2- 1987
 5. CON- 7- 2- 1987
 6. CON- 7- 2- 1987
 7. CON- 7- 2- 1987
 8. CON- 7- 2- 1987
 9. CON- 7- 2- 1987
 10. CON- 7- 2- 1987
 11. CON- 7- 2- 1987
 12. CON- 7- 2- 1987
 13. CON- 7- 2- 1987
 14. CON- 7- 2- 1987
 15. CON- 7- 2- 1987
 16. CON- 7- 2- 1987
 17. CON- 7- 2- 1987
 18. CON- 7- 2- 1987
 19. CON- 7- 2- 1987
 20. CON- 7- 2- 1987
 21. CON- 7- 2- 1987
 22. CON- 7- 2- 1987
 23. CON- 7- 2- 1987
 24. CON- 7- 2- 1987
 25. CON- 7- 2- 1987
 26. CON- 7- 2- 1987
 27. CON- 7- 2- 1987
 28. CON- 7- 2- 1987
 29. CON- 7- 2- 1987
 30. CON- 7- 2- 1987
 31. CON- 7- 2- 1987
 32. CON- 7- 2- 1987
 33. CON- 7- 2- 1987
 34. CON- 7- 2- 1987
 35. CON- 7- 2- 1987
 36. CON- 7- 2- 1987
 37. CON- 7- 2- 1987
 38. CON- 7- 2- 1987
 39. CON- 7- 2- 1987
 40. CON- 7- 2- 1987
 41. CON- 7- 2- 1987
 42. CON- 7- 2- 1987
 43. CON- 7- 2- 1987
 44. CON- 7- 2- 1987
 45. CON- 7- 2- 1987
 46. CON- 7- 2- 1987
 47. CON- 7- 2- 1987
 48. CON- 7- 2- 1987
 49. CON- 7- 2- 1987
 50. CON- 7- 2- 1987
 51. CON- 7- 2- 1987
 52. CON- 7- 2- 1987
 53. CON- 7- 2- 1987
 54. CON- 7- 2- 1987
 55. CON- 7- 2- 1987
 56. CON- 7- 2- 1987
 57. CON- 7- 2- 1987
 58. CON- 7- 2- 1987
 59. CON- 7- 2- 1987
 60. CON- 7- 2- 1987
 61. CON- 7- 2- 1987
 62. CON- 7- 2- 1987
 63. CON- 7- 2- 1987
 64. CON- 7- 2- 1987
 65. CON- 7- 2- 1987
 66. CON- 7- 2- 1987
 67. CON- 7- 2- 1987
 68. CON- 7- 2- 1987
 69. CON- 7- 2- 1987
 70. CON- 7- 2- 1987
 71. CON- 7- 2- 1987
 72. CON- 7- 2- 1987
 73. CON- 7- 2- 1987
 74. CON- 7- 2- 1987
 75. CON- 7- 2- 1987
 76. CON- 7- 2- 1987
 77. CON- 7- 2- 1987
 78. CON- 7- 2- 1987
 79. CON- 7- 2- 1987
 80. CON- 7- 2- 1987
 81. CON- 7- 2- 1987
 82. CON- 7- 2- 1987
 83. CON- 7- 2- 1987
 84. CON- 7- 2- 1987
 85. CON- 7- 2- 1987
 86. CON- 7- 2- 1987
 87. CON- 7- 2- 1987
 88. CON- 7- 2- 1987
 89. CON- 7- 2- 1987
 90. CON- 7- 2- 1987
 91. CON- 7- 2- 1987
 92. CON- 7- 2- 1987
 93. CON- 7- 2- 1987
 94. CON- 7- 2- 1987
 95. CON- 7- 2- 1987
 96. CON- 7- 2- 1987
 97. CON- 7- 2- 1987
 98. CON- 7- 2- 1987
 99. CON- 7- 2- 1987
 100. CON- 7- 2- 1987

CHRISTIANITY IN THE UNITED STATES

FRANCIS J. BROWN, JR.
ADMIN.

CRS Botrytis infection was determined by plating 100 µl of water

2015年10月15日

LINGJAS, Poseray, 700
4010

FOLIAGE PLANTS

made at the
Gates, Long
the 1940s.

[illegible][illegible][illegible]

As a result of the above, the following hypotheses were formulated:

1. *Chlorophyll a* (Chl *a*)

DANGER

WARRANTY AND LIMITATION OF DAMAGES

WARRANTY AND LIMITATION OF DAMAGES

SKLEER warrants that at this moment, it conforms to the function of a computer and the operating filter for the purpose stated in the label. SKLEER does not conform with the function of a computer for any other purpose. SKLEER and BORGAS assumes the risk of the use of the product for other functions. SKLEER does not intend to express or imply any warranty including any other express or implied warranty, MERCHANTABILITY, MERCHANTABILITY, and fitness for a particular purpose, or any other implied warranty, writing with the exception of the one hereby this warranty. In the event of a claim, SKLEER is not liable for any breach of warranty beyond the purchase price of the material, as to which SKLEER is liable.

Recommended rates for preventing disease establishment are lower rates when disease conditions are light to moderate, and indicated rates when conditions are severe. Rates for use on a 7-day schedule when disease is present during 1, 2, or 3 rats should be applied under severe conditions.

Diamond Shamrock
AGRICULTURAL CHEMICALS DIVISION, DIAMOND SHAMROCK CORPORATION
CLEVELAND, OHIO 44114

EPA Est. 677-TX-1