

USE DIRECTIONS

Use 1½ ounces of *ILF Softener Sanitizer Concentrate (Liquid)* per 100 lbs. of fabric such as sheets, towels, etc., in last cycle (rinse or sour) to give medium softening (380 ppm active softener) and bacteriostasis (125 ppm active quaternaries) against *S. aureus* and *B. ammoniagenes*.*

OR

Use 3 ounces of *ILF Softener Sanitizer Concentrate (Liquid)* per 100 lbs. of fabric such as diapers and bacteria contaminated linens in last cycle (rinse or sour) to impart more softening (760 ppm active softener) and residual self-sanitization* (250 ppm active quaternaries).

Fabric treated at 1½ ounces per 100 lbs. dry weight (125 ppm active quaternaries) will have bacteriostatic activity against *Staphylococcus aureus* and *Brevibacterium ammoniagenes*.*

Fabric treated at 3 ounces per 100 lbs. dry weight (250 ppm active quaternaries) will develop residual bacteriostatic and residual self-sanitizing activity against Gram positive organisms (*S. aureus* and *B. ammoniagenes**).


ILF Softener Sanitizer Concentrate (Liquid) softens clothes, thus eliminating chafing, "static cling" from nylons and other synthetics. Improves ironing time.

*Under conditions of high relative humidity or wet contamination. (This product is not effective as a bacteriostat against Gram negative organisms.)

ILF SOFTENER SANITIZER CONCENTRATE

(LIQUID)

FOR INDUSTRIAL AND COMMERCIAL
LAUNDRY USE ONLY



Active Ingredients:

Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈) dimethyl benzyl ammonium chlorides	6.70%
Alkyl (68% C ₁₂ , 32% C ₁₄) dimethyl ethylbenzyl ammonium chlorides	6.70%
Inert Ingredients:	86.60%
	<hr/> 100.00%

NET CONTENTS: GALS.

EPA Reg. No. 6609-7

EPA Est. Reg. No. 6609IL01

INDUSTRIAL LAUNDRY FORMULATIONS, INC.
10421 Franklin Avenue
Franklin Park, Illinois 60131

DANGER

KEEP OUT OF REACH OF CHILDREN
See right side panel for additional precautionary
and first aid statements

DANGER

KEEP OUT OF REACH OF CHILDREN. **Corrosive.** Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Protect eyes and skin when handling this concentrate. Harmful if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN:

Probably mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

Rinse empty container with water and discard it.

Revised 9/25/74