

Horse Oral Larvicide

Read entire label before using

Precautionary Statements

Hazards to Humans

Caution

Harmful, if swallowed. Avoid contact with skin and eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating or smoking. If in eyes, wash with plenty of water for 15 minutes. If irritation persists, see a physician.

Environmental Hazards

This product is toxic to fish. Keep out of lakes, streams, and ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

Directions for Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Add this product daily to the grain or concentrate portion of the horse's diet to provide 70mg. of Rabon per 100 pounds of body weight. This is equivalent to the following: 1/2 tablespoon for a 250 lb. animal; 1 level tablespoon for a 500 lb. animal; 2 level tablespoons (8.8g) for a 1000 lb. animal or 4 tablespoons for a 2000 lb. animal. Start feeding early in the spring before flies begin to appear and continue feeding throughout the summer and into the fall until cold weather restricts fly activity.

All horses in the stable area should be treated. Horse Oral Larvicide prevents development of house flies and stable flies in the manure from treated horses but is not effective against existing adult flies.

In some cases, supplemental fly control measures may be needed in and around the stable area to control adult flies which move in from other areas or which breed on decaying vegetable matter elsewhere on the premises.

Do not use on animals intended for slaughter

In order to achieve optimum fly control, Horse Oral Larvicide should be used in conjunction with other good management and sanitation practices.



Storage and Disposal

Prohibitions

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

Pesticide Disposal

Pesticide that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

Container Disposal

Dispose of in an incinerator or landfill approved for pesticide containers, or bury in a safe place.

General

Consult Federal, State or Local disposal authorities for approved alternative procedures such as limited open burning.

Warranty and Limitation of Damages

Seller warrants that this material conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use and Buyer assumes the risk of any use contrary to such directions. Seller makes no other express or implied warranty, including any other express or implied warranty of Fitness or of Merchantability, and no agent of Seller is authorized to do so except in writing and with specific reference to this warranty. In no event shall Seller's liability for any breach of warranty exceed the purchase price of the material as to which a claim is made.

Horse Oral Larvicide

Diamond Shamrock



Net Weight 5.2 Pounds/2.4 Kilograms Bags



Diamond Shamrock

Horse Oral Larvicide

67

63

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Add this product daily to the grain or concentrate portion of the horse's diet to provide 70mg. of Rabon per 100 pounds of body weight. This is equivalent to the following: 1/2 tablespoon for a 250 lb. animal; 1 level tablespoon for a 500 lb. animal; 2 level tablespoons (8.8g) for a 1000 lb. animal or 4 tablespoons for a 2000 lb. animal. Start feeding early in the spring before flies begin to appear and continue feeding throughout the summer and into the fall until cold weather restricts fly activity.

All horses in the stable area should be treated. Horse Oral Larvicide prevents development of house flies and stable flies in the manure from treated horses but is not effective against existing adult flies.

In some cases, supplemental fly control measures may be needed in and around the stable area to control adult flies which move in from other areas or which breed on decaying vegetable matter elsewhere on the premises.

Do not use on animals intended for slaughter.

In order to achieve optimum fly control, Horse Oral Larvicide should be used in conjunction with other good management and sanitation practices.

Warranty and Limitation of Damages

Seller warrants that this material conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use and Buyer assumes the risk of any use contrary to such directions. Seller makes no other express or implied warranty, including any other express or implied warranty of Fitness or of Merchantability, and no agent of Seller is authorized to do so except in writing and with specific reference to this warranty. In no event shall Seller's liability for any breach of warranty exceed the purchase price of the material as to which a claim is made.

67

Horse Oral Larvicide

Diamond Shamrock



Net Weight 5.2 Pounds/2.4 Kilograms Bags



Diamond Shamrock

68

Horse Oral Larvicide

Contains Rabon® Oral Larvicide
To Prevent the Development of House Flies and Stable Flies in the Manure From Treated Horses
Each pound contains 35 grams Rabon

Active Ingredients	By Weight
2-chloro-1-(2,4,5-trichlorophenyl)vinyl dimethyl phosphate*	7.76%
Inert Ingredients**	92.24%
Total	100.00%

*Rabon Insecticide
**Refers only to ingredients which are not larvicidal.

Keep Out Of Reach Of Children
CAUTION
See back panel for additional precautionary statements

Diamond Shamrock Corporation
Animal Health Division
1100 Superior Avenue, Cleveland, Ohio 44114
EPA Reg. No. 677-418 EPA Est. No. 677-NJ-1

Rabon® Registered Trademark of Shell Oil Co., U.S. Patent 3,102,642



Horse Oral Larvicide

Diamond Shamrock



Net Weight 5.2 Pounds/2.4 Kilograms Bags



Diamond Shamrock

68

Horse Oral Larvicide

Contains Rabon[®] Oral Larvicide
To Prevent the Development of House Flies and Stable Flies in the Manure From Treated Horses
Each pound contains 35 grams Rabon

Active Ingredients
2-chloro-1-(2,4,5-trichlorophenyl)vinyl dimethyl phosphate*
Inert Ingredients**
Total

By Weight
7.76%
92.24%
100.00%

*Rabon Insecticide
**Refers only to ingredients which are not larvicidal


Keep Out Of Reach Of Children
CAUTION
See back panel for additional precautionary statements

Diamond Shamrock Corporation
Animal Health Division
1100 Superior Avenue, Cleveland, Ohio 44114
EPA Reg. No. 677-418 EPA Est. No. 677-N-1

Rabon[®] Registered Trademark of Shell Oil Co., U.S. Patent 3,102,842



Diamond Shamrock



Horse Oral Larvicide

69