

Precautionary Statements

Hazards to Humans and Domestic Animals

Caution

Harmful if swallowed or absorbed through the skin.

Causes eye and skin irritation.

Avoid breathing spray mist.

Avoid contact with eyes, skin or clothing.

If swallowed, do not induce vomiting. If vomiting occurs spontaneously, keep airway clear. Never give anything by mouth to an unconscious person. Seek medical attention.

In case of contact, flush eyes with plenty of water for at least 15 minutes. Seek medical attention.

Wash exposed skin gently with plenty of soap and water.

Environmental Hazards

Do not apply directly to water. **Do not** contaminate water by cleaning of equipment or disposal of wastes. **Do not** contaminate irrigation ditches or water used for domestic purposes. Use care to avoid spray contact or drift to 2,4-D susceptible plants such as cotton, tomatoes, flowers, grapes, fruit trees and ornamentals. **Do not** permit spray mist containing **Dacamine Solution** to drift onto them, since even very small quantities of the spray which may not be visible, can cause severe injury during both growing and dormant periods. **Do not** spray when the wind is blowing towards susceptible crops or ornamental plants. Use coarse sprays to minimize drift. Spray drift can be lessened by keeping the spray boom as low as possible, by applying 20 gallons or more of spray per acre, by using no more than 20 pounds spray pressure with flat fan or flooding flat fan nozzle tips, by spraying when wind velocity is low, and by stopping all spraying when wind exceeds 8 miles per hour. **Do not** apply with hollow cone-type insecticide or other nozzles that produce a fine droplet spray. **Do not** use the same spray equipment for applying other materials to 2,4-D susceptible crops as injury may result.

Dacamine Solution

Read entire label before using this product.

General Information

Dacamine Solution is an oil soluble diamine form of 2,4-D which is formulated to be mixed with water. It combines the advantages of both the ester and amine forms of 2,4-D. **Dacamine Solution** contains both the non-volatile features of amines and the effectiveness of esters.

The following is a partial list of weeds controlled by **Dacamine Solution**:

Annual Blueweed	Hemp	Puncturevine
Antennaria	Henbit	Ragweed (Common)
Common Mugwort	Horse Nettle	Giant Western
Beggarick	Ironweed	Russian Knapweed
Blackberry	Jimsonweed	Shrub Dogwood
Blackberry	Knottedweed	Stem Geranium
Blackweed	Kudzu	Stinkweed
Buckhorn Plantain	Lamb's Quarters	Mountain
Burnsick	Leafy Spurge	Stout Spurge
Canada Thistle	Mallow	Spoke Rush
Largeflowered	Marshmallow	Spurge
Chicory	Marshmallow	Starch Thistle
Cocklebur	Milkweed	Stemless
Coffeebean	Mimosa	Sunflower
Cotton	Mimosa	Tarweed
Cornflower	Mimosa	Velvetleaf
Curly Dock	Nettle (Stinging)	Wild Amaranth
Curly Dock	Pennycress	Wild Lettuce
Dandelion	Pennycress	Wild Parsnip
Fanshield	Peppergrass	Wild Radish
Fiddleneck	Pigweed	Wild Vine
Field Bindweed	Plantain	Winter Green
Creeping Jenny	Proso Millet	Yarrowweed
Flower of the Hour	Proso	Yarrow
Grassweed		

Note: Local conditions and application regulations vary and may affect use of this herbicide. Consult local agricultural experiment station or extension service weed specialists and state regulatory agencies for recommendations in your area.

Note: Do not allow to freeze.

Directions for Use

For use on annual and perennial weeds in lawns, golf courses, and similar turf.

Preparation of the Spray: Add 2 2/5 to 3 1/5 gal. of **Dacamine Solution** to 100 gal. of water or sufficient water to provide adequate uniform coverage. Apply during periods of drought. Do not apply **Dacamine Solution** to newly seeded turf until grasses are well established and after making at least two mowings. Bare areas can be reseeded in 3 to 6 weeks.

Time of Application: Apply **Dacamine Solution** to actively growing weeds that are actively growing. When weeds are less than 6 inches tall use a spray volume of 100 to 150 gallons per acre. When weeds are taller than 6 inches use 25 to 50 gallons per acre. Applications at lower listed rates to susceptible annual weeds usually will be satisfactory, but for perennial weeds and other conditions such as in very dry areas where control is difficult, use the higher recommended rates and 25 to 50 gallons per acre.

Lawns, Golf Courses and Similar Turf: Apply 2 2/5 gallons to 3 1/5 gal. of **Dacamine Solution** per acre in 100 gallons of water or sufficient water to provide adequate uniform coverage. Do not apply during periods of drought. Do not apply **Dacamine Solution** to newly seeded turf until grasses are well established and after making at least two mowings. Bare areas can be reseeded in 3 to 6 weeks.

Bentgrass varieties vary in tolerance to Dacamine Solution under different conditions of growth. Use a rate higher than 3 gallons per acre on

turfgrass and apply only where experience has shown application to be safe. Injury may result if applied to St. Augustinegrass, centipedegrass, carpetgrass, clovers and Dichondra.

General Weed Control: On vacant lots, roadsides along fence rows and around buildings, use 3 1/5 to 6 2/5 gallons **Dacamine Solution** in 100 gallons of water per acre. Thoroughly wet all foliage to run off. Application should be made to weeds in an early and active stage of growth.

Storage and Disposal

Store in original container in a cool, dry place. Do not use if container is damaged or leaking.

Pesticide Disposal: Do not reuse empty container. Containers must be disposed of according to Federal, State and local regulations under the Resource Conservation and Recovery Act.

Container Disposal: Do not reuse empty container. Triple rinse, if available, and offer for recycling, reconditioning or dispose of in a sanitary and approved State and local procedures.

Warranty and Limitation of Damages

Seller warrants that this material conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use and Buyer assumes the risk of any use contrary to such directions. **Seller makes no other express or implied warranty, including any other express or implied warranty of Fitness or of Merchantability, and no agent of Seller is authorized to do so except in writing with a specific reference to this warranty.** In no event shall Seller's liability for any breach of warranty exceed the purchase price of the material as to which a claim is made.

EPA Est. No. 39335 ALI