

PRECAUTIONARY STATEMENTS

Hazards To Humans (& Domestic Animals)

WARNING

MAY BE FATAL IF SWALLOWED. MAY BE ABSORBED THROUGH SKIN. DO NOT BREATHE SPRAY MIST. DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING. WASH THOROUGHLY AFTER HANDLING. AVOID CONTAMINATION OF FOOD AND FEED. KEEP OUT OF REACH OF DOMESTIC ANIMALS. DO NOT USE ON HUMANS, HOUSEHOLD PETS, OR LIVESTOCK. DO NOT ALLOW CHILDREN IN TREATED AREAS UNTIL SURFACES ARE DRY.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams and ponds. Do not apply where run-off is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this product only as specified on this label.

PHYSICAL HAZARDS

Do not use or store near heat or open flame.

NOTE TO PHYSICIAN

IF SWALLOWED: If breathing difficulty occurs, apply artificial respiration. Atropine, Sulfate and 2-PAM are antidotes. IF INHALED: In case of severe symptoms (excessive salivation, respiratory difficulty, muscle twitches or convulsions, exhaustion, headache, blurred vision, constricted pupils) (anticholinergic effects), treat as above.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide spray mixture or concentrate that cannot be used or chemically processed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

CONTAINER DISPOSAL: 33 & 55 gallon drums: (a) Reseal container and offer for reconditioning, or for triple rinse. For equipment and offer for recycling, reconditioning, or disposal in approved landfill or bury in a safe place.

SMALLER CONTAINERS: as in (b) above. **GENERAL:** Consult federal, state or local disposal authorities for approved alternative procedures.

DIRECTIONS FOR USE

Mix 7 1/2 oz. of Concentrate with water or 5 1/2 oz. of concentrate with base oil to yield 1 gal. of finished solution containing 1% Diazinon, 0.1% Pyrethrins, and 0.5% Piperonyl Butoxide Technical. For full strength use in maintenance work, dilute 3 1/2 oz. per gal. of water or 2 1/2 oz. of concentrate for 1 gal. of spray with base oil. Mix enough material for use on job. Do not store finished solution overnight.

COCKROACHES, (WATERBUGS), ANTS, CRICKETS AND SILVERFISH: Make spot applications of 1/2% Diazinon as a coarse spray or apply with a paint brush to baseboards, areas around water pipes, cracks and crevices, surfaces behind and beneath cabinets, refrigerators, sinks, stoves and similar areas where these insects hide. For heavy cockroach infestations, make the first application at a strength of 1% Diazinon followed by monthly application of 1/2% Diazinon.

CARPET BEETLES: Apply a 1/2% Diazinon spray in spot applications along baseboards and edges of carpeting under carpeting and rugs, and furniture, in closets and on shelving and wherever these insects are suspected.

SPIDERS AND SCORPIONS: Apply a 1/2% Diazinon spray to window frames, doors, and along baseboards. Make spot applications over areas over which these pests may crawl.



prentox[®]

SYNPHY-DIAZINON[®] EMULSIFIABLE CONCENTRATE

For Professional use only, for the control of cockroaches, ants, silverfish, carpetbeetles, spiders, and scorpions.

ACTIVE INGREDIENTS:

O, O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate	20.0%
Pyrethrins	2.0%
Piperonyl Butoxide, Technical*	10.0%
Hydrocarbon Distillates	55.0%
INERT INGREDIENTS:	13.0%

TOTAL 100.0%

Equivalent to 8.0% (Butylcarbityl) (6-propylpiperonyl) Ether and 2.0% related compounds.

KEEP OUT OF REACH OF CHILDREN

WARNING

DIAZINON - Registered trademark of CIBA-GEIGY CORPORATION.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED - Call a physician immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOMITING unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED - Remove victim to fresh air. Apply respiration if indicated. IF ON SKIN - Wash contaminated skin with soap and water. IF IN EYES - Flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

EPA EST. NO. 856-BA-1

E. P. A. Reg. No. 655-487

NET CONTENTS Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide Diazinon, 1% Diazinon, 0.1% Pyrethrins, and 0.5% Piperonyl Butoxide Technical.

prentiss

Drug & Chemical Co., Inc.

Atlanta, GA 31002
Office: 363 7th Avenue
New York, N.Y. 10001

PANTRY PESTS - Exposed stages (saw-toothed grain beetle, beetle, confused flour beetle, red flour beetle, rice weevil, cigarette beetle, drugstore beetle, Indian meal moth) - Apply a 1/2% spray to shelves and cupboards where food containers suspected of being infested are stored. Remove all food and shelving paper before spraying. Do not replace the food packages until spray has dried. Cover shelves with shelving paper. This treatment is supplementary to good housekeeping, since it will have no effect on insects breeding within food packages. Infested food packages should be destroyed.

FLIES AND MOSQUITOES - Use 1/2% Diazinon spray to treat areas where these pests may enter the home. Also spray baseboards and crevices where these insects may congregate. Repeat treatment when effectiveness diminishes.

FOOD HANDLING ESTABLISHMENTS

Places other than private residences, in which food is held, processed, prepared and/or served. **FOOD AREAS - APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY.** Includes areas for receiving, storage, packing, loading, unloading, loading, preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas (when food is exposed and facility is in operation) also would be considered a food area. Mix 7 1/2 oz. of Concentrate with water to yield 1 gallon of finished solution. Apply in small amounts directly into cracks and crevices using equipment capable of delivering a fine stream of insecticide in points between different elements of construction, between equipment and floors, openings leading to walls and hollow spaces in walls, equipment legs and bases where roaches, ants, silverfish, spider's hide and to aid in the control of pantry pests - exposed stages (saw-toothed grain beetle, confused flour beetle, red flour beetle, rice weevil, cigarette beetle, drugstore beetle, Indian meal moth). DO NOT use this product in conduits, motor housings and electrical switch boxes. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS OTHER THAN CRACK AND CREVICE TREATMENT ARE NOT PERMITTED

NON-FOOD AREAS - Includes garbage rooms, stairways, fruit drains (to sewers) entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage (after canning or bottling).

Apply 1/2-1% Diazinon as a coarse spray or apply with a paint brush to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter.

FLIES AND MOSQUITOES: Use 1/2% Diazinon spray to treat areas where these pests may enter the home. Also spray baseboards and crevices where these insects may congregate. Repeat treatment when effectiveness diminishes.

FLIES, MOSQUITOES AND ANTS OUTDOORS - Use 1/2% Diazinon spray to treat areas where these insects may enter the home. Also spray baseboards and crevices where these insects may congregate. Repeat treatment when effectiveness diminishes.

BEST DOCUMENT AVAILABLE

STORAGE AND DISPOSAL STATEMENTS

Do not contaminate water, food, or feed by storage or disposal.
Open dumping prohibited.

STORAGE: If container is damaged: STOP any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand, or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Place any leaking container into a similar drum or glass container. Do not store, use pour, or spill near heat or open flame.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

CONSUMER STORAGE AND DISPOSAL STATEMENTS:

STORAGE: Store in original container only. Place in a locked storage area.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.

ACCEPTED
with COMMENTS
in EPA Letter Dated:

FEB 6 1984

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for use as a pesticide
registered under EPA Reg. No.
655-487

000000
000000

828
210

DRB

300/174363
17/3

6

RE: Risk Assessment
Premises Survey & Chemical Co., Inc.
C.B. 2000
Placer Park, NE 11001

BEST DOCUMENT AVAILABLE

Dear Mr. Bamber:

Subject: ~~Remediation~~ - Update per NE Section 10-3
~~Proctor Agency-Section B.C.~~
~~RE: Remediation of the site at~~
~~your hydrogeological investigation of, and assessment of, the~~

The consultant referred to above, referenced in connection with information
under the Federal Insecticide, Fungicide and Rodenticide Act, is hereby
announced, provided that you take the following regarding the site, which
bearing the name of the site, the site is hereby announced.

1. Replace "For professional use only" with "Only for sale to, use,
and storage by professionals." You may add a parenthetical and
specify user groups, e.g., professional, if you wish.
2. Add DISINFORM before the fecal matter, which should enclosed in
brackets, in the ingredients statement.
3. In the "If swallowed" advice, revise the first sentence to read
"Call a physician or Poison Control Center immediately." Also in this
same section delete "Report until waste fluid is clear" because of the
aspiration hazard presented by the solvent.
4. Correct the spelling of "swallowed" in the first sentence of the
Hazard to Humans and Domestic Animals section.
5. Delete "Do not apply where runoff is likely to occur" from the
Environmental Hazards section.
6. Delete the claim "Please" from the heading "Please and Brown Dog
Ticks in Buildings." The claim was added in error on February 25,
1980, based on efficacy data and data value considerations only,
rather than the applicable residue considerations. Please control
would require overall premises treatment which must be supported by
residue data from treated rugs, drapes and upholstered furniture.

CONCURRENCE											
DATE											

EPA Form 150-1 (4-81)

OFFICIAL FILE COPY

655-487

-2-

Please submit five (5) copies of the product shipping label before you release the product for shipment under the contract.

Ministry of Health

Group 1: ...
Group 2: ...
Group 3: ...
Group 4: ...

DCR-40351:LaRooca:CHI-1:1/25/04:tar:Del.2/7/04