


BEST DOCUMENT AVAILABLE

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

PARATHION 2 DUST



OBSERVE THE FOLLOWING USE PRECAUTIONS

Wear protective clothing, including a long-sleeved shirt, long trousers, socks, shoes, and a respirator of a type approved for use with dusts. Do not eat, drink, or smoke while using this pesticide. Keep all unprotected persons and domestic animals away from treated areas until drifting has ceased and volatile residues have dissipated.

Do not contaminate feed and food stuffs.

Wash hands, arms, and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and water before reuse.

Observe use limitations given on individual product labels.

DO NOT apply during bloom when honey bees or other pollinators are active. Avoid dust drift to adjoining land and forage crops about to be harvested or crops in bloom. HIGHLY TOXIC TO FISH AND WILDLIFE. BIRDS FEEDING IN TREATED AREAS MAY BE KILLED. DO NOT APPLY TO ANY SOURCE OF WATER NOR TO ANY AREA NOT SPECIFIED ON LABEL.

The Federal Food and Drug Administration has set official tolerances for certain pesticide residues. Orders that residues of food and forage crops will not exceed established tolerances. Use only in accordance with label directions. Do not apply closer to harvest than specified.

Consult label for information on first aid, first aid information, and other information, including number and rate of application, and other conditions.

DIRECTIONS FOR USE

This product is a restricted use pesticide. It is for use only by persons who are certified growers or commercial applicators. For certain uses, it may be necessary to obtain certain effective results. Apply with a ground blower or dust applicator. Make thorough coverage of plants with a uniform deposit of dust. Apply at the rate specified on the label and repeat at 7 to 10 days intervals when needed for control of insects. Use only in accordance with label directions for specific crops.

BEANS—Apply as a dry dust to control leafminers, leaf beetles, leafhoppers, leaf miner, Mexican bean beetle, spider mites, white fly. Apply 40 lbs. per acre. Do not apply within 15 days of harvest.

BEETS—Apply as a dry dust to control leafminers, leaf beetles, leafhoppers, leaf miner, spider mites. Apply 40 lbs. per acre. Do not apply within 15 days of harvest.

ACTIVE INGREDIENT
Parathion (2,0-dimethyl 6-nitrophenyl thiophosphate) 2%
INERT INGREDIENTS 98%
100%

WARNING

KEEP OUT OF REACH OF CHILDREN

MAY BE FATAL IF SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN.

RAPIDLY ABSORBED THROUGH THE SKIN.

DO NOT GET IN EYES, ON SKIN OR ON CLOTHING.

FIRST AID TREATMENT

- **POISONING SYMPTOMS**—Headache, blurred vision, weakness, nausea, cramps, diarrhea and discomfort in chest.
- **ANTIDOTE**—Atropine is the specific antidote. Obtain emergency supply of atropine—100 grain tablets from your physician. Keep on hand.

CALL A PHYSICIAN IMMEDIATELY if persons handling or working with parathion develop poisoning symptoms.

• **SWALLOWED**—Give tablespoonful of salt in glass of warm water. Repeat until vomit fluid is clear.

• **INHALATION**—Remove patient from contaminated atmosphere.

• **SKIN**—In case of contact, remove contaminated clothing and immediately wash skin thoroughly with soap and water.

• **EYES**—In case of contact, flush immediately with water for at least 15 minutes.

• **INFORMATION FOR PHYSICIAN (Treatment)**—Give atropine preferably by injection, grains 1.30 to 1.15 (2 to 4 mg) at once and every hour or oftener as needed to achieve and maintain full atropinization. Never give morphine. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously 48 hours.

NET CONTENTS

U.S.D.A. REG. NO. 682-38

BRUSSELS SPROUTS, BROCCOLI—For control of armyworm, cabbage worm, diamond-back moth larvae, serpentine leafminer, thrips—use 25 pounds of dust per acre at first sign of infestation, and repeat as needed. Last application no closer than 7 days to harvest.

CABBAGE—For control of aphids, armyworms, cabbage worm, diamond-back moth larvae, serpentine leafminer, thrips, use 25 pounds per acre, last application not closer than 7 days to harvest.

CUCURBITS (Cucumbers, melons, summer squash)—Aphids, armyworms, cabbage looper, cucumber beetle, leafhoppers, leafminer, melon worm, pickle worm, spider mite, thrips, white fly—Apply 25 lbs. per acre. Apply only when plants are dry. Do not apply before vining or within 15 days of harvest. 7 days on melon.

EGGPLANT—Aphids, serpentine leaf miner, spider mites—Apply up to 22 lbs. per acre. Do not apply within 15 days of harvest.

FORAGE CROPS (Alfalfa, barley, clover, oats, vetch, wheat)—Aphids, armyworms, blister beetles, grasshoppers—Apply 40 lbs. per acre. Do not apply when crops are in bloom. Do not apply within 15 days of harvest or forage use.

LETTUCE—Aphids, armyworms, cabbage looper, vegetable weevil, serpentine leaf miner—Apply 12 lbs. per acre. Do not apply within 14 days of harvest.

ONIONS—Thrips—Apply 40 lbs. per acre. Do not apply on seed crops after the flowers are open because of hazard to pollinators. Do not apply within 15 days of harvest.

PEAS—Aphids, pea weevil, serpentine leaf miner, thrips—Apply 25 lbs. per acre. Do not apply within 10 days of harvest. 15 days if vines are to be used as forage.

PEPPERS—Aphids, flea beetles, pepper maggot, serpentine leaf miner. Apply 40 lbs. per acre. Do not apply within 15 days of harvest.

POTATOES—Aphids, armyworms, Colorado potato beetle, flea beetle, leafhopper, serpentine leaf miner, vegetable weevil, white fly—Apply 22 lbs. per acre. Do not apply within 15 days of harvest.

SPINACH—Aphids—Apply 20 lbs. per acre. Do not apply within 14 days of harvest.

TOMATO—Aphids, armyworms, flea beetle, leafhopper, serpentine leaf miner, spider mites—Apply 50 lbs. per acre. Do not apply within 10 days of harvest.

DESTROY EMPTY BAGS BY BURNING OR BURYING IN SAFE PLACE

KEEP OUT OF SMOKE & FUMES

BEST AVAILABLE COPY