

STOP! READ THE LABEL

POISON


See side panels
for antidote
and precautions



CAN KILL YOU

DANGER

Keep out of reach
of children



PARATHION-3 DUST

ACTIVE INGREDIENTS:

Parathion (O, O-diethyl O-p-nitrophenyl thio-phosphate) 3%

INERT INGREDIENTS

97%

100%

EPA Reg. No. 682-39

NOT FOR HOME USE



DANGER—POISON—PRECAUTIONS

CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed. Even a small amount of parathion dust may be fatal if swallowed.



CAN KILL YOU BY SKIN CONTACT

This product can kill you if touched by the dust. Do not touch your face, eyes, nose, mouth, or throat.



CAN KILL YOU IF BREATHED

This product can kill you if you breathe the dust in the air.

POISONOUS TO FISH AND WILDLIFE

This product is highly toxic to fish and wildlife. Do not use near water. Do not use near birds, bees, or other beneficial insects. Do not use near plants or animals that you intend to eat. Do not use near children or pets.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

Wear water proof suit, hat, rubber boots, gloves, and goggles. Wash clothes before use. Do not use near children or pets. Do not use near water. Do not use near birds, bees, or other beneficial insects. Do not use near plants or animals that you intend to eat. Do not use near children or pets.

WORK SAFETY RULES

Keep away from children and pets. Do not use near water. Do not use near birds, bees, or other beneficial insects. Do not use near plants or animals that you intend to eat. Do not use near children or pets.

Do not touch your face, eyes, nose, mouth, or throat. Do not use near children or pets. Do not use near water. Do not use near birds, bees, or other beneficial insects. Do not use near plants or animals that you intend to eat. Do not use near children or pets.

Wash hands and face before eating, drinking, or smoking. Do not use near children or pets. Do not use near water. Do not use near birds, bees, or other beneficial insects. Do not use near plants or animals that you intend to eat. Do not use near children or pets.

Wash clothes before use. Do not use near children or pets. Do not use near water. Do not use near birds, bees, or other beneficial insects. Do not use near plants or animals that you intend to eat. Do not use near children or pets.

SYMPTOM SIGNS—Symptoms

... ..

NOTE TO PHYSICIAN

... ..

EPA Reg. No. 602-39

NOT FOR HOME USE**DANGER—POISON—PRECAUTIONS****CAN KILL YOU IF SWALLOWED**

This product can kill you if swallowed. Even in small amounts, spray mist or dust may be fatal if swallowed.

**CAN KILL YOU BY SKIN CONTACT**

This product can kill you if touched by hands or if it is splashed on skin or eyes. If anything goes through clothes.

**CAN KILL YOU IF BREATHED**

This product can kill you if vapors, spray mist or dust are breathed.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where rain fall is likely to occur. Do not contaminate water by cleaning of equipment or disposal of waste.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

1. Wear water proof pants, wet hat, rubber boots and gloves. 2. Wear safety goggles. 3. Wear mask or respirator supplied by the U.S. Bureau of Mines for such protection. 4. Wear heavy duty work clothes.

WORK SAFETY RULES

Keep away from animals and children away from treated area if there is danger of drift.

Wash eyes with water with haste. If you feel sick in any way, stop work and get help right away. Call a doctor, physician, clinic or hospital. Immediately explain that the victim has been exposed to parathion and state the condition. After first aid is given, see First Aid Treatment Section, and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK: take off all work clothes and shoes. Shower using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or fothing of mouth and muscle spasms and coma.

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake (conscious) make him vomit quickly, induce vomiting by sticking finger down throat or by giving snappy or strong salty water to drink. Repeat until vomit is clear. Never give any thing by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NET WEIGHT

NOTE TO PHYSICIAN

Antidotes for parathion poisoning are large doses of atropine. Keep atropine on hand at all times as a first aid measure. Repeat at 10 to 20 minute intervals until the patient is able to appear. **DEAM** is also available and may be administered in conjunction with atropine. **DRUGS TO USE: MORPHINE OR TRANQUILIZERS.** Parathion is a central cholinesterase inhibitor affecting the central and peripheral systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplementary oxygen and treated symptomatically. On ingestion of 10 cc of the poison may cause a fatal reaction. Have been reported with other organophosphates. **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 24 HOURS.**

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding post-treating treated areas.

CONTAINER DISPOSAL

See attached booklet for proper disposal.

CROP USE DIRECTIONS

Use only according to attached label booklet instructions.

CROP KING CHEMICAL

YAKIMA, WASHINGTON 98907

PEACHES: Spider mites (common red and two-spotted), and oriental fruit moth — use 35-50 pounds per acre. Last application no closer than 14

OBSERVE THE FOLLOWING USE PRECAUTIONS

Observe use limitations given for specific crops.

DO NOT apply during bloom when honey bees or other pollinators are active. Avoid drift to adjoining food and forage crops about to be harvested or crops in bloom.

This product is highly toxic to bees and other insect pollinators exposed to direct treatment or residues on crops. Protective information may be obtained from your cooperative Agricultural Extension Service.

Consult state and county agricultural extension service authorities for information concerning local conditions.

DO NOT STORE WITH FOODSTUFFS

Read Entire Label. Use Strictly in Accordance with Label Cautions Warnings and Directions

Do not apply to any area not specified on label. Rinse equipment and containers and dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed of by punching holes in them and burying with wastes, or by burning (keep out of smoke).

Do not apply when weather conditions favor drift of spray from areas treated.

DIRECTIONS FOR USE

Applications should be made only by experienced personnel using approved safety equipment.

Pour recommended amount of this material into nearly filled spray tank, add balance of water to fill tank. Keep agitator running during filling, mixing and spraying operations.


When spraying with boom sprayers and other power equipment, use a minimum of 100 gallons of water per acre or more if equipment and economy permit. Thorough coverage of all foliage and stems is essential for good control.

Do not combine emulsifiable liquids with wettable powders in the same spray tank unless previous use of the materials being combined has proved them to be compatible.

Airplane applications use minimum of 10 gallons of water per acre. Where equipment and economy permit, use 20 gallons.

EPA Reg. No. 682-39

CROP USE DIRECTIONS



PARATHION 3 DUST

IMPORTANT NOTICE TO PURCHASER AND USER OF THIS PRODUCT — This product is manufactured, labeled and sold in accordance with state and federal laws. Adequate directions for use, necessary warnings and cautions, and other essential information on the safe handling and use of this product are set forth on this label. However, the use and handling of this product is always attended with risk of personal injury or property damage if the user or handler departs to any degree from the instructions on this label. The manufacturer makes no warranties, either express or implied, and assumes no responsibility whatsoever for the effectiveness or safety of this product except to the extent that the product is used and handled in strict accordance with the information and directions set forth on this label. The foregoing limitation of responsibility may not be altered in any way except by written agreement signed by officers of the manufacturer. Unless the intended purchaser agrees to be bound by the terms and limitations expressed herein and on this label, the manufacturer refuses to consummate the sale of this product to him and the product must be returned to the manufacturer.

CROP KING CHEMICAL

YAKIMA, WASHINGTON 98907

