#### **DIRECTIONS**

For the control of brown patch and dollar spot best control is effected by regular spraying at 7 to 10 day intervals. During weather particularly conducive to fungus disease it may be necessary to spray every 3 to 5 days. Spraying should be started before the earliest probable appearance of disease and continued through the season or until all danger of infection is passed.

For preventive treatment, use 3 oz. or 1 cupful per 1,000 sq. ft.

For curative treatment, use 6 oz. per 1.000 sq. ft.

For the control of snow mold use 8 oz. per 1,000 sq. ft. as late in the fall as possible, prior to snowfall. Spring applications should be 3 oz. per 1,000 sq. ft. applied as soon as the snow melts.

Amount of water—apply with enough water to give complete coverage of area to be treated. 5 to 10 gals. of water per 1,000 sq. ft. Pressure sprayers, or proportioners may be used.

THIRAM 75 is insoluble in water and will tend to settle out unless agitated. Constant agitation is necessary to keep THIRAM 75 in suspension.

Do not water or mow grass after treatment until fungicide is thoroughly dry.

NET WEIGHT 1 LB.

## THIRAM 75

THIRAM FUNGICIDE FOR GOLF
AND LAWN TURFS

#### **GUARANTEE**

#### ACTIVE INGREDIENT:

Thiram (tetramethylthiuramdisulfide)
INERT INGREDIENTS

75.0% 25.0%

Total

-100.07

#### CAUTION

Keep Out of Reach of Children
See Right Panel for Precautionary Labeling.

Manufactured For

ALFCO ROKEBY CO., INC.
Marietta, Ohio

#### **CAUTION**

May cause irritation of eyes, nose, throat and skin. Do not get on eyes, skin or clothing. Do not breathe dust or spray mist. May be harmful if inhaled or swallowed. In case of contact, flush with plenty of water; for eyes, get medical attention.

This product will kill fish. Keep out of any body of water.

Notice to Buyer—Seller's guarantee shall be limited to the terms of the label and subject thereto; the Buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.

Notice to Canadian Users—Water volume refers to U. S. gallons. For imperial gallons use 20% more Thiram 75.

U.S.D.A. Reg. No. 702-17

the factor attached belown patch and dollar spot best control is effected by the provines at the 10 day intervals. During weather particularly conducive and disease it may be necessary to spray every 3 to 5 days. Sprayings model be the ted before the earliest probable appearance of disease and continual torough the season or until all danger of infection is passed.

to preventive treatment, use 3 oz. or 1 cupful per 1,000 sq. ft.

For curative treatment, use 6 oz. per 1,000 sq. ft.

For the control of snow mold use 8 oz. per 1,000 sq. ft. as late in the fall as possible, prior to snowfall. Spring applications should be 3 oz. per 1,000 sq. ft. applied as soon as the snow melts.

Amount of water - apply with enough water (5 to 10 gals, of water per 1,000 sq. ft.) to give complete coverage of area to be treated. Pressure sprayers, or proportioners may be used.

THIRAM 75 is insoluble in water and will tend to settle out unless agitated. Constant agitation is necessary to keep THIRAM 75 in suspension.

Do not water or mow grass after treatment until the fungicide is thoroughly dry.

#### **CAUTION**

May cause irritations of eyes, nose, throat and skin.

May be harmful if inhaled or swallowed.

Do not breathe dust or spray mist.

Do not get on eyes, skin or clothing.

In case of contact, flush with plenty of water; for eyes, get medical attention.

This product will kill Fish. Keep out of any body of water.

Notice to Buyer - Seller's guarantee shall be limited to the terms of the label and subject thereto; the Buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.

Notice to Canadian Users - Water volume refers to U.S. gallons. For imperial gallons, use 20% more Thiram 75.

**CAUTION:** 

Keep out of reach of children
See back panel for precautionary labeling

# THIRAM 75

## THIRAM FUNGICIDE

For Golf and Lawn Turfs

**ACTIVE INGREDIENT:** 

NÉT WEIGHT

U.S.D.A. Reg. No. 702-17

### Made in Holland

MANUFACTURED FOR

ALFCO ROKEBY CO., Inc.

MARIETTA, OHIO

ACCEPTED

FEB 16 1967

UNDER THE FEDERAL INSECTICIDE FUNDICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTERED UNDER NO. 2000