

ANTIDOTE

Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Then give 2 tablespoonfuls of Epsom Salt or Milk of Magnesia in water and plenty of milk or water. Call a Physician immediately!

DANGER


May be fatal if swallowed! Do not get in eyes, on skin or on clothing. Do not breathe dust or spray mist. Wash thoroughly after handling. Do not graze treated areas. Do not feed clippings to livestock.

Rinse spray equipment and containers and dispose of liquid wastes in a pit in non-crop lands located away from water supplies. This product is toxic to fish and wildlife. Keep out of any body of water. Do not reuse container. Destroy when empty.

For Professional Use Only

NET CONTENTS: 1 U. S. GAL.

E.P.A. Reg. No. 702-24



CADEX

A Liquid Cadmium Turf Fungicide

for control of

COPPER SPOT & DOLLAR SPOT

Active Ingredients

Cadmium Chloride 20.1%

Inert Ingredients

79.9%

Total Ingredients 100.0%

Total Cadmium (Cd) 12.3%

DANGER

KEEP OUT OF REACH OF CHILDREN



POISON



See side panel for antidote and additional precautionary labeling

KEEP FROM FREEZING!

Manufactured For

ALFCO ROKEY CO., INC.
MARIETTA, OHIO

CADEX is a liquid Cadmium solution which mixes with water quickly and thoroughly, leaving no residue in spray tank.

DIRECTIONS FOR USE

For prevention and control of Copper Spot and Dollar Spot, use 1 ounce CADEX per 1000 sq. ft., every 10 days throughout Turf Disease season.

AMOUNT OF WATER

Use enough for complete coverage, usually 5 gallons per 1000 sq. ft.

Representations are based on tests designed to protect turf grasses from improper use. However, no guarantees are made and buyer assumes all risks.

Seller's guarantee shall be limited to the terms of the label, and subject thereto the buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.

Made in U.S.A.

Printed in U.S.A.