

15-22 is a highly active insecticide to be applied by fogging or spraying. It is an effective insecticide especially compounded for control of the common insect pests of the food handling, processing and storage industries.

Insects controlled are exposed stages of crawling insects - Granary Weevil, Rice Weevil, Confused Flour Beetles, Angonomois Grain Moth, Mediterranean Flour Moth, Meal Worms, Cigarette Beetle, Drug Store Beetle, Grain Mites. For Roaches and Silverfish control, spray fog directly into all cracks and crevices where these insects could possibly hide. The following flying insects are controlled: Fruit Flies, Mosquitoes, Flies, Indian Meal Moth, Grain Moth, and Chocolate Moth.

Especially recommended for use in fogging equipment and fine mist sprayers. When using the product in food processing areas, apply only when the facility is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using.

FOR INDUSTRIAL USE ONLY

NOT INTENDED FOR HOUSEHOLD USE.


15 - 22

FOR USE IN FOGGERS, SPRAYERS AND STEAM VAPORIZERS

Technical piperonyl butoxide\* ..... 1.50% \*Equivalent of 1.20% of (butylcarbityl) (6-propylpiperonyl) ether, and to 30% of related compounds.

CAUTION: KEEP OUT OF REACH OF CHILDREN. SEE RIGHT PANEL FOR ADDITIONAL CAUTIONS.

NET CONTENTS



Use in accordance with manufacturers directions for type of equipment used. Use at the rate of 1 pint to each 12,000 -20,000 cubic feet of space. In all cases, the dosage should be sufficient to fill the enclosure thoroughly with fog or vapor. Keep doors and windows closed for 15 to 20 minutes after spraying. Do not remain in treated areas. Ventilate the area after treatment is completed. Clean up and destroy fallen insects. Repeat treatment at intervals as needed.

CAUTION: HARMFUL IF SWALLOWED! This insecticide is an oil base material and should not be sprayed, stores or otherwise exposed to an open flame. Not more than one gallon should be sprayed in 40,000 cubic feet of the enclosed space in order to avoid any explosion hazard. Remove or cover exposed foods before spraying.

DO NOT REUSE EMPTY DRIJM. RETURN TO DRUM RECONDITIONER OR DESTROY BY PERFORATING OR CRUSHING AND EPA Reg. No. 704-22 BURYING IN A SAFE PLACE AWAY FROM WATER SUPPLIES.

