



QS-260

DISINFECTANT

DEODORIZER

ACTIVE INGREDIENTS:

n-Alkyl (60% C₁₄, 30% C₁₆, 5% dimethyl benzyl ammonium chlo n-Alkyl (68% C₁₂, 32% C₁₄) dim ethylbenzyl ammonium chloride

INERT INGREDIENTS:.....

QS-260 is a concentrate and shou using.

NET CONTENTS E

E.P.A. EST. NO. 704-

DANGER.

KEEP OUT OF REACH OF

SEE LEFT PANEL FOR ADDIT PRECAUTIONARY AND FIRST AID STATEMENTS.

COLD DISINFECTION

For disinfection of previously cleaned surgical instruments, barber tools and dental equipment, simply submerge instruments into solution containing 1-1/2 ounce QS-260 per gallon of water for 10 minutes.

DANGER:

Keep out of reach of children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling concentrate. Harmful if swallowed. Avoid contamination of food.

FIRST AID:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and colvulsion may be needed.

Rinse empty container thoroughly with water and discard.

HOSPITALS:				
For floore walls	and	other	hard	curfaner.

SANITIZER	For floors, walls and other hard surfaces. In Nursing Homes, Institutions as well as Sink Tops, Garbage Pails, Telephones and Rest Rooms, use QS-260 at 3-1/2 ounces per 5 gallons of water. Apply with cloth, mop, or sponge. At this level QS-260 will
% C ₁₂ , 5% C ₁₈)	be effective again Pseudomonas aeruainosa
lorides 5%	PRD-10. For heavily soiled or contaminated
methyl	areas, a pre-cleaning step is recommended.
les	
000/	FOOD PROCESSING EQUIPMENT
90%	For sanitization of previously cleaned food
100%	processing equipment and food utensils, dilute
uld be diluted before	1 ounce QS-260 per 4 gallons of water to pro- vide 200 ppm of active quaternaries. At this level, NO POTABLE WATER RINSE is required.
E. P. A. REG. NO. 704-38	
-1L-1	To sanitize dairy equipment such as tanks, lines, pails, and milk cans, first clean and rinse the equipment thoroughly. Then apply sanitizing solution containing 1 ounce QS-260 to 4 gallons (200 ppm). At this level, NO POTABLE WATER
F CHILDREN	RINSE is required. Follow recommendations of
	local Health Board.
TIONAL STATEMENTS	

CHEMICAL SYSTEMS, INCORPORATED, 1735 WEST FULLERTON AVENUE, CHICAGO, ILLINOIS 60614