

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry area away from direct sunlight, flames, and other sources of heat and ignition.

DISPOSAL: Do not reuse empty container. Wrap container and put in trash. Do not throw empty container or contents into fire or incinerator.

GENERAL INSTRUCTIONS & PREPARATIONS FOR USE: Before use, read and follow all **entire** label carefully.

Always hold dispenser upright. Point spray opening away from face of other persons or pets. Push button firmly to spray. Spray directly on as many insects as possible. Do not remain in treated areas. After treatment is completed, ventilate the area thoroughly before returning.

TO KILL FLIES, GNATS AND MOSQUITOES: Close doors and windows and turn off any ventilation if possible. Thoroughly spray all parts of the room, especially direct spray toward the ceiling and all the crevices with fine mist. Spray approximately 6 seconds for each 28 m³ (1,000 cu. ft.) space. Keep room closed for 10 to 15 minutes, then remove fallen insects.

TO KILL ROACHES, ANTS AND SILVER FISH: Spray into all parts of the room suspected of harboring these pests, especially cracks and hidden surfaces, under sinks or food storage areas where they may be hiding. Apply liberally. For ants, also spray ant trails, and around doors and windows. Repeat spraying often.

TO KILL BED BUGS: Thoroughly spray all springs and mattresses, as well as baseboards and cracks in the floor and walls around the perimeter. Do not be disturbed for at least 1 hour before using. Repeat spraying daily for 2 or 3 days. Repeat treatment for 14 days.



SPRAY NOX INSECT SPRAY

FOR USE IN INSTITUTIONS
COMMERCIAL & INDUSTRIAL
ESTABLISHMENTS,
FOOD PROCESSING PLANTS,
AND HOMES.

**KILLS FLIES, ANTS, MOSQUITOES,
GNATS, ROACHES (WATER BUGS),
SILVERFISH, AND BED BUGS.**

ACTIVE INGREDIENTS

Permethrin 0.2%
Deltamethrin 0.1%
Cyfluthrin 0.1%
Total 0.4%

NET WT. 475 GRAMS

1 LB. 0.7 OZ.
EPA REG. NO. 106-7 EPA EST. 106-101

KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional
precautionary statements.

CLAIRE MANUFACTURING CO.

ADDISON, ILLINOIS 60101

EPA REG. NO. 106-7 EPA EST. 106-101

**NET WT. 475 GRAMS
(1 LB. 0.7 OZ.)**

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed or inhaled. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes, or clothing. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. Wash hands, arms, and face with soap and water after using product, especially before eating or smoking. Remove any contaminated clothing and wash before reuse.

When using this product as a space spray in food handling areas, apply only when foods are not being prepared, or the facility is not in operation. When used in food processing plants or food preparation areas of commercial kitchens or in homes, foods should be removed or covered during treatment. All food processing & preparation surfaces and food preparation & serving utensils must be covered during treatment or thoroughly cleaned before using.

Do not use in nurseries, classrooms, where infants or aged persons are confined, and do not be removed during treatment. Remove pets and birds and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT

IF INHALED: Excessive and/or prolonged exposure. Remove victim to fresh air, if not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention immediately.

IF SWALLOWED: Do NOT induce vomiting. Do not give anything by mouth to an unconscious person. Get medical attention immediately.

IF IN EYES: Flush with water for 15 minutes. Get medical attention if irritation persists or develops later.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists or develops later.

NOTE TO PHYSICIAN: Inert ingredients include 2,2-dichloromethane and 1,1,1-trichloroethane.

PHYSICAL/CHEMICAL HAZARDS

Flammable contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 54°C (130°F) may cause venting.

See side panel for use instructions, directions, and first aid information.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with the labeling.

STORAGE AND DISPOSAL

STORAGE Store in a cool, dry area away from direct sunlight, flames, and other sources of heat and ignition.

DISPOSAL Do not reuse empty container. Wrap container and put in trash collection. Never puncture container nor throw into fire or incinerator.

GENERAL INSTRUCTIONS & PREPARATIONS FOR USE **Before** using product read **entire** label carefully!

Always hold dispenser upright. Point spray opening away from face, other persons or pets. Push button firmly to spray. Spray directly on as many insects as possible. Do not remain in treated areas. After treatment is completed, ventilate the area thoroughly before returning.

TO KILL FLIES, GNATS AND MOSQUITOES Close doors and windows, and turn off room ventilation if possible. Thoroughly spray all parts of the room, especially direct spray toward the ceiling, and fill the area with a fine mist. Spray approximately 6 seconds in each 28 m³ (1000 cu. ft.) of space. Keep room closed for 10 to 15 minutes, then remove fallen insects.

TO KILL ROACHES, ANTS AND SILVERFISH Spray into all parts of the room suspected of harboring these pests, especially cracks and hidden surfaces around sinks or food storage areas where they may be hiding. Apply liberally. For ants, also spray ant trails and around doors and windows. Repeat spraying often.

TO KILL BED BUGS Thoroughly spray beds, springs and mattresses as well as baseboards and cracks in the floor and walls around the bedroom. Allow bed to dry for at least 1 hour before using. Repeat spraying daily for 2 or 3 days. Repeat treatment if reinfestation occurs.



SPRAY NOX INSECT SPRAY

FOR USE IN INSTITUTIONS,
COMMERCIAL & INDUSTRIAL
ESTABLISHMENTS,
FOOD PROCESSING PLANTS,
AND HOMES.

**KILLS FLIES, ANTS, MOSQUITOES,
GNATS, ROACHES (WATER BUGS),
SILVERFISH, AND BED BUGS.**

ACTIVE INGREDIENTS

Permethrin 1.0
Piperonyl butoxide (synergist) 18.8
Piperonyl diethylcarbamate 18.8

INERT INGREDIENTS

80.0

TOTAL

100.0

**Equivalent to 0.8% (8.0% carbaryl)
(6-propoxyphenyl ether and
0.2% related compounds)

KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional
precautionary statements

CLAIRE MANUFACTURING CO.

ADDISON, ILLINOIS 60101

EPA REG NO 706-7

EPA Est: 706-IL-1

**NET WT. 475 GRAMS
(1 LB. 0.7 OZ.)**

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed or inhaled. Avoid breathing vapors of spray mist. Avoid contact with skin, eyes, or clothing. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. Wash hands, arms, and face with soap and water after using product, especially before eating or smoking. Remove any contaminated clothing and wash before reuse.

When using this product as a space spray in food handling areas, apply only when food is not being prepared, or the facility is not in operation. When used in food processing plants or food preparation areas of commercial kitchens or in homes, foods should be removed or covered during treatment. All food processing & preparation surfaces, and food preparation & serving utensils, must be covered during treatment, or thoroughly cleaned before using.

Do not use in nurseries, or rooms where infants, ill, or aged persons are confined and cannot be removed during treatment. Remove pets and birds, and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT

IF INHALED excessively and if unconscious. Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention immediately.

IF SWALLOWED Do NOT induce vomiting. Do not give anything by mouth to an unconscious person. Get medical attention immediately.

IF IN EYES Flush with water for 15 minutes. Get medical attention if irritation persists or develops later.

IF ON SKIN Wash with plenty of soap and water. Get medical attention if irritation persists or develops later.

NOTE TO PHYSICIAN - Inert ingredients include: Diethyltoluene and 1,1,1-Trichloroethane.

PHYSICAL/CHEMICAL HAZARDS

Flammable. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 54°C (130°F) may cause bursting.

Solvents in spray may cause damage to some plastics, coatings, and other materials, and to some house plants, if sprayed until wet.