706-17

DIRECTIONS-Hold dispenser upright. Point valve away from face. Push arrow on blue tip sideways until catch clamps (hooks) under round metal circle releasing spray. The stop spray, unhook catch from metal circle.

FLIES\_MOSOUITOES-Spray high toward ceiling, directing the spray in all parts of the room-from Z to 4 seconds is sufficient for 1,000 cubic feet (10' x 10' x 10'). For best results close doors and windows for 15 minutes. Do not remain in treated areas and ventilate the area after treatment is completed. Repeat treatment when necessary. FRUIT FLIES-Treat local infestations by attempting to contact the fruit flies with the dry mist particles. Spray balance of area by spraying high toward ceiling in all parts of area, 2 to 4 seconds is sufficient per 1,000 cubic feet. For best results close doors and windows for 15 minutes. Do not remain in treated area and ventilate the area after treatment is completed.

ROACHES, SILVERFISH-Spicy into cracks and crevices to drive them out. Spray direcity of insects, Repeat spraying often. Do not remain in treated areas and ventilate the area after treatment is completed.

\*CEREAL MUTHS (Angoumois Grain Moths, Mediterrean Flour Moth, Indian Meal Moth) Close doors and windows and confine the mist to control the accessible stages. Thor-oughly treat areas. Direct the spray into all corners; behind and between all stored products; into cracks and crevices. Repeat weekly or oftener. Destroy infested food stuffs. Do not remain in treated area and ventilate the area after treatment. ACTIVE INGRE

| ACTIVE INGREDIENTS:   | Pyrethrins                            |        |
|-----------------------|---------------------------------------|--------|
|                       | Technical Piperonyl Butoxide**        | . 4.0% |
|                       | Petroleum Hydrocarbons                |        |
| INERT INGREDIENTS     | · · · · · · · · · · · · · · · · · · · |        |
| ** Equivalent to 3.2% |                                       | 100.0% |

\* • Equivalent (6-propylpiperonyl) ether and 0.8% related compounds

CAUTION-When used in food processing plants foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation. Avoid inhalation or skin contact. Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130° F may cause bursting. Never throw container into fire or incinerator.

> Sold by SPRAYWAY, INC. EPA REG. NO. 706-17 Ft. Lauderdale, Fla. 33308 Chicago, Ill. 60620

