

706-171

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### STORAGE AND DISPOSAL

**STORAGE** Store in a cool, dry area away from direct sunlight, flames, and other sources of heat and ignition.

**DISPOSAL** Do not reuse empty container. Wrap container and put in trash collection. Never puncture container nor throw into fire or incinerator.

### GENERAL INSTRUCTIONS & PREPARATIONS FOR USE

Before using product read **entire** label carefully! Always hold dispenser upright. Point spray opening away from persons and pets. **KEEP CONTAINER AT LEAST 1 m (3 ft) FROM SURFACES WHILE SPRAYING** those with low solvent resistance may be damaged if sprayed until wet. Push button firmly to spray.

Do not remain in treated areas. After treatment is complete, ventilate the area before returning.

**TO KILL FLIES, MOSQUITOES AND FRUIT FLIES** Treat local infestations by attempting to contact the insects directly with the spray. Treat balance of area by spraying high toward ceiling directing the spray toward parts of the area. 2 to 4 seconds is sufficient for each 28 m<sup>3</sup> (1,000 cu ft) of space. For best results, close doors and windows for 15 minutes. Repeat treatment when necessary.

**TO KILL ROACHES AND SILVERFISH** Spray into cracks and crevices to drive them out. Spray directly on insects when possible. Repeat spraying often.

**TO KILL CEREAL MOTHS** (Aquarium Store Moths, Mediterranean Flour Moths, Indian Meal Moths)\* Close doors and windows and confine the moths to control their access life stages. The reagent treatment does not spray into crevices. Do not spray between and behind shelves and boxes. Repeat every 2 to 3 weeks. Destroy infested products.



## HI - PRESSURE INDUSTRIAL INSECT BOMB

TO CONTROL FLIES, MOSQUITOES, FRUIT FLIES, ROACHES, SILVERFISH, AND CEREAL MOTHS\*

MADE SPECIFICALLY FOR: MEAT PACKERS, BAKERIES, DAIRIES, CANNERIES, BREWERIES, MARKETS, STORES, RESTAURANTS, HOTELS, AND OTHER PLACES WHERE FOOD IS HANDLED.

ACTIVE INGREDIENTS	
Pyrethrins	0.5%
Piperonyl Butoxide Technical**	4.0%
Petroleum distillates	5.5%
INERT INGREDIENTS	90.0%
TOTAL	100.0%

\*\*Equivalent to 3.2% (Butyl arbutyl) (6-propyl piperonyl ether and 0.8% related compounds)

**KEEP OUT OF REACH OF CHILDREN CAUTION**  
See side panels for additional precautionary statements

CLAIRE MANUFACTURING COMPANY  
ADDISON, IL 60101

EPA REG NO 706-17  
EPA Est 706-IL-1

NET. WT. 500 GRAMS  
(1 LB. 1.6 OZ.)

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed or inhaled. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes, or clothing. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. Wash hands, arms and face with soap and water after using product, especially before eating or smoking. Remove any contaminated clothing and wash before reuse.

When using this product in food handling areas, apply only when the facility is not in operation. Foods should be removed or covered during treatment. All food processing and preparation surfaces, and food preparation and serving utensils, must be covered or removed during treatment. Clean these surfaces and utensils thoroughly before using.

Do not use in nurseries or rooms where infants, ill or aged persons are confined and cannot be removed during treatment. Remove pets and birds and cover fish aquariums before spraying.

### STATEMENT OF PRACTICAL TREATMENT

**IF INHALED** excessively and ill or unconscious. Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention immediately.

**IF SWALLOWED** Do NOT induce vomiting. Do not give anything by mouth to an unconscious person. Get medical attention immediately.

**IF IN EYES** Flush with water for 15 minutes. Get medical attention if irritation persists or develops later.

**IF ON SKIN** Wash with plenty of soap and water. Get medical attention if irritation persists or develops later.

**NOTE TO PHYSICIAN** Inert ingredients include Dichloromethane and 1,1,1-Trichloroethane.

### PHYSICAL/CHEMICAL HAZARDS

Flammable. Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposed to temperatures above 54°C (130°F) may cause rupture.

Some parts of spray may cause damage to some plastics, coatings, and other materials. Do not spray on some house plants if sprayed with wet.

