

Reg no: 706-38

PM-17

181

ACCEPTED

JUL 12 1990

Under the provisions of the Federal Insecticide, Fungicide, and Rodenticide Act, this product is registered for the use of

706-38

MASTER IMPRESSIONS ADDISON IL 11/89

PRECAUTIONARY STATEMENTS

Hazards To Humans & Domestic Animals

CAUTION: Harmful if inhaled or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes or clothing. Avoid contamination of food and feedstuffs. When using this product in food handling areas, apply only when the facility is not in operation. Foods should be removed or covered during treatment. All food processing and preparation surfaces, and food preparation and serving utensils, must be covered or removed during treatment. Clean these surfaces and utensils thoroughly with a suitable cleaning compound and rinse with potable water before using.

Do not use in nurseries or rooms where infants, ill or aged persons are confined and cannot be removed during treatment. In hospitals, patients should be removed from room prior to treatment. Room should be ventilated for two hours after spraying. Do not return patients to room until after ventilation. Remove pets and birds, and cover fish aquarium before spraying.

STATEMENT OF PRACTICAL TREATMENT

On Inhaled: Remove victim to fresh air and apply artificial respiration if warranted.
On Skin: Remove contaminated clothing and wash skin with soap and water. Get medical attention if irritation persists. Wash contaminated clothing prior to reuse.

In Eyes: Flush eyes with plenty of water. Get medical attention if irritation persists.

24 HOUR MEDICAL EMERGENCY 1-800-228-5635

PHYSICAL OR CHEMICAL HAZARDS

Flammable. Contains under pressure. Do not use or store near fire, sparks or heated surfaces. Do not store in direct sunlight. Do not smoke while using this product. Turn off pilot lights in gas appliances in the use area. After the airing out phase is completed, relight pilot lights. Do not puncture or incinerate container. Exposure to temperatures above 120°F may cause bursting. Incineration of container may cause explosion.

Solvents in spray may cause damage to some plastics, coatings and other materials, and to some house plants, if sprayed until wet.

CLAIRE MANUFACTURING CO.
500 VISTA AVENUE
ADDISON, ILLINOIS 60101

C-001



**ONE SHOT AUTOMATIC
INSECT SPRAY**

**KILLS EXPOSED STAGES OF FLIES, MOSQUITOES,
ROACHES, ANTS, FLEAS, SPIDERS TICKS AND SILVERFISH
(Larvae and Adults)**

Use in Food Establishments, Warehouses, Commercial and Industrial Establishments, Offices, Medical Facilities, Homes, Apartments, Garages, Boats, Cabins, Campers, Pet Sleeping Quarters and Storage Areas.

ACTIVE INGREDIENTS:

Pyrethrin 0.4%
*Piperonyl butoxide, technical 2.0%

**INERT INGREDIENTS 97.6%

This product contains the toxic inert ingredient Methylene Chloride.
* Equivalent to max. 1.6% (butylcarbitol) (8 propylparonyl) ether and to max. 0.4% related compounds.
** Contains petroleum distillate.

EPA Reg. No. 703-30

EPA Est. 708-B-1
EPA Est. 708-NC-1

NET WT. 9.7 OZ. (275 GRAMS)

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for additional
precautionary statements.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**GENERAL INSTRUCTIONS AND
PREPARATION FOR USE**

Read entire label carefully before using product. Put out all flames and pilot lights. Cover exposed food, dishes and food-handling equipment. Open cabinets and doors to areas to be treated. Shut off fans and air conditioners. Close doors and windows. Paint valves opening away from face and eyes when releasing. Use one unit for each 170 cubic meters (6,000 cubic feet) of unobstructed area. Use additional units for remote rooms. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

TO OPERATE VALVE: Place several layers of newspaper or a pad on a stand or table in the center of the room. For automatic discharge, lock valve in open position by pressing valve button at the very bottom, hooking the catch. Then place trigger on stand or table (in center of room) with valve locked open. Leave building at once and keep building closed for four hours before airing out. To air out, open all doors and windows and allow to air for 30 minutes before reoccupying room. Remove fallen insects. Repeat treatment in two weeks or when necessary.

TO KILL TICKS AND FLEAS: Replace pet's old bedding. Use product as above. Do not use this product on pets. Prior to re-entry, treat dogs and cats with a product registered for use on pets.

STORAGE: Store in a cool, dry place (preferably locked) inaccessible to children and pets and away from direct sunlight, windows, flames and any other sources of heat or ignition.

DISPOSAL: Replace cap, wrap in several layers of newspaper and discard in trash. Do not puncture or incinerate container.

BEST AVAILABLE COPY