

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**GENERAL INSTRUCTIONS FOR USE:** Read the **WHOLE LABEL** carefully. **BEFORE** using product. Do not use in food processing, preparation, storage, nor serving areas of food handling establishments in homes. Foods should be removed or covered during treatment. All food preparation surfaces should be covered during treatment, or cleaned before using. Remove pets and birds, and cover fish aquariums before spraying.

Always hold dispenser upright. Point spray opening away from face, other persons, or pets. Keep container at least 3 ft (1 m) from surfaces while spraying. Those with low solvent resistance may be damaged if sprayed until wet. Push button firmly to spray. Spray directly on as many insects as possible. After treatment is completed, ventilate the area thoroughly.

**TO KILL FLIES, GNATS, AND MOSQUITOES:** Close doors and windows, if possible, turn off room ventilation. Thoroughly spray all parts of the room; especially direct spray toward the ceiling, and fill the area with a fine mist. Spray approximately 6 seconds in each 1,000 cu. ft. (28m<sup>3</sup>). Keep room closed for 10 to 15 minutes. Do not remain in treated area. After treatment is completed, ventilate the area thoroughly before returning. Remove fallen insects.

**TO KILL ROACHES AND SILVERFISH:** Spray a light mist into all parts of the room suspected of harboring these pests, especially cracks and hidden surfaces around sinks or food storage areas where they may be hiding. Repeat as necessary.

**TO KILL SPIDERS:** Direct a light spray mist around windows, doors, baseboards, and crawl spaces where these pests may occur. Spray directly on as many spiders as possible.

**TO KILL BEDBUGS:** Do not spray general sleeping surfaces, but direct a light spray mist under tufts, on edges of mattresses, and on frames and springs, as well as baseboards, and cracks in the floor and walls around the bedroom. Allow bedding to dry for at least 4 hours before using. Repeat treatment if reinfestation occurs.

**TO KILL CLOTHES MOTHS:** Remove clothes from closets, brush them out, and air them out well. Spray all walls and shelves with a light mist. Spray clothes thoroughly with mist to kill moth larvae. Repeat spraying of clothes, trunk drawers, and closets every 30 days.

**STORAGE AND DISPOSAL**

**STORAGE:** Store in a cool area, away from direct sunlight, flames, and other sources of heat and ignition.  
**DISPOSAL:** Do not reuse empty container. Wrap container and put in trash collection. Never puncture container nor throw into fire or incinerator.



**INSECT SPRAY**

**KILLS: FLIES, GNATS, MOSQUITOES, ROACHES (WATERBUGS), SILVERFISH, SPIDERS, BEDBUGS, AND CLOTHES MOTHS**

<b>ACTIVE INGREDIENTS</b>	
Methoxychlor, Technical	2.00%
2,2-Dichlorovinyl Dimethyl Phosphate** ,DDVP	0.25%
Related Compounds**	0.00%
Petroleum Distillates	20.00%
<b>INERT INGREDIENTS</b>	77.75%

**TOTAL:** 100.00%

\*Equivalent to 1.76% 2,2-bis(p-Methoxyphenyl)-1,1,1-trichloroethane and 0.24% other isomers and related compounds.

\*\*Equivalent to 0.50% of Vapona

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

See side panel for additional precautionary statements.

**CLAIRE MANUFACTURING CO**

ADDISON, ILLINOIS 60101

EPA Reg. No. 705-56

EPA Est. 736-IL 1

**NET WT. 13 OZ. (369 GRAMS)**

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Harmful if inhaled, swallowed, or absorbed through skin. Avoid breathing vapor or spray mist. Avoid contact with skin, eyes, or clothing. Wash hands, arms, and face with soap and water after using product, especially before eating or smoking. Remove contaminated clothing and wash before reuse. Do not use on humans, domestic animals, or pets.

**STATEMENT OF PRACTICAL TREATMENT**

**IF INHALED:** excessively and ill or unconscious: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention immediately.

**IF SWALLOWED:** Do NOT induce vomiting. Do not give anything by mouth to an unconscious person. Get medical attention immediately.

**IF IN EYES:** Flush with water for 15 minutes. Get medical attention if irritation develops or persists.

**IF ON SKIN:** Wash with plenty of soap and water. Get medical attention if redness or irritation develops or persists.

**NOTE TO PHYSICIAN:** Contains a small amount of cholinesterase inhibitor DDVP. If symptoms of cholinesterase inhibition occur, Atropine Sulfate is antidotal. This product also contains 1,1,1-Trichloroethane and Dichloromethane, which at extremely high inhalation levels may cause cardiac sensitization; avoid use of adrenalin type drugs, such as epinephrine, if this condition is suspected. Also consider health hazards of Petroleum Distillates and Methoxychlor before administering any treatment.

**PHYSICAL CHEMICAL HAZARDS**

Extremely flammable. Contents under pressure. Keep away from fire, sparks, and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130°F (54°C) may cause bursting.

Solvents in spray may cause damage to some plastics, coatings, and other materials, and to some house plants, if sprayed until wet.

C-6-6-79 C-6-6-79

**ACCEPTED**

**AUG 13 1979**

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registration under EPA Reg. No. 706-56