SEP 8 0 1991

Clair Namefacturing Company 900 Vista Avenue Addison, IL 60101

Attention: Kim Davis

Gentlemen:

Subject: Claire Disinfectant Spray
EPA Registration No. 706-69
Tour Amendment Dated March 18, 1991

The labeling referred to above, submitted in connection with registration under the Pederal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. Five copies of the finished labeling must be submitted prior to releasing the product for shipment.

- Delete "air ducts" from the "Disinfects" portion of your label on page 2.

____Should you have questions call Arvella Farmer at (703) 557-6939.

Sincerely yours.

R

Ruth G. Douglas
Acting Product Manager (32)
Antimicrobial Program Branch
Registration Division (87505C)

62793:1:A-27:WP5.0:Farmer:C.Disk:KEVRIC:09/23/91:rj:wo:dd:aw

CONCURRENCES										
SYM	or	<i></i>					ar markets a			
. 247	NAME)									
DAT	•)									

EPA Form 1320-1 (12-70)

OFFICIAL FILE COPY

DW5

CLAIRE DISINFECTANT SPRAY FOR HOSPITAL USE

ACCEPTED
with COMMENTS
in Lare to a Foliote

Disinfects
HIV-1 (AIDS virus),
Polio Virus Types 1 and 2,
Influensa A2/Hong Kong Virus,
and

SEP 3 0 1991

Herpes Simplex Virus Types 1 and 2, On Inanimate Environmental Surfaces Under the formaticide, Fungicial Canctas aticide aticide registered under 1.24 Page 100.

For Use in Homes, Hospitals, Nursing Homes, Businesses, Hotels, Motels, Restaurants, Schools, Institutions and Commercial Establishments

Kills Most Germa Controls Mold and Mildew Eliminates Odors

Bactericidal Stap! ylocidal Tuberculocidal Fungicidal Pseudomonicidal *Virucidal

ACTIVE INGREDIENTS:

****** *******************************	
Orthophenylphenol	0.176%
Para-tertiary Amylphenol	0.045%
Ethanol	49.950%
+INERT INGREDIENTS	49.829%
+Contains Sodium Nitrite.	

Reep Out of Reach of Children

CAUTION

See back panel for additional precautionary statements.

NET WT. 12 OZ.

KILLS: Staphylococcus Aureus, Pseudomonas Aeruginosa, Salmonella Choleraesuis, Trichophyton Interdigitale, Aspergillus Niger, Tubercule Bacilli, *Human Immunodeficiency Virus Type 1 [HIV-1 (AIDS virus)], *Herpes Simplex Virus Types 1 and 2, *Polio Virus Types 1 and 2 and *Influenza A2/Hong Kong Virus on inanimate environmental surfaces.

DISIMFECTS: Acts as a powerful disinfectant on such bacteria carrying surfaces as toilet seats, telephones, garbage and refuse cans, urinals, athletic equipment, light switches, bed pans, empty hampers, air ducts and other out of the way places.

SAWITISES: Shoes and slippers. CONTROLS MOLD AND MILDEW on mattresses, awnings, shower curtains, leather goods. CONTROLS mildew and mold growth on painted or finished walls, ceilings and woodwork in closets, basements, attics, storage areas, summer cottages, damp and musty corners.

DEODORISES: Reduces annoying odors. Use to control odors in hospitals and nursing homes. In private homes, use in kitchen, bathroom, sick rooms, basements. Effectively suppresses odors caused by mold and mildew.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Shake well before using and occasionally while spraying. Clean surface thoroughly with an effective cleaning compound prior to treatment. Remove all gross filth or heavy soil from all surfaces to be treated.

TO DISINFECT AND FOR TUBERCULOCIDAL ACTIVITY: After surface is cleaned, hold can upright 6" to 3" from surface to be treated. Spray 3-4 seconds until surface is wet. Allow to dry without wiping or allow spray to contact treated surface for a minimum of ten minutes prior to wiping. For Herpes Simplex Virus Types 1 and 2 spray 8-10 seconds until surface is wet. Allow to dry without wiping or allow spray to contact treated surface for a minimum of ten minutes prior to wiping. Tuberculocidal in 10 minutes at 25°C.

TO DEODORISE: Hold can upright and point opening away from face. Spray into the air for 3 to 5 seconds directing spray toward center of room.

TO CONTROL SURFACE MILDEM: After surface is cleaned, coversurface with mist. Repeat treatment every week for uffective control.



Delet

TO SANITIZE, DEODORISE AND CONTROL MILDEW ON SHOES: After shoe surface is cleaned, hold can upright with opening pointed away from face and 6" to 8" from shoe surface to be treated. Spray interior and exterior of shoe for 3-5 seconds or until surface is wet. Allow shoe to air dry without wiping.

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS on precleaned environmental surfaces/objects previously soiled with blood/body fluids in health care settings (or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the .surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of HIV): Personal Protection: When handling items soiled with blood or body fluids, use appropriate barrier protection such as disposable latex gloves, gowns, masks or eye coverings. Cleaning Procedure: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this disinfectant. Contact Time: Spray surface to be treated 3-4 seconds, from a distance of 6-8 inches, until surface is wet. Allow spray to dry without wiping or allow spray to contact treated surface for a minimum of ten minutes prior to wiping. Disposal of Infectious Materials: Blood and other body fluids should be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

STORAGE: Store in a cool, dry place (preferably locked) inaccessible to children and pets and away from direct sunlight, windows, flames and other sources of heat or ignition. DISPOS-AL: Replace cap, wrap container in several layers of newspaper and discard in trash. Do not incinerate or puncture.

PRECAUTIONARY STATEMENTS Hazards to Humans & Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling. Do not spray on or near exposed food. Cover food handling surfaces and utensils before spraying or wash thoroughly after using spray. Do not use on humans, domestic animals or pets.

Statement of Practical Treatment ("" The Syes: Flush eyes with plenty of water. Contact a physician if irritation persists.

24 HOUR MEDICAL EMERGENCY -- 1-800-228-5635

Physical or Chemical Hazards

Flammable. Contents under pressure. Do not use or store near fire, sparks or heated surfaces. Do not store in direct sunlight. Do not smoke while using product. Do not puncture or incinerate container. Incineration of container may cause explosion. Exposure to temperatures above 120°F may cause bursting.

BEST AVAILABLE COPY

Do not spray on polished wood surfaces, rayon fabrics or on acrylic plastics. Solvents in spray may cause damage to some plastics, coatings and other materials if sprayed until wet.

EPA Reg. No. 706-69

The same text.

with the state of the state of

EPA Est. 706-IL-1

CLAIRE MANUFACTURING COMPANY 500 Vista Avenue Addison, IL 60101

REST AVAILABLE COPTS

ر المواد المواد والمواد المواد ال المراد المواد الموا