

706-69

8-19-2003

706-69 "NOT FOR SALE" FINAL PRINTED LABEL

ACCEPTED

AUG 19 2003

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended for the pesticide, registered under EPA Reg. No. 706-69



For Use in Homes, Hospitals, Nursing Homes, Businesses, Hotels, Motels, Restaurants, Schools, Institutions and Commercial Establishments

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

General Information

Kills: *Aspergillus niger* (ATCC 16404), *Human Herpes Simplex Virus Type 1 (ATCC VR-733F) and Type 2 (ATCC VR-549), *Human Immunodeficiency Virus Type 1 (HIV-1 (AIDS virus)), *Influenza A₂/Hong Kong Virus, Methicillin Resistant *Staphylococcus aureus* (ATCC 33581), *Mycobacterium tuberculosis* var *bovis* (BCG), *Polio Virus Types 1 and 2, *Pseudomonas aeruginosa* (ATCC 15442), *Salmonella choleraesuis* (ATCC 10708), *Staphylococcus aureus* (ATCC 6538), *Trichophyton mentagrophytes* (ATCC 9972) and Vancomycin Resistant *Enterococcus faecalis* (ATCC 51229) on hard, nonporous, inanimate environmental surfaces. **Disinfects:** Disinfects on such bacteria carrying surfaces as toilet seats, telephones, garbage and refuse cans, urinals, athletic equipment, light switches, bed pans, empty hampers and other out of the way places. **Sanitizes:** Shoes and slippers. Controls Mold and Mildew on mattresses, awnings, shower curtains, leather goods. Controls mildew and mold growth on painted or finished walls, ceilings and woodwork in closets, basements, attics, storage areas, summer cottages, damp and musty corners. **Deodorizes:** Reduces annoying odors. Use to control odors in hospitals and nursing homes. In private homes, use in kitchen, bathroom, sick rooms, basements. Effectively suppresses odors caused by mold and mildew.

General Precautions and Restrictions

Do not spray on polished wood surfaces, rayon fabrics or on acrylic plastics. Solvents in spray may cause damage to some plastics, coatings and other materials if sprayed until wet. This product is not to be used as a terminal disinfectant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contact intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

Application Instructions

Shake well before using and occasionally while spraying. Clean surface thoroughly with an effective cleaning compound prior to treatment. Remove all gross filth or heavy soil from all surfaces to be treated. To Disinfect and for Tuberculocidal Activity: After surface is cleaned, hold can upright 6" to 8" from surface to be treated. Spray 3-4 seconds until surface is wet. Allow to dry without wiping or allow spray to contact treated surface for a minimum of ten minutes prior to wiping. For Herpes Simplex Virus Types 1 and 2 spray 8-10 seconds until the surface is wet. Allow to dry without wiping or allow spray to contact treated surface for a minimum of ten minutes prior to wiping. Tuberculocidal in 10 minutes at 25°C. To Deodorize: Hold can upright and point opening away from face. Spray into the air for 3 to 5 seconds directing spray toward center of room. To Control Surface Mildew: After surface is cleaned, cover surface with mist. Repeat treatment every week for effective control. For Skirts, Skis & Snowboard Boots.

To Sanitize, Deodorize and Control Mildew on Shoes: After shoe surface is cleaned, hold can upright with opening pointed away from face and 6" to 8" from shoe surface to be treated. Spray interior and exterior of shoe for 3-5 seconds or until surface is wet. Allow shoe to air dry without wiping. Special Instructions for Cleaning and Decontamination Against HIV on Surfaces/Objects Soiled with Blood/Body Fluids on pre-cleaned environmental surfaces/objects previously soiled with blood/body fluids in health care settings (or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of HIV): Personal Protection: When handling items soiled with blood or body fluids, use appropriate barrier protection such as disposable latex gloves, gowns, masks or eye coverings. Cleaning Procedure: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this disinfectant. Contact Time: Spray surface to be treated 3-4 seconds, from a distance of 6-8 inches, until surface is wet. Allow spray to dry without wiping or allow spray to contact treated surface for a minimum of ten minutes prior to wiping. Disposal of Infectious Materials: Blood and other body fluids should be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

Storage and Disposal

Pesticide Storage: Store in a cool, dry (preferably locked) storage area away from direct sunlight, windows, flames and other sources of heat or ignition. **Pesticide Disposal:** Wastes resulting from the use of this product may be disposed on site or at an approved waste disposal facility. **Container Disposal:** Replace cap, wrap container and put in trash. Do not incinerate or puncture.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Not for sale or distribution in California.

First Aid

If on Skin or Clothing: Take off contaminated clothing. Immediately rinse skin with plenty of water for 15-20 minutes. If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-222-6633 for emergency medical treatment information.

Physical or Chemical Hazards

Flammable. Contents under pressure. Do not use or store near fire, sparks or heated surfaces. Do not store in direct sunlight. Do not smoke while using this product. Do not puncture or incinerate container. Exposure to temperatures above 120°F may cause bursting.

A Product of:



CLAIRE MANUFACTURING COMPANY
ADDISON, IL 60101
www.clairemfg.com

DISINFECTANT SPRAY FOR HOSPITAL USE

**DISINFECTS HIV-1 (AIDS VIRUS),
POLIO VIRUS TYPES 1 AND 2,
INFLUENZA A₂/HONG KONG VIRUS,
MYCOBACTERIUM TUBERCULOSIS (TB) AND
HERPES SIMPLEX VIRUS TYPES 1 AND 2 ON HARD,
NONPOROUS, INANIMATE ENVIRONMENTAL SURFACES**

**KILLS MOST GERMS
CONTROLS MOLD AND MILDEW
ELIMINATES ODORS**

**BACTERICIDAL - STAPHYLOCIDAL - TUBERCULOCIDAL
FUNGICIDAL - PSEUDOMONICIDAL - *VIRUCIDAL**

Active Ingredients:	
Orthophenylphenol (CAS No. 90-43-7)	0.176%
Para-tertiary Amylphenol (CAS No. 80-48-6)	0.045%
Ethanol (CAS No. 64-17-5)	49.950%
*Other Ingredients	49.829%
Total	100.000%

+Contains Sodium Nitrite.
EPA Reg. No. 706-69 EPA Est. 706-IL-1

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See back panel for additional precautionary statements

NET WT. 15 1/2 OZ. (439 GRAMS)

Underlined text denoted by circle 'A' indicates addition to label.

**PLEASE NOTE THAT NEITHER FINAL PRINTED LABEL CONTAINS THE
COMPLETE TEXT OF THE EPA STAMPED APPROVED LABEL**

