

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GENERAL INSTRUCTIONS FOR USE: Read the **WHOLE** label carefully, **BEFORE** using product. **NEAR** **OUT-DOOR USE ONLY.** Do not use inside buildings inhabited by humans, domestic animals, or pets. Do not use in food processing, preparation, storage, or serving areas of food handling establishments or homes. Do not contaminate foods, edible crops, feeds, or drinking water. Do not contaminate those surfaces of any harvesting or processing equipment which will contact edible products. Do not use on nests located in fruit trees.

Always hold dispenser upright. Point spray opening away from face, other persons, or pets. Aim with caution; petroleum distillates in product may cause damage to some trees, plants, and surfaces. Aim spray opening toward nest and push button firmly to activate jet stream. Thoroughly wet the nest and any visible insects. Best personal safety and insecticidal results are obtained if the spraying is done during the evening, after insects have congregated, and are at rest.

The sprayed nests should be rid of these pests within 24 hours after treatment. The spray will leave a residual coating of insecticide that will continue to kill after application. If reinfestation occurs, due to migration or removal of insecticide coating by rain or cleaning solution, or if insects return or rebuild nests, repeat the treatment.

STORAGE AND DISPOSAL

STORAGE: Store in a cool area away from direct sunlight, flames, and other sources of heat and ignition.

DISPOSAL: Do not reuse empty container. Wrap container and put in trash collection. Never puncture container nor throw into fire or incinerator.

claire

Golden Jet BEE, WASP, & HORNET KILLER

(Also kills Yellow Jackets)
LONG RANGE

**JET-STREAM INSECTICIDE
ALLOWS KILLING THESE INSECTS
WHILE STANDING UP TO 12 FEET
AWAY FROM THEIR NESTS LOCATED:**

**IN CRACKS AND CREVICES
UNDER ROCKS AND EAVES
IN HOLES IN THE GROUND
ON WALLS AND CHIMNEYS**

ACTIVE INGREDIENTS:

Malathion (0,0-Dimethyl Dithiophosphate of Diethyl Mercaptosuccinate)	2.000%
2,2-Dichlorovinyl Dimethyl Phosphate* (DDVP)	0.184%
Related Compounds*	0.016%
Pyrethrins	0.025%
Technical Piperonyl Butoxide**	0.062%
Petroleum Distillates	87.337%
INERT INGREDIENTS:	10.376%
TOTAL:	100.000%

*Equivalent to 0.20% of Vapors.

**Equivalent to 0.0496% (Butylcarbityl) (6-Propylpiperonyl) Ether and 0.0124% related compounds.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for additional
precautionary statements.

CLAIRE MANUFACTURING CO.
ADDISON, ILLINOIS 60101

EPA Reg. No. 706-72

EPA Est. 706-IL-1

NET WT. 12 OZ. (340 GRAMS)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if inhaled, swallowed, or absorbed through skin. Avoid breathing vapor or spray mist. Avoid contact with skin, eyes, or clothing. Wash hands, arms, and face with soap and water after using product, especially before eating or smoking. Remove contaminated clothing and wash before reuse. Do not use on humans, domestic animals, or pets.

STATEMENT OF PRACTICAL TREATMENT

IF INHALED excessively and ill or unconscious: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention immediately.

IF SWALLOWED: Do NOT induce vomiting. Do not give anything by mouth to an unconscious person. Get medical attention immediately.

IF IN EYES: Flush with water for 15 minutes. Get medical attention if irritation develops or persists.


IF ON SKIN: Wash with plenty of soap and water. Get medical attention if redness or irritation develops or persists.

NOTE TO PHYSICIAN: Contains small amounts of the cholinesterase inhibitors, DDVP and Malathion. If symptoms of cholinesterase inhibition occur, Atropine Sulfate may be antidotal. Also, consider health hazards of Petroleum Distillates and other listed ingredients before administering any treatment.

PHYSICAL/CHEMICAL HAZARDS

Extremely flammable. Contents under pressure. Keep away from fire, sparks, and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 136°F (54°C) may cause bursting.

Petroleum distillates may cause damage to some plastics, coatings, and other materials, and to some trees, shrubs, grasses, and other plants.



706-72

07/03/1979

11