

**KILLS STAPHYLOCOCCUS AUREUS - PSEUDOMONAS AERUGINOSA - SALMONELLA CHOLERAESUS - TRICHOPHYTON INTERDIGITALE - ASPERGILLUS NIGER - TUBERCLE BACILLI**

**DISINFECTS** - Acts as a powerful disinfectant on such bacteria carrying surfaces as toilet seats, telephones, garbage and refuse cans, urinals, athletic equipment, light switches, bed pans, empty hampers, air ducts and other out of the way places. Sanitizes shoes and slippers.

**PREVENTS MOLD AND MILDEW** on mattresses, awnings, shower curtains, leather goods. Controls mildew and mold growth on painted or finished walls, ceilings and woodwork in closets, basements, attic storage areas, summer cottages, damp and musty corners.

**DEODORIZES** Reduces annoying odors. Use to control odors in hospitals and nursing homes. In private homes use in kitchen, bathroom, sick rooms, basements. Effectively suppresses odors caused by Mold and Mildew.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Shake well before using and occasionally while spraying.  
**TO DISINFECT** Clean surface thoroughly prior to treatment. Hold can upright 6" to 8" from surface to be treated. Spray 4 seconds until surface is wet. Allow to dry without wiping.

**TO DEODORIZE** Hold can upright and point opening away from face. Spray into the air from 1 to 4 seconds directly spray toward center of room.

**TO CONTROL MILDEW** Clean surface thoroughly. Cover surface with mist. Repeat treatment every week for effective control.

**STORAGE AND DISPOSAL**

**STORAGE** Store in a cool area away from direct sunlight, flames and other sources of heat and light.

**DISPOSAL** Do not reuse empty container. Wrap container and put in trash collection. Never puncture container or throw in fire or sewer.

Do not contaminate water, food or feed by storage or disposal.

**CLAIRE MANUFACTURING CO.**  
ADDISON, ILLINOIS 60101  
EPA Reg. No. 706-73 EPA Est. 706 IL 1

M11 5 R3



**HOSPITAL USE**  
**floral**  
**disinfectant**  
*spray*

**KILLS MOST GERMS**

- BACTERICIDAL • STAPHYLOCIDAL
- TUBERCULOCIDAL
- FUNGICIDAL • PSEUDOMONICIDAL

**CONTROLS MOLD AND MILDEW**

**ELIMINATES ODORS**

Disinfects Influenza A - Hong Kong Virus on inanimate environmental surfaces.

**ACTIVE INGREDIENTS**

ORTHO-PHENYLPHENOL	1.7%
PARA-TERTIARY-AMPHENOL	0.4%
ETHANOL	44.4%
<b>INERT INGREDIENTS</b>	<u>49.52%</u>
<b>CONTAINS SODIUM NITRATE</b>	<b>100,000%</b>

**KEEP OUT OF THE REACH OF CHILDREN**

**WARNING**

See side panel for additional precautionary statements

**NET WT. 15.5 OZ. (439 GRAMS)**

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**WARNING** - Do not spray toward eyes or face. Avoid excessive breathing of spray mist. Do not spray on or near exposed food. Cover food handling surfaces and utensils before spraying, or wash thoroughly after using spray. Do not use on humans, domestic animals, or pets.

**STATEMENT OF PRACTICAL TREATMENT**

**IF INHALED** - Excessively and/or unusually so. Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention immediately.

**If swallowed** - Induce vomiting. Get medical attention immediately.

**If in eyes** - Flush with water for 15 minutes. Get medical attention if irritation develops or persists.

**If on skin** - Wash with soap and water. Get medical attention if irritation develops or persists.

**PHYSICAL CHEMICAL HAZARDS**

Flammable. Contents under pressure. Keep spray away from eyes and avoid breathing of spray vapors. Do not spray in food. Use with adequate ventilation. Do not use near fire, sparks or flame. Do not puncture or incinerate container. Explosive at temperatures above 115°F. May cause dizziness.

Solvents in spray may cause damage to some plastics, coatings, and other materials, and to some house plants, if sprayed until wet.

**ACCEPTED**

706-73  
JUL 18 1984

UNDER THE FEDERAL DISINFECTANT ACT AND REGULATIONS  
EPA REG. NO. 706-73  
EPA EST. NO. 706 IL 1