

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### STORAGE AND DISPOSAL

**STORAGE** Store in a cool, dry area, away from direct sunlight, flames, and other sources of heat and ignition.

**DISPOSAL** Do not reuse empty container. Wrap container and put in trash collection. Never puncture container nor throw into fire or incinerator.

### GENERAL INSTRUCTIONS & PREPARATIONS

**USE:** Before using product, read entire label carefully.

Close outside doors and windows. Open cabinets and doors to areas to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Provide a stand in the center of each 170sq' (8,000 cu. ft.) of space to be treated. Cover stand, objects that may be sprayed directly, and the floor underneath, to prevent damage to plastics, fabrics, paints, walls, etc., from wet particles in the spray.

Lock valves on containers by pressing on spray button and the catch hooks. Set a spraying container upright on any stand, and LEAVE THE AREA.

Keep out of treated area for at least four hours. Then re-enter, open doors and windows, and allow the area to ventilate for at least 30 minutes before resuming normal activity. Remove false insects. Repeat treatment if necessary.

## SYN-SECTICIDE TOTAL RELEASE TP (Tetramethrin & Phosmethrin)

KILLS:

FLIES, MOSQUITOES, BLACK CARPET BEETLES,  
COCKROACHES, SAW-TOOTHED GRAM BEETLES,  
RICE WEEVILS, SMALL FLYING MOTHS,  
SPIDERS, CENTIPEDES, FLEAS, TICKS, WASPS,  
PILL BUGS, CRICKETS, AND SILVERFISH.

Use in Homes, Apartments, Garages, Boats,  
Cabins, Campers, Pet Sleeping Quarters,  
Attics, Basements, and Storage Areas.

### ACTIVE INGREDIENTS:

Tetramethrin [(1-Cyano-2,2-dichloro-1,1-dimethyl-3-(2-methylpropyl)-cyclopropanecarboxylate)]	0.200%
(3-Phenylpropyl) methyl 6-cis & trans-2,2-dimethyl-3-(2-methylpropyl) cyclopropanecarboxylate	0.303%
Other inert	0.017%
Pyrethrum distillate	5.000%
<b>INERT INGREDIENTS:</b>	<b>94.480%</b>
<b>TOTAL:</b>	<b>100.000%</b>

\*d-(cis, trans) phosmethrin  
\*\*cis/trans isomer ratio:  
25% trans (+ or -) cis  
75% trans (+ or -) trans

### KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional  
precautionary statements.

**CLAIRE MANUFACTURING CO.**

ADDISON, ILLINOIS 60101

EPA REG NO 700-90

EPA Est 700-B-1

NET WT. 225 GRAMS (7.9 OZ.)

### PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS  
AND DOMESTIC ANIMALS

### CAUTION

Hazardous if inhaled or ingested. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes, or clothing. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. Wash hands, arms, and face with soap and water after using or dust, especially before eating or smoking. Remove any contaminated clothing and wash before reuse.

Do not use in commercial food processing, preparation, serving, or storage areas. In the home, if food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Cover exposed food.

Do not use in nurseries, or rooms where infants, ill, or aged persons are confined and cannot be removed during treatment. Remove pets and birds, and cover fish aquariums before spraying.

### STATEMENT OF PRACTICAL TREATMENT

IF INHALED: Inhale excessively and ill or unconscious. Refresh victim to fresh air if not breathing. Get medical attention, preferably mouth-to-mouth. Get medical attention immediately.

IF SWALLOWED: Do NOT induce vomiting. Do not give anything by mouth to an unconscious person. Get medical attention immediately.

IF IN EYES: Flush with water for 15 minutes. Get medical attention if irritation persists or develops later.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists, or develops later.

NOTE TO PHYSICIAN: Inert ingredients include Dichloroethane and 1,1,1-Trichloroethane.

### PHYSICAL/CHEMICAL HAZARDS

Flammable. Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 54°C (130°F) may cause bursting.

Solvents in spray may cause damage to some plastic coatings, and other materials, and to some types of plants, if sprayed until wet.

RECEIVED

ACCEPTED

MAR 17 1981

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under  
EPA Reg. No. 706-40