

706-95
11/17/93

NOV 30 1993

301-5444-163
17/2

Claire Manufacturing Company
c/o Ms. Kim Davis
RegWest Company
P.O. Box 2220

Dear Ms. Davis:

Subject: Amended Labeling
Claire Multi-Use Insecticide Company
EPA Registration No. 706-95
Your Application Dated June 21, 1993

The label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable, and a stamped copy is enclosed for your records.

Sincerely yours,

George T. LaRocca
Product Manager (13)
Insecticide-Rodenticide Branch
Registration Division (H7504C)

CONCURRENCES

SYMBOL	SURNAME	DATE						

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply directly to food. Do not use in food areas of food handling establishments, restaurants or other areas where food is conventionally prepared or presented. Do not use in serving areas while food is exposed or freely in operation. Handling areas are areas where prepared foods are served such as dining rooms, but excluding areas where foods may be prepared or held. In the home, all food processing surfaces and utensils should be cleaned during treatment or thoroughly washed before use. Exposed food should be covered or removed. Non-food areas are areas such as garages, rooms, basements, floor drains (to remove), cracks and crevices, attics, boiler rooms, machine rooms, boiler rooms, garages, nap closets and storage (after covering or loading). Not for use in USDA Meat and Poultry Plants. Do not use this product in or on electrical equipment due to the possibility of shock hazard.

SHAKE WELL BEFORE USING

Houses, Mansions, Shops, Offices, Hotels, Bars, Beer Bars and Street Vending Stalls: Clean all drains and windows and spray areas at the rate of 2 to 3 ounces per 1,000 cubic feet. Check spray in all parts of the room, especially windows and other light sources which attract these insects. Repeat spray in consistent motion. Repeat treatment as necessary.

Cockroaches, Waterbugs, Palmetto Bugs, Fleas, Lice, Firebrats, Cigarette, Scorpion, Spider, Millipede, Centipedes, Sowbugs, and Pillbugs: Spray into hiding places such as cracks and crevices, behind coats, mirrors, along baseboards and floors, around drains and plumbing, hiding insects with spray wherever possible. Repeat treatment as necessary.

Arts: Spray walls, ceilings and points of entry. Spray on walls where possible. Repeat as necessary.

Indian Maid Mosquitoes, Agave/Moss Green Mosquitoes: Clean drains and windows, direct spray into all parts of room especially around shaded food product containers, pillars and decorative areas. Spray 7 to 10 seconds for each 1,000 cubic feet of space. Keep area closed for 15 minutes following treatment. Repeat application as necessary.

Special areas of Commercial Meat Slaughter, Sausage/Meat Grinding, Poultry Processing, Poultry Processing, Gannery Works, Grain Mills: Spray into cracks and crevices, processing and handling equipment, around cartons or containers or other areas where these insects tend to aggregate. Spray 20 minutes for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Repeat application as necessary. Infested stock of food products in the house should be disposed of.

Closets: Spray directly on hangers, boxes, baseboards, clothes and carpets. Repeat treatment as necessary. **Bedrooms:** Spray mattresses, particularly around ticks and seams. Take beds apart and spray into all parts. After mattresses and other articles to dry thoroughly before use. Treat baseboards, ceilings and floors. Repeat treatment as necessary.

To control Fleas, Ticks and Lice on Dogs: Remove any infested articles from storage, wash thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to empty dishes, bowls, brushes and other utensils directing the spray into cracks, joints and crevices. After drying, infested articles may be treated lightly using nozzle at least three feet from article to avoid staining.

IN ANIMAL quarters AND MILK ROOMS: For rapid control of Houses, Mosquitoes, Gnats, Wasps, Hornets, Bees and Small Flying Mosquitoes, clean windows and drains and spray at the rate of 2 ounces per 1000 cubic feet of space. For best results, keep area closed for 10 minutes after spraying. Do not return to treated area and ventilate before re-occupying.

TO TREAT LIVESTOCK: To protect head ends, dairy cattle, goats, sheep, hogs and horses have stands of Stable Flies, Deer Flies, Face Flies, House Flies, Horn Flies, Milk Flies, Mosquitoes, and Gnats. Spray about 3 ounces on each side being careful to spray back, withers and hindlegs thoroughly. To protect from flies from flies, spray the face and head, but do not spray into eyes. Repeat treatment when flies are troublesome. For horses Do not stop exercise for slaughter within 3 days of last treatment.

To control Flea Biting Lice: Apply to the infested areas of the animal, using a stiff brush to get the spray to the base of the hair. Repeat every 3 weeks if needed.

To control Flea Biting Lice on Poultry: Spray necks, wings and crests or eggs thoroughly. This should be followed by spraying over the birds with a fine mist. For control of Bedbugs and Lice in poultry houses, spray surfaces of roost poles, cracks in walls, and cracks in walls where the feathers and skin hit. **Flies and Ticks (Adults and Larvae):** Remove and thoroughly clean or destroy pet bedding. Spray pet sleeping quarters, bed, under floor and floor covering with special attention to cracks and crevices around baseboards, and under and near doors. Infested upholstered furniture may also be treated with this product. A test application should be made to upholstery or drapery fabric in an inconspicuous place before general use.

Recommended for Use by Commercial Applicators



MULTI-USE INSECTICIDE SPRAY

Contains the Synthetic Pyrethroid Permethrin® Controls Residential, Industrial and Garden Insects For Use On Dogs and on Premises to Control Fleas and Ticks Aqueous, Stable — Controls Pests for Up to Four Weeks

EPA Reg. No. 706-95 EPA Est. 706-IL-1

KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional precautionary statements.

NET WT. 7.9 OZ. (224 GRAMS) PERMANONE - Registered Trademark of Roussel UCLAF Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

CLAIRE MANUFACTURING COMPANY
500 Vista • Addison, Illinois 60101

To control Fleas, Ticks and Lice on Dogs: Shaving of the tail, stroke against the air in short bursts, directly behind the head to insure penetrating the coat. Do not apply directly to animal's face. NOTE: Not appropriate for use on all.

For the Control of Garden Insects: For use on mosquitos, aphids, caterpillars and other insects, Apply, diluted, to plants, flowers and lawns. Do not use in vegetable gardens. May also be used on other plants such as African violets, roses, azaleas, dracaenas, hibiscus, delphiniums, daphnias, English ivy, nandinas, iris, Kalmia pines, laurel, magnolias, rhododendrons, roses, rubber plants, and other areas.

Effective when used as directed against Whiteflies, Aphids, Spider and Flea Beetles, Flea Beetles, Flea Beetles, Flea Beetles and Army Worms. When spraying plants, do not spray closer than 10 inches. Use sprayer in a cautious and careful manner, young plants and new growth. Do not exceed 90°F. Contact insects directly whenever possible. Repeat as indicated.

GENERAL INSTRUCTIONS AND PREPARATIONS FOR USE AS A TOTAL RESidual CONTROL: In residential and in the non-food/food areas of industrial structures. Open curtains and doors to areas to be treated. Remove all food containers. Put out all flames and pilotlights. Remove all beds and mattresses. Wash all bedding and linens. Remove all curtains and blinds. Wash all windows, and the floor underneath, to prevent damage to plants, flowers, joints, walls, etc. Do not use this spray in a cabinet or under a counter or table. Do not use this spray to leak while in operation by pressing on spray button until the entire bottle is empty. LEAVE THE AREA. Keep out of treated areas for at least four weeks. Repeat treatment if necessary.

STORAGE: Store in a cool, dry place (preferably locked) inaccessible to children, pets, and other animals. Remove and discard in the original container. Do not use this product in areas where food is prepared or stored. Do not use this product in areas where food is stored or prepared.

PRECAUTIONARY STATEMENTS: Hazardous to Humans & Domestic Animals. **CAUTION:** Hazardous if inhaled. Avoid spraying in eyes. Avoid breathing. Wash hands thoroughly after use. Vacate rooms after treatment and ventilation of food and feedstuffs. Cover or remove fish tanks. Do not use in areas with surfaces on dry. Wear full-face gas mask with charcoal type protection when applying indoors on a space spray. THIS PRODUCT IS hazardous should occur on humans, consult other physician or pharmacist. Avoid. Do not spray directly into eyes, mouth or garbage. Do not exceed weekly use.

STATEMENT OF PRACTICAL TREATMENT: If inhaled Remove affected person to fresh air. Apply artificial respiration if needed. Consult a physician if serious symptoms. If on skin: Immediately remove affected areas immediately with soap and water. Consult a physician if symptoms. If on face or hair: Wash hair with soap and water. If on eyes: Immediately flush eyes with water. Call a physician immediately. Do not exceed weekly use.

24 HOUR EMERGENCY NUMBER: 1-800-328-6666. **PHYSICAL OR CHEMICAL HAZARDS:** Contains under pressure. Do not use if above room temperature or heated. Do not breathe while using this product. Do not puncture or otherwise damage container. Do not use for fumigation. Inactivation of normal eye tissue explains. **ENVIRONMENTAL HAZARDS:** The product is toxic to fish. Do not apply directly to any body of water.

706-95 *211x413 1/83

BEST AVAILABLE COPY

ACCEPTED
NOV 30 1993
Under the Federal Insecticide, Fungicide and Rodenticide Act, or controlled for the pesticide registration under EPA Est. No. 706-95