

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

PM 03

706-103

10/13/98

5548475 / 160
13174 / 18



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (7505C)
401 M St. S.W.
Washington, D.C. 20460

EPA Reg. Number:

706-103

Date of Issuance:

October 13, 1998

Term of Issuance:

Conditional

Name of Pesticide Product:

Big Jinx III Ant & Roach Killer

NOTICE OF PESTICIDE:

- Registration
- Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Susan Heiser
Claire Manufacturing
500 Vista Ave.
Addison, IL 60101

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
2. Make the following label changes:
 - a. Revise the EPA Registration Number to read, "EPA Reg. No. 706-103".

Signature of Approving Official:

George T. LaRocca

George T. LaRocca
Product Manager 13
Insecticide Branch
Registration Division (7505C)

Date:

OCT 13 1998

EPA Form 8570-6

CONCURRENCES

SYMBOL	SURNAME	DATE					

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

2/4

b. For the claims, "Protects For Up to 4 Weeks; Protects For Up to 12 Weeks; and Protects For Up to 3 Months", identify which pests are associated with each claim.

3. Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,



George T. LaRocca
Product Manager 13
Insecticide Branch
Registration Division (7505C)

Enclosure

CONCURRENCES

SYMBOL							
SURNAME							
DATE							



with COMMENTS
in EPA Letter Dated

CLAIRE MANUFACTURING COMPANY
Mfg. of Aerosols for Sanitary Supply & Specialty Products

OCT 13 1998

500 Vista Avenue, Addison, Illinois 60101
(630) 543-7600 - Fax: (630) 543-7797 - 1-800-CLAIRE-1

Big Jinx III Ant. & Roach Killer

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
for use as a pesticide
registered under EPA Reg. No.

3/4

- FOR HOUSEHOLD USE
- CONTAINS SYNERGIST PIPERONYL BUTOXIDE*, PERMETHRIN AND TETRAMETHRIN
- PROVIDES QUICK KILLING ACTION AND RESIDUAL CONTROL
- ECONOMICAL DO-IT-YOURSELF PEST CONTROL
- USE INDOORS AND OUTDOORS
- KILLS FLEAS - ROACHES - ANTS
- KILLS ON CONTACT - KILLS FAST
- KILLS HIDDEN BUGS
- KILLS BUGS YOU SEE AND EVEN THE ONES YOU DON'T SEE
- A BROAD SPECTRUM INSECTICIDE HIGHLY EFFECTIVE AGAINST ANTS, BEES, CARPENTER ANTS, CARPET BEETLES, CENTIPEDES, COCKROACHES, CRICKETS, EARWIGS, FIREBRATS, FLEAS, FLOUR BEETLES, GRAIN BEETLES, GROUND BEETLES, MILLIPEDES, MOLE CRICKETS, MOTHS, PILLBUGS, SCORPIONS, SILVERFISH, SOWBUGS, SPIDERS, TICKS AND MANY OTHER CRAWLING INSECTS.
- NO OILY RESIDUE - NO UNPLEASANT ODOR
- PROTECTS FOR UP TO 4 WEEKS
- PROTECTS FOR UP TO 12 WEEKS
- PROTECTS FOR UP TO 3 MONTHS
- DIELECTRIC BREAKDOWN VOLTAGE OF 47,000 VOLTS

ACTIVE INGREDIENTS:

- *Tetramethrin0.10%
- **Permethrin 0.25%
- ***Piperonyl Butoxide Technical 0.50%
- †INERT INGREDIENTS: 99.15%
- 100.00%

*1-cyclohexene-1, 2-dicarboximidomethyl 2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate.
 **[3-phenoxyphenyl) methyl (±) cis/trans 3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate. Cis/trans ratio: min. 35% (±) cis and max. 65% (±) trans.
 ***Equivalent to 0.4% (butylcarbityl)(6-propylpiperonyl) ether and 0.1% related compounds.
 † Contains petroleum distillates.
 Butacide & Tetraperm are registered trademarks of AgrEvo Environmental Health, Inc.
 † AgrEvo Environmental Health, Inc.'s Butacide brand of Piperonyl Butoxide.

EPA REG NO. 706-RNG EPA EST. NO.706-IL-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush immediately with plenty of water. Get medical attention if irritation persists.

IF INHALED: Remove affected person to fresh air. Apply artificial respiration if indicated.

SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

NET CONTENTS:

7805 091096TK

PRECAUTIONARY STATEMENTS

**Hazards To Humans And Domestic Animals
CAUTION**

Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. Prolonged or frequent repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly after handling. Remove and wash clothing before reuse. Avoid contamination of food and feed.

Environmental Hazards

This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water.

Physical Or Chemical Hazards

Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
 Storage: Do not store near heat or open flame. Store in cool dry area away from children.
 Container Disposal: Replace cap, wrap container in several layers of newspaper and discard in trash. Do not incinerate or puncture. Can may be disposed of with other recyclables where local law permits.

In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

Do not use in commercial food/feed handling establishments, restaurants or other areas where food is commercially prepared or processed.

Remove protective cap, hold container upright and direct spray away from face. Hold can 12 - 15 inches from surface being sprayed. Press valve down and spray as directed. Spray surface until slightly wet (at a rate of 4 ounces product to treat approximately 25 square feet of surface area).

INDOORS

COCKROACHES (including adult and immature stages of both non-resistant and organophosphate and carbamate resistant strains), **ANTS, BOOKLICE, BOXELDER BUGS, CENTIPEDES, CRICKETS, DERMESTIDS, FIREBRATS, FLEAS, PALMETTO BUGS, SILVERFISH, SOWBUGS, TICKS AND WATERBUGS:** Apply thoroughly to all areas where these pests crawl and hide, especially in cracks and crevices, and hidden areas around sinks and storage areas, behind baseboards, around doors and windows behind and under refrigerators, cabinets, sinks and stoves, the underside of shelves, drawers, bookcases, and similar areas. When pests are driven out, spray directly. Repeat as necessary.

ANTS: Spray freely around ant trails, doors and windows and other places where ants enter premises. Spray around nests hidden under steps, brickwork, concrete, etc. Break apart accessible nests and spray freely on and around debris. Repeat as necessary.

CARPENTER ANTS: For effective control, locate and treat nests and surrounding areas. Apply around doors and windows and other places where ants enter premises and where they crawl and hide. Spray into infested wood through existing openings.

claire®

EST 1913



CLAIRE MANUFACTURING COMPANY

Mfg. of Aerosols for Sanitary Supply & Specialty Products

500 Vista Avenue, Addison, Illinois 60101

(630) 543-7600 - Fax: (630) 543-7797 - 1-800-CLAIRE-1

4/4

BROWN DOG TICKS and FLEAS in Buildings: Apply in infested areas such as pet beds and resting quarters, nearby cracks and crevices, under the edges of rugs and floor coverings, between and under cushions of upholstered furniture and other areas where these pests may be present. Old bedding of pets should be removed and replaced with clean fresh bedding after treatment of pet areas. Do not use directly on pets.

SPIDERS: Apply along and behind baseboards, to window and door frames, corners, pipes, storage localities, attics, crawl spaces and other areas over which these pests may crawl.

CENTIPEDES, EARWIGS, GROUND BEETLES, MILLIPEDES, MOLE CRICKETS, PILLBUGS, SOWBUGS, SCORPIONS and TICKS: Apply around doors and windows and other places where these pests may enter premises. Treat baseboards, storage areas and other locations where these pests are found.

PANTRY PESTS - GRAIN BEETLES (RUSTY, MERCHANT, and SAW-TOOTHED), FLOUR BEETLES (RED and CONFUSED), CHOCOLATE MOTHS, CIGARETTE BEETLES, CLOVER MITES, CLUSTER FLIES, DRUGSTORE BEETLES, ELMLEAF BEETLES, RICE WEEVILS, LESSER GRAIN BORERS, SPIDER BEETLES and TOBACCO MOTHS: Treat exposed stages. Remove all foodstuffs, utensils and shelf paper from area to be treated. Discard used shelf paper and any infested foodstuffs. Apply spray to shelves and in cracks and crevices behind and under cupboards and cabinets. Allow spray to dry prior to replacement of shelf paper, food and utensils.

CARPET BEETLES (BLACK, FURNITURE and VARIED): Spray on and under edges of floor coverings, under rugs and furniture and in closets or other localities where these insects are found.

WEBBING CLOTHES MOTHS: Use this product as a crack and crevice treatment in closets and other storage areas where these pests are found. This is an adjunct treatment and will not control moth larvae already on clothes. Do not apply to clothing.

OUTDOORS

Point spray nozzle away from face. Hold can on slight downward angle. For best results, spray when air is calm. Spray with wind if breeze is blowing.

PESTS ON OUTSIDE SURFACES OF BUILDINGS: For control of building infestation due to ANTS, CLOVER MITES, CRICKETS, EARWIGS, MILLIPEDES, and SOWBUGS (PILLBUGS). Spray foundation of building where insects are active and may find entrance up to a height of 2 to 3 feet. Apply as a residual spray to outside surfaces of buildings where insects tend to congregate. Spray areas include (but are not limited to) screens, window frames, eaves, porches, patios, garages and refuse dumps. Repeat treatment as necessary.

CRAWLING INSECTS: ANTS, COCKROACHES (including ASIAN COCKROACHES), CRICKETS, CENTIPEDES, and SILVER-FISH. Spray infested surface of patio or picnic area, hitting as many insects as possible. Also spray legs of tables and chairs to repel Ants. Spray ant hills for best control.

ANTS, LONE STAR TICKS, DOG TICKS, CRICKETS, FLEAS and EARWIGS: Apply thoroughly to infestation in bushes, grass or weeds. For Ants: Spray freely around ant trails and hills.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Claire Manufacturing
500 Vista Avenue
Addison, IL 60101