	U.S. ENVIRONMENTAL FROTECTION AGENCY Office of Pesticide Programs	EPA Reg. Number:	Date of Issuance:
SAN HON	Registration Division (H7505C) 401 "M" St., S.W. Washington, E.C. 21460	706-108	APR 15 20
(under FIFEA, as amended)		Term of Issuance: Conditional	
		Name of Pesticide Product: Claire Fast Kill Residual Roach & Ant Kille	
	ostance from that accepted in connection with this registration any correspondence on this product always refer to the above		pted by the Registration Division
others.			
<ol> <li>Submit and/or cite all sec. 3(c)(5) when the Ag submit acceptable response</li> </ol>	hally registered in accordance with Fl data required for registration/ reregistency requires all registrants of similanses required for reregistration of you anges listed below before you release	istration of your pr ar products to subm ar product under F	oduct under FIFRA nit such data; and IFRA section 4.
<ol> <li>Submit and/or cite all sec. 3(c)(5) when the Ag submit acceptable responses 2. Make the labeling cha a. Add the phase "EP b. The text for the sn</li> </ol>	data required for registration/ reregi gency requires all registrants of similants of similants required for reregistration of you	istration of your pr ir products to subm ur product under F the product for sh lease assure yourse	oduct under FIFRA hit such data; and IFRA section 4. ipment:
<ol> <li>Submit and/or cite all sec. 3(c)(5) when the Ag submit acceptable response</li> <li>Make the labeling chat a. Add the phase "EP b. The text for the sin text on the final labeling labeling and the second second second second second second text on the final labeling labeling second second second second text on the final labeling labeling second seco</li></ol>	data required for registration/ reregi gency requires all registrants of similants anges required for reregistration of you anges listed below before you release PA Registration No. 706-108".	istration of your pr ar products to subm ar product under F the product for sh lease assure yourse the pesticide produ	oduct under FIFRA hit such data; and IFRA section 4. ipment: If that all let. tice of Registration?
<ol> <li>Submit and/or cite all sec. 3(c)(5) when the Ag submit acceptable respondence a. Add the labeling change and b. The text for the single text on the final labeling in response to year e-mand should not be respondence and should not be respondence are already registered.</li> <li>Submit two states of the single terms of the single terms.</li> </ol>	data required for registration/ reregi gency requires all registrants of similar asses required for reregistration of you anges listed below before you release A Registration No. 706-108". hall type size was difficult to read. Pl bel can be easily read by the user of the all note that a preliminary acceptance	istration of your pr ar products to subm ar product under F the product for sh lease assure yourse the pesticide produ letter is not a "No ion" can only be us u release the produ	oduct under FIFRA nit such data; and IFRA section 4. ipment: If that all let. tice of Registration sed for products tha

conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

George T. LaReiten Product Manager 13 Insecticide Branchs Registration The days 7505C

Enclosure

ļ

ł

#### FIRST AID

F SMALLOMED: Call poison control center or doctor immediately for treatment advice. Do nt give any liquid to the person. Conctinued worning unless told to do so by a poison control center or doctor. Do not give anything by mouth to an uncorrectous person. F ON SAIN OR CLOTHING: Take of contaminated docting. Fince skin lumedately with plenty of water for 15-20 minutes. FINEYES, Hild eye open and knee slowly and gently with water for 15-20 minutes. Fernove contact lenses, if present, after the first 5 minutes, then continue minutes are called in a contact lenses. If present, after the first 5 minutes, then continue increases. FINEYES, hild eye open and knee slowly and gently with water for 15-20 minutes. Persone contact lenses, if present, after the first 5 minutes, then continue minutes are FLAMING to have open and the present whether the continue of first area. nising eyes. IF INHALED: Move person to tresh air, if person is not breathing, cal 911 or an anticiance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-228-6635 for emergency medical treatment information. NOTE TO PHYSICIAN. This product contains petroleum distillate and may pose an aspiration pneumonia hezard.

#### PRECAUTION/RY STATEMENTS Hazards To Humans & Domestic Animals CALITION

Harmful if absorbed through the skin. Causes moderate eye imitation. Avoid contact with skin, eyes, or dathing. Wesh throughly with scap and water after handling and before eating, drinking, drewing gum, or using tabaco. Perrove and wesh contaminated dathing before reuse.

#### **EMPROMENTAL HAZARDS**

This product is toxic to fish and other wildlife. Do not apply directly to any body of water. Do not antaninale water by dearing equipment or when decosing of equipment washwaters. Physical, DR CHEMICAL INCARDS

Rammelle. Contarts under pressure. Keep away from heet, spark, and open flame. Do not rinciperate container. Boccure to temperatures active 13DF may cause bussing. DIRECTIONS FOR USE

It is a volation of Federal law to use this product in a manner inconsistent with its labeling Crawe Fast Kill Residual Roach & Act Killer is intended for use in and around residential structures and their immediate surroundings. Permitted areas of use includer apartments, atriurre, attics, autorrobiles, basements, bathroome, boets, cabine, campers, carports, cat sleeping quarters, dottes storage, condominiums, decis, dens, driveways, garages, gazebos, homes, kitchens, lareis, living rooms, parlors, patios, pet sleeping areas, play rooms, porches, recreational vehicles, moms, sciariums, storage areas, sun rooms, utility rooms and verandahs.

This product may stain or adversely affect vinyl, painted, and plastic surfaces. Audid application to asphelt shingles as staining may occur. Before using in areas where spray may contact these surfaces, test in an inconspicacus area and recheck in a fewhours. Op not allow difference pets to contact treated surfaces until dy. Do not apply in classrooms

when in use. Do not apply this product in occupied patient rooms or in any rooms/areas while accupied by patients, the elderly or infirm Co not apply to institutions (including libraries,

sports bailities, etc. ) in the immediate area when comparts are present. For Crack and Crevice Treatment: Apply inecticide directly into cracks and crevices or voids using the injection type. Race injector tip 1/2 inchrinto cracks and crevices, holes and other small openings. Pelease approximately one-second spray per spot. In long numing cracks, more injector tip along the crack while spraying at the rate of three linear feet per second. For inaccessible doesd voids calculate the voids cubic area and treat at rate of twe to tan seconds per outric feet. Several holes may be required in long-running voids

Crawling Insects: Arts, Bocklice, Boekler Bugs, Cockreaches (Including adult and immature stages of both non-resistant and organophosphate and carbenete resistant strains), Cardipedes, Oricletts, Demesticis, Firebrats, Reas, Palmetto Bugs, Silverfish,

Spiders, Ticks, Earwigs, Sorburgs, Scorpion, and Waterburgs. Inject into oracle and or and void spaces where ineasts may be harboring. These may include openings a ces and sinks, under refrigerators, behind baseboards, washing mechines, acinets, meter boxes and manholes.

Boddice & Silverfish: Inject into cracks and crevices associated with baseboards,

doorhames, bookcases and other harborage sites. Ants: Inject into cracks and crevice and voids where ants may be traveling and/or harboring, including around doors, window frame, behind electrical switches and outlets and other structural cracks and crevices. Stored Product Pests: Inject cracks and crevices and/or voids where these insects may be

harboring or hibernating. Infested areas include cracks and crevices in cabinets and

partries, well vicks, arcund windoward conframes, under siging and in machinery. Localized Treatment of Whool-Infesting Insects: Beetles<sup>1</sup> and Borars<sup>1</sup> (such as the following families: Ancipidae<sup>1</sup>, Bostrichidae<sup>1</sup>, Burrestidae<sup>1</sup>, Carambycidae<sup>1</sup>, Lycidae<sup>1</sup>, Cederrendae<sup>†</sup>, Sesiidae<sup>†</sup>), Carperter Ants, Carperter Bees, Termites anti Wood Wasps. Locate suspected intestation and/or insect turnels and cavities. Inject 5 to 10 seconds of spray into insect turnels, gallery and inaccessible closed voids. In infested sites, pilot index should be drilled eight to ten inches apert to insure thorough insecticide gallery treatment. Make sure not to contact electrical wiring, plumbing, etc. when drilling. For Carpenter Bees, seal entrance openings with small pieces of stainless steel wool after

# application. Not registered for control in California.

"The purpose of such applications of Grane East Kill Residual Roach & Ant Killer for termizes is to kill workers or winged reproductive forms, which may be present intrested chemiels at the time of treatment. Such applications are not a substitute for mechanical alteration, soil reservert or founciation beatment but are merely a supplement. This product is not recommended assolution against territes. For active territe integrations, get a protessional inspection. APPLICATIONS IN FOOD HANDLING ESTABLISHMENTS: Places other than private residences in which tood is held, processed, prepared or served.

Do not apply directly to lood. Do not apply when lood-processing facility is in operation or food is equesd. Do not and/ vis product to surfaces or usersis tet my correin contact with food. One or remove all bod and food processing en inner during application. Food contact surfaces and equipment must be throughly deened with an effectue deening company and fried with

and opphan into the volucy in one and win a remove carring to that of an interview with posterwar below using. Do not spray parts to be used for tool or feed. PODD ARBKE Includes areas for receiving storage, packing (carring, botting, wapping, botting, preparing, addewede storage and and ceed processing systems mile, darket, addite off, source, Saving areas (when tool is exposed and facility is in operation) also would be considered a tool area. Apply prescribed arrounds of insecticide directly into oracise and one-kose or volds using and another tool is exposed and facility is in operation) also would be considered a tool area. Apply prescribed arrounds of insecticide directly into oracise and one-kose or volds using riection tale in ports between officient elements of construction, between equipment and door creatings, leading to voids and holdow spaces in wells, explorment logs and bases where heads holds. Repeat applications as needed but do not exceed noise thencore (1) application every seven (7) days in restaurants and similar food service establishments or more train one (3) application

(1) disk in instalaris and since icco savide escatsmans of more menore (3) application every turner (14) disk in all types of food harding establishmans. NONFOOD APEAS: Includes areas such as garbage norms, laxatories, floor drains (to savers), entries and vasitukes, offices, locier rooms, mechine norms, boller norms, garbages, more occests, and scrape (after carring or botting). FOR PHENESE PESTS: Application Water Non-Residential Buildings Including Non-Food Areas of Industrial, Institutional and Commercial Buildings, Hotels, Watehouses, Truck Trailer: Theremay and Office Buildings.

ilers, Theelers, and Office Buildings.

For CENERAL USE (Whitout Injection Tubes) Apply as a coarse wet spray to thoroughly treat insect hidry places such as cracks, orevices and moist areas around place and utility services boxes, under refriguences and appg baseboards to control the insect pasts listed below. Spray treads directly, wherease possible. Keep people and domesic animels of healed areas unit dy. Do not spray on headock lead. Do not apply to institutions (including illurates, heaplicks,

dy. Lo not spray on executived. Lo not apply to instructions (including lutaries, inspitas, nusing hornes, sport facilities, etc., in the immediate area when occupants are present. Heas and like on Surfaxams. Hermove pub beaching and destroy or clean throughly. Spray pet resting querters. Do not spray animals directly, for best results, pats should be treated with an appropriate files and/or tick costrol product registered for use on pats before allowing them to return to the treated area. Spray rugs and carpots where interstations are test. Test first for staining on an incorrespicous piece prior to use. Also, treat your year with a conclusion to interted animal.

with a product registered for yerd application. To XII Arts, Cardipades, Criclets, Codenactes, Earwigs, Millipadus, Puccids, Pilibage, Sowbags, Spiders and Waterbage: Apply to areas when these pasts are found or may hide, including dark corners of rooms, storage rooms, and closels, cracks and orewides in floors, wells, and between building construction elements, along beechands, door and window harms. behind and beneath sinks, storas, religerators and cabines, around opticape corns, bins, and durpsters, purtiling and other utility service installations. Resis flushed from hiding should be Spraed directly, for Arts, at trails, door tresholds, door and window farms for block indoors), and wherear these pasts may find access indothe building should be graved. Spiders and Weiwrburg: Acciv as a coarse wet spray to foors, under sinks, areas baind poss, utility sarvice boxes, and in all areas where these insects seek herborage. Contact as

pps, using service codes, and in all areas where these needs search neodings. Contact as many integets as possible. Partry Peaks: Grain Beatles (Pusty, Marchant and Sawhoothed), Hour Beatles (Ped and Confused), Chootale Moths, Cigardic Beatles, Closer Mays, Classer Files, Dugstore Beatles, Bin Leaf Beatles and Totacco Moths: Treat exposed stages, Parrove all footbulls, usersite and stell paper incomare to betreated. Decret scales and paper and any integration builds, usersite Apply synay to strakes and in cracks and oracios obtinit and under contourds and cablests. Allow spar to dry prior to replacement of shelt paper, food and utensits. Weshing exposed to draming surfaces and utensits before see. Carpet Besties (Black, Fundure, and waried): Stray on and under edges of foor coverings, under anguard fundue and indicestor other locations where these integets are found.

Webbing Clothes Mothe: Spray in closets and other storage areas where these pests are

frund Do not apply to clothin nan Constantial and the Song and the Song and the Song and a total and the Song and a total and the Song and song the Song and the song and song the Song and the song and song song

Fire Arts: To quiet active arts on the surface, sweep surface with spray from a distance of 18 inches. For best results, apply in cool weather or in early morning of late evening hours.

Treat nowmands as they appear. For the Charled of Garden Intests: For use annouse, datilize, asters, and other ormementals to kill Japanese beeties hit by spray, as well as Whitelies, Aphida, exposed Thrips, Spiclars, Red Mass, Army Worms, and Leaf Miners. Not for use on plants being grown for sale or other commendal use, or for commendal seedproduction, or for research purposes.

To full Huandies, the control a second occurrer or necessarily publics. To full Huandies, they down for and Small Hying Matine, Case room and hum off air constituting or vertiking explorants or fars. Detes spay first into all crades and creates, behind all explorent, appliances, controles, or any dark fraitbrage areas, then test as a space spay, detailing the spay towards the celling and upper corrers of the norm. Neep areas closed for at least 1/2 hour. Do not remain in treated area allar treatment. Vertilities area thoroughly before no other. Do not remain in treated area allar treatment. Vertilities area thoroughly before re-entry. Do not repeat application more than once every three (3) days.

STUPACE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal

STORAGE Store in a cool, dry place. Keep container tigtify dozed. PESTICIDE DISPOSAL: Westes resulting from the use of this product may be disposed of on site or at an approved weste disposal facility.

CONTINUER DISPOSAL: Do Not Functure Or Incinerate! If empty: Place in trash or offer for rescaling if available. If parity filled: Call your local solid weste agency or 1-800-0.EAVLP for disposal instructions.

#### 24HOLR MEDICAL EMERCIPICY 1-800-228-5535 Federal regulations prohibit OFC propellants in aerosois

APR

registered under

RPA Reg. No.

2004 5

Under the Federal Insecticida Fungleide, and Rodentichde Act, as amended, for the pesticide

Manufactured by Claim Manufacturing Company SCI Vista Avenue Addison, L. BUIDI www.cisiparto.com С R



# FAST KILL RESIDUAL ROACH & ANT KILLER

Pressurized Crack & Crevice Insecticide

### For Use in and Around the Home and Food and Non-Food Areas of:

Schools, Warehouses, Apartment Buildings, Cabins, Kennels, Theatres, Hospitals, Hotels, Motels, Meat Packing and Food Processing Plants, Nursing Homes, Recreational Vehicles, Restaurants, Supermarkets, Food Service, Establishments, Tents, Transportation Equipment (Truck Trailers, Railroad Cars, Buses, Boats, Ships, Trains), Food Manufacturing and Warehousing Establishments and Utilities.


#### KILLS:

Carpenter Ants, Carpenter Bees, Centipedes, House Flies, Cockroaches, Crickets, Earwigs, Fleas, Stored Product Pests, Silverfish, Sowbugs, Scorpions, Spiders, Termites\*\*, Ticks, Wood Infesting Borers and Beetles, and Wood Wasps.

## **ACTIVE INGREDIENTS:**

Esfenvalerate (CAS #6623	0-04-4)0.10%
	100.000%
*Contains petroleum disti	llate
EPA Reg. No. 706-108	ւր գ.գ. <b>EPA Es</b> t. 706-IL-1
	6.6.6.6

KEEP OUT OF REACH OF CHILDREN CAUTION



Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.