706 - 109

12/2/2003





JET FORCE WASP & HORNET KILLER

This product can be used both indoors (attics and other places where nests are built and where food or feed are not exposed) and outdoors on Wasp, Hornet, and Yellow Jacket nests. LA COPDITE DI

	Kills Wasps, Yellow Jackets, and Hornets on contact	AUCEFIED
<u> </u>	Gives rapid knockdown and kill of Wasps, Yellow Jackets, and Hornets Gives rapid contact kill and residual kill of insects returning to the treated nest	DEC 2 = 2003
-	Reaches nests more than 20 feet above ground	Under the Federal Insecticide,
	Dielectric Breakdown Voltage: 41.0 kV by ASTM Test Method D-877-87	Under the Federal Indicate Act, Fundaide, and Rodenticide Act, as assended, for the pesticide registered under BPA Reg. No. 706-109
	ACTIVE INGREDIENTS:	
	Tetramethrin [(1-Cyclohexene-1,2-dicarboximido) methyl 2,2-dimethyl -	3-(2-
	methylpropenyl) cyclopropanecarboxylate]	0.200%
	3-Phenoxybenzyl-(1RS, 3RS; 1RS, 3SR)-2,2-dimethyl-3-(2-methylprop-1	-
	enyl) cyclopropanecarboxylate	0.125%
	* OTHER INGREDIENTS	<u>99.675%</u>
		100.000%

* Contains petroleum distillate

EPA Reg. No. 706-____

EPA Est. 706-IL-1

KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional precautionary statements

NET WT. OZ. / GRAMS

.

ProposedLb1-005--09-15-03

9/15/03

FIRST AID		
IF IN EYES:	• Hold eye open and rinse slowly and gently with water for 15-20 minutes.	
	• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes.	
IF ON SKIN OR	Take off contaminated clothing.	
CLOTHING:	Rinse skin immediately with plenty of water for 15-20 minutes.	
IF	Call a physician or Poison Control Center immediately.	
SWALLOWED:	• Do not give any liquid to the person.	
	• Do not induce vomiting unless told to do so by a poison control center or doctor.	
	• Do not give anything by mouth to an unconscious person.	

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-228-5635 for emergency medical treatment information.

NOTE TO PHYSICIAN:

Contains petroleum distillate – vomiting may cause aspiration pneumonia.

{Note: The grid format for the First Aid statements will be used if market label space permits; otherwise, a paragraph format will be used.}

PRECAUTIONARY STATEMENTS Hazards To Humans & Domestic Animals CAUTION

Harmful if absorbed through skin. Do not induce vomiting because of aspiration pneumonia hazard. Do not breathe vapors or spray mist. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. Avoid contamination of food and feedstuffs.

Do not use in commercial food/feed processing, preparation, food/feed storage or serving areas. In the home, all food/feed processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Exposed food/feed should be covered or removed.

Remove pets, birds, and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and other aquatic invertebrates. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE: Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For Control of Nests of Wasps, Yellow Jackets, and Hornets: The best time to spray the nest is in the early morning or early evening, when air temperature is cooler and most insects are in the nest and little activity is observed around the nest opening. Spray only if the air is still. Stand at a safe distance from the nest, not directly under it. Hold container upright at arms length, point the actuator at the nest and spray in the opening of the nest first. Then spray the rest of the nest until it is saturated. Treated insects may fall out of the nest and die. Any insects returning to the nest after treatment will be killed. Wait 48 hours before removing the nest. Foliage of desirable plants that were contacted with spray should be hosed off.

ProposedLb1-005--09-15-03

This product may stain or adversely affect vinyl, painted, and plastic surfaces. Avoid application to asphalt roofing shingles as staining may occur. Before using in areas where spray may contact these surfaces, test in an inconspicuous area and recheck in a few hours.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry place. Keep container closed. Disposal: Do Not Puncture Or Incinerate! If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

24-HOUR MEDICAL EMERGENCY 1-800-228-5635

Manufactured by: Claire Manufacturing Company 500 Vista Avenue Addison, IL 60101 www.clairemfg.com



9/15/03

Federal regulations prohibit CFC propellants in aerosols

{ } = indicates language that does not appear on market labeling