

706-110

11/28/2012

1/20



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
CHEMICAL SAFETY
AND POLLUTION PREVENTION

NOV 28 2012

Ms. Kimberlee Young
Clare Manufacturing Company
c/o RegWest Company, LLC
8203 West 20th Street, Suite A
Greeley, CO 80634-4696

Subject: Label Notification(s) for Pesticide Registration 98-10

Dear Ms. Young:

Subject: Notification Minor Revision
EPA Registration Number: 706-110
Date of Submission: August 10, 2012

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated August 10, 2012 for the product Claire® Bed Bug, Lice and Dust Mite Spray. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The Confidential Statement of Formula (CSF) and/or label submitted with the application has (have been stamped "Notification" and will be placed in our records.

If you have any questions, please contact Melody Banks on 703 305-5413 or via E-mail at banks.melody@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "Richard Gebken".

A handwritten mark consisting of a large, stylized letter 'R' followed by a vertical line, likely representing the initials of the signatory.
Richard Gebken
Product Manager
Insecticide Branch
Registration Division (7504P)



United States
Environmental Protection Agency
1200 Pennsylvania Avenue, N.W.
Washington, DC 20460-0001

- Registration
- Amendment
- Other

OPP Identifier Number

Notification

Application for Pesticide – Section I

1. Company/Product Number 706-110		2. EPA Product Manager Richard Gebken	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/ Product (Name) Claire® Bed Bug, Lice and Dust Mite Spray		PM # 10	
5. Name and Address of Applicant (Include ZIP Code) Clare Manufacturing Company c/o RegWest Company, LLC 8203 West 20th St., Suite A Greeley, CO 80634-4696 <input type="checkbox"/> Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i) my product is similar or identical in composition and labeling to: EPA Reg. No. <u>73049-301</u> Product Name Permanone® Multi-Use Insecticide Spray	

NOTIFICATION
NOV 28 2012

Section – II

- Amendment – Explain below.
- Resubmission in response to Agency letter dated _____
- Notification – Explain below.
- Final printed labels in response to Agency letter dated _____
- "Me Too" Application.
- Other – Explain below.

Explanation: Use additional page(s) if necessary. (For Section I and Section II.)

Submit label revision notification per PR Notice 98-10
See Reference Label for illustration of changes.

Notification of label change per PR Notice 98-10. This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46. No other changes have been made to the labeling or the Confidential Statement of Formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section – III

1. Material This Product Will Be Packaged In:					
Child Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	2. Type of Container <input checked="" type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify): _____		
*Certification must be submitted		If "Yes" Unit Packaging Wt.	No. Per Container	If "Yes" Packaging Wt.	No. Per Container
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 8 ounces through 1.5 pounds		5. Location of Label Direction <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling Accompanying Product	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Stenciled <input checked="" type="checkbox"/> Paper glued <input checked="" type="checkbox"/> Other Self-adhesive					

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application).

Name Kimberlee Young (formerly: Kim Davis)	Title Consultant/Agent	Telephone No. (Include Area Code) 970.353.3611 kim@regwest.com
--	----------------------------------	--

Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Consultant/Agent	
4. Typed Name Kimberlee Young (formerly: Kim Davis)	5. Date 08/10/2012	

Non-PRIA Label Revision Notification

August 10, 2012



Mr. Richard Gebken, Product Manager 10
Document Processing Desk – **NOTIF**
Office of Pesticide Programs – **7504P**
U.S. Environmental Protection Agency
One Potomac Yard (South Building), Room S-4900
2777 South Crystal Drive
Arlington, VA 22202

Dear Mr. Gebken:

Subject: Claire® Manufacturing Company
Claire® Bed Bug, Lice and Dust Mite Spray
EPA Reg. No. 706-110

One behalf of **Claire Manufacturing Company**, RegWest Company, LLC is submitting the attached materials as a label revision notification for the subject product per PR Notice 98-10. RegWest will act as sole agent in this endeavor.

Attached are the following documents:

1. Application for Pesticide: **Other (Notification)**
3. One **Reference Label** (illustrating the label revisions)
4. ~~One~~ **New Labels** (incorporating the revisions)

In the Agency's comment letter for the previous stamped accepted label dated December 2, 2012, the Agency required that: 1) the word "bedding" be replaced with "mattresses" in all but two instances in the label and 2) the marketing claim "ticks that can cause Lyme Disease" be revised to state "ticks that transmit Lyme Disease". The most recent stamped accepted label dated May 25, 2012 to support the reregistration of this product did not incorporate these changes. The attached label is being submitted to incorporate these changes in the label.

In addition to the changes outlined above, we are also making other minor labeling changes. Please refer to the **Reference Label** for an illustration of all revisions.

Please contact me or Mary Beth Endres at 970.353.0611 or marybeth@regwest.com if you have any questions or require additional information.

Regards,
RegWest Company, LLC

A handwritten signature in black ink, appearing to read 'Kimberlee Young'.

Kimberlee Young
(formerly: Kim Davis),
Consultant/Agent

Attachments

cc: CMC – Cepa, R. and Wendel, T.

7/20

{Subpart A Label: For Occupational Use}



Bed Bug, Lice and Dust Mite Spray

{ABN: Claire® Lice Killer}

NOTIFICATION

[[Select marketing claims from "Marketing Claims" section below]]

NOV 28 2012

Active Ingredient:

Permethrin* (CAS No. 53645-53-1)	0.5%
Other Ingredients**	99.5%
Total	100.0%

*Cis/trans ratio: Max. 55% (±) cis and Min. 45% (±) trans.

**Contains petroleum distillate

Keep Out of Reach of Children

CAUTION

See back [side] panel for First Aid and Additional Precautionary Statements.

[PRECAUCION AL CONSUMIDOR: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. **(TO THE USER:** If you cannot read English, do not use this product until the label has been fully explained to you.)]

[Si usted no entiende la etiqueta, busque a alguien para que la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail).]

EPA Reg. No. 706-110 EPA Est. _____

Net Weight: ____ oz. (____ g.)
{8 ounces through 1.5 pounds}

{Back Panel}

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use Restrictions
Shake Well Before Using
Not For Use on Humans

Entry Restrictions:

For space spray use do not enter or allow others to enter until vapors, mists and aerosols have dispersed, and the treated area has been thoroughly ventilated.

Application Restrictions:

- Except when applying to dogs, livestock and to fabric, do not apply this product in a way that will contact workers or other persons, either directly or through drift.

5/20

- Except when applying to dogs, livestock and to fabric, only protected handlers may be in the area during application.
- Do not breathe dust, vapors or spray mist.
- Do not apply when food is present.
- When used in dairy barns or facilities: Close bulk milk tank lids to prevent contamination from spray and from dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking.
- Not for broadcast use on indoor residential surfaces.
- All outdoor applications must be limited only to spot or crack-and-crevice treatments, except for the following permitted uses: 1) treatment to soil or vegetation around structures; 2) applications to lawns, turf and other vegetation; and 3) applications to building foundations, up to a maximum height of 3 feet.
- Do not water the treated area to the point of run-off
- Do not make applications during rain
- Not for use on plants being grown for sale or other commercial use, for commercial seed production or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on golf courses or lawns and grounds.
- Do not use in food areas of food handling establishments, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served, such as dining rooms, but excluding areas where food may be prepared or held. Non-food areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries, vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage areas (after bottling or canning).

{Products for use around floor drains must have the following paragraph:}

- Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

{The above Application Restrictions may be listed in paragraph format.}

Remove protective cap, hold container upright and spray from a distance of 12-15 inches; 8-10 inches for fabrics such as clothing, furniture and bedding mattresses. Prior to large-scale application, treating entire article, test product on an inconspicuous area for unwanted effects (discoloration or bleeding, for example). Spray until surfaces are slightly wet, but not to the point of run-off as over-application may cause damage. This product will not stain surfaces or fabrics where water alone causes no damage.

Black Flies, Blow Flies, Fruit Flies, Gnats, Houseflies, Mosquitoes, Skipper Flies and Small Flying Moths:

Close all doors and windows and spray room at the rate of 2-3 seconds per 1000 cubic feet. Direct spray to all parts of the room, especially windows and other light sources that attract these insects. Keep the nozzle in constant motion. Retreat if reinfestation occurs, but not more than once every 2 weeks.

Centipedes, Cockroaches, Crickets, Firebrats, Millipedes, Palmetto Bugs, Pillbugs, Scorpions, Silverfish,

Sowbugs, Spiders and Waterbugs: Spray into hiding places such as cracks and crevices; behind sinks and cabinets; along baseboards and floors; around drains and plumbing, hitting insects with spray whenever possible. Retreat if reinfestation occurs, but not more than once every 2 weeks.

Ants: Spray trails, nests and structures' points of entry. Spray on ants whenever possible and retreat if reinfestation occurs, but not more than once every 2 weeks.

Angoumois Grain Moths and Indian Meal Moths: Close doors and windows. Direct spray into all parts of the room, especially around stored food product containers, pallets and darkened areas. Spray 7-10 seconds for each 1000

6/20

cubic feet of space. Keep area closed for 15 minutes following treatment. Retreat if reinfestation occurs, but not more than once every 2 weeks.

Exposed stages of Confused Flour Beetles, Grain Mites, Granary Weevils, Red Flour Beetles, Rice Weevils and Saw-toothed Grain Beetles: Spray into cracks and crevices; around cartons or containers; or other areas where these insects tend to congregate. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Retreat if reinfestation occurs, but not more than once every 2 weeks. Infested stored food products in the home must be disposed of in trash.

Carpet Beetles: Spray directly on beetles, floors, baseboards, shelves and carpets. Retreat if reinfestation occurs, but not more than once every 2 weeks.

Bed Bugs: Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. After mattress is dry, cover with mattress cover and sheet; do not use mattress without cover. Treat baseboards, moldings and floors. Retreat if infestation occurs, but not more than once every 2 weeks. ~~If lice infestations should occur on humans, use a product labeled for use on humans.~~

To Control Carpet Beetles and Clothes Moths on wool and other proteinaceous fibers: Remove infested articles from storage then thoroughly brush and air for several hours in sunlight, if possible. Apply spray to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated by spraying lightly, keeping nozzle at least 3 feet from fabric to avoid staining.

To [Helps] Control [Kill] House Dust Mites (*Dermatophagoides* spp.): This product [{product name}] controls [helps control] house dust mites that may cause asthma, hay fever, rhinitis, watery eyes and sneezing. One treatment lasts up to 8 weeks [2 months] [60 days]. Vacuum entire area once dry. Since vacuuming stirs dust up into the air, those with allergies should have another person vacuum or should wear a dust mask and use a vacuum with a high efficiency particulate (HEPA) filter. **Upholstery:** Prior to ~~large-scale use,~~ treating entire article, test the fabric product in an inconspicuous area to ensure dyes will not bleed. Hold container upright with nozzle facing away from you. Depress valve and spray from a distance of 8-10 inches. Do not use on delicate fabrics. Allow furniture to thoroughly dry before using. **Carpets:** Spray over entire carpet area. Hold the nozzle approximately 12-18 inches from the carpet surface and spray in a sweeping motion. Use an overlapping pattern to ensure total coverage. After application, brush the surface of the carpet with a broom or brush to ensure deep penetration. Allow carpet to completely dry before re-entering the treated area. Drying time may be accelerated by using a fan. **Mattresses:** Spray the top, bottom and sides of mattresses, paying particular attention to tufts and seams. Allow to thoroughly dry before using. After mattress is dry, cover with mattress cover and sheet; do not use mattress without cover.

Fleas and Ticks (Adults and Larvae): Remove and thoroughly clean or destroy pet bedding. Spray pet's sleeping quarters, bed, entire floor and floor covering, paying special attention to cracks and crevices; around baseboards; and window and door frames. Infested upholstered furniture may also be treated with this product. Test upholstery or drapery fabrics in an inconspicuous place before ~~large-scale use~~ treating entire article.

This product is Step 3 in the {company name's} Lice Control System:
Step 1: Kill lice with {product name}. Reapply in 10 days.
Step 2: Comb out eggs and nits with {product name}.
Step 3: Clean home. Use this product [{product's name}] spray for non-washable items. Wash washable items in hot water and dry in high heat.

To Kill Lice and Louse Eggs: Prior to ~~large-scale applications,~~ treating entire article, spray in an inconspicuous area to test for possible staining or discoloration. Inspect after drying, then proceed to spray entire area to be treated. Hold container upright with nozzle pointing away from you. Depress valve and spray from a distance of 8-10 inches. Spray each square foot for 3 seconds. Allow all sprayed articles to thoroughly dry before use. Spray only those garments

and parts of bedding, including mattresses and furniture, that cannot be either laundered or dry cleaned. Do not use on sheets or pillowcases. If lice infestations occur on humans, use a product labeled for use on humans.

In animal quarters and milk rooms for rapid control of Houseflies, Mosquitoes and Small Flying Moths: Close windows and doors and spray at the rate of 2 seconds per 1000 cubic feet of space. For best results, keep area closed for 10 minutes after spraying; do not remain in treated area. Ventilate after treatment is completed. Do not contaminate animal feed or water during application.

To Treat Livestock: To protect beef cattle, dairy cattle, goats, hogs, horses and sheep from attacks of Deer Flies, Face Flies, Gnats, Horn Flies, Horse Flies, Houseflies, Mosquitoes and Stable Flies: Spray about 3 seconds on each side being careful to thoroughly spray back, withers and forelegs. **To protect from Face Flies,** spray the face and head, but do not spray into eyes. Repeat treatment when flies are troublesome.

To kill Screw Worms infesting beef cattle, horses and sheep: Hold can about 4-8 inches from area to be treated with nozzle pointed at wound. Spray the area until it is completely wet (3 to 10 seconds are usually enough). Spray the area surrounding the wound. This product is not recommended for use in deep wounds. Some strains of screw worms may develop resistance to pyrethroids; this will be observed by lack of response to treatment. Do not use this product where pyrethroid resistance is known or suspected.

For swine: Do not ship animals for slaughter within 5 days of last treatment.

To control Blood Sucking Lice: Apply to the infested areas of the animal, using a stiff brush to get the spray to the base of the hair. Repeat every 3 weeks if required.

To control Poultry Lice: Thoroughly spray roosts, walls and nests or cages then spray a fine mist over the birds.

For control of Bed Bugs and Mites in poultry houses: Spray crevices of roost poles, cracks in walls and in nests where the bed bugs and mites hide.

For the control of Garden Insects: To kill Aphids, Armyworms, Clover Mites, Exposed Thrips, Japanese Beetles, Lace Bugs, Leafminers, Pavement Ants, Red Mites, Spider Mites and Whiteflies: Using a sweeping motion from a distance of at least 18 inches, directly spray insects whenever possible on African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, crassula, dahlias, delphiniums, dogwood, English ivy, euonymus, fuchsia, geraniums, grape vine, Kentia palm, laurel, marigolds, rhododendrons, roses, rubber plants, snapdragons, stocks, wandering Jews, zinnias and other ornamentals. Spray in 1 second bursts and be cautious about wetting tender foliage, young plants and new growth. Over-application may cause damage. Do not spray plants when temperature exceeds 90°F (32°C). Reapply if reinfestation occurs, but not more than once every 2 weeks. Spray may be used on plants, as well as a multi-purpose spray in small gardens, and for spot treatments of incipient insect infestations to prevent spreading to large garden areas.

{If the market label includes use directions for use on dogs, the following two statements must appear at the top of the back [side] panel.}

READ ENTIRE LABEL BEFORE EACH USE
FOR PET USE: USE ONLY ON DOGS

To Control Fleas, Lice and Ticks on Dogs: Starting at the tail, stroke against the lay of the hair, spraying the parted fur in short bursts, directly behind the hand to ensure penetrating the coat. Dampen the fur up to the head. Retreat if reinfestation occurs, but not more than once every 2 weeks. Do not spray directly in/on eyes, mouth or genitalia of dogs. Do not use on dogs under 12 weeks of age. Consult a veterinarian before using this product on medicated, debilitated, aged, pregnant or nursing animals. Sensitivities may occur after using any pesticide product for pets. If signs of sensitivity occur, bath your pet with mild soap and rinse with large amounts of water. If signs continue, immediately consult a veterinarian.

Clothing Treatment

Treat only clothing; do not apply to skin.

For protection against Ticks, including those that may carry Lyme disease, and Mosquitoes: Apply product as directed below. For further protection, use in conjunction with an insect repellent registered for direct application to the skin and utilize the following primary preventive measures: Avoid areas where the pests are found, wear appropriate protective clothing (light-colored, long-sleeved shirt and long pants tucked into socks) and inspect body daily for ticks. Wear pant cuffs inside the socks or footwear to ensure full protection against ticks.

Initial Treatment Instructions:

1. Select a well-ventilated outdoor area protected from wind and lay out the clothing to be treated (as a complete outfit: shirt, trousers and socks).
2. Hold can upright about 6-8 inches from clothing surface and spray with a slow, sweeping motion to lightly moisten the fabric surface.
3. Continue spraying over entire outfit, until a total treatment time of 60 seconds has elapsed and the outer fabric surface is moist enough to cause a slight color change or darkening. Pay special attention to socks, and trouser and shirt cuffs.
4. Turn the clothing over and treat the other side as directed in steps 2 and 3.
5. Hang the treated clothing and allow to dry for at least 2 hours (4 hours under humid conditions) before wearing.
6. One can treats {number} complete outfit[s]. Do not exceed recommended spraying times.

Retreatment Instructions:

This product contains an active ingredient that actually binds to the fabric being treated, providing residual protection that lasts a minimum of 2 weeks, and holds up through several machine washings. **Do not retreat clothing more than once every 2 weeks. Launder clothing at least once before retreating.** Follow the instructions for initial treatment when retreating articles.

Treatment of Nets, Tents, Sleeping Bags and Backpacks

Do not treat the inside of sleeping bags. Spray only the exterior surfaces of tents.

Initial Treatment Instructions:

Select a well-ventilated outdoor area protected from wind and lay out article to be treated. Hold can upright about 6-8 inches from surface of the article and spray with a slow, sweeping motion to lightly moisten the fabric surface. Continue spraying over entire article until the article's outer surface is moist enough to cause a light color change or darkening. Turn the article over and treat the other side as described for the first side. Hang the treated article and allow it to dry for at least 2 hours (4 hours under humid conditions) before using.

Retreatment Instructions:

This product contains an active ingredient that actually binds to the fabric being treated, providing residual protection that lasts a minimum of 2 weeks. **Do not retreat articles more than once every 2 weeks.** Follow the instructions for initial treatment when retreating articles.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry area inaccessible to children and pets and away from heat, sparks and open flame. Do not freeze. **Pesticide/Container Disposal:** Do not puncture or incinerate! **If empty:** Place in trash or offer for recycling if available. [This container may be recycled in aerosol recycling centers. At present, there are only a few such centers in the country. Before offering for recycling, empty the can by using the product according to the label.] **If partly filled:** Call your local solid waste agency for disposal instructions.

{Batch Code/Lot Number will appear either on the label or the container per PR Notice 2007-4.}

9/20

First Aid

If Swallowed:	<ul style="list-style-type: none">• Immediately call a poison control center or doctor.• Do not induce vomiting unless told to do so by a poison control center or doctor.• Do not give any liquid to the person.• Do not give anything by mouth to an unconscious person.
If on Skin or Clothing:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
If in Eyes:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
If Inhaled:	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.• Call a poison control center or doctor for treatment advice
Note to Physician: Contains petroleum distillate – vomiting may cause aspiration pneumonia.	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-866-836-8855 for emergency medical treatment information.	

{Note: The First Aid statements' grid format will be used if market label space permits; otherwise a paragraph format will be used.}

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Harmful if swallowed or absorbed through skin. Causes eye irritation. Avoid inhalation of spray mist and contact with skin, eyes or clothing. Thoroughly wash with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Avoid contamination of feed and foodstuffs.

Personal Protective Equipment (PPE)

Applicators and other handlers must wear: long-sleeved shirt, long pants, shoes, socks and chemical resistant gloves made of barrier laminate, nitrile rubber, neoprene rubber and Viton®.

User Safety Requirements

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate; do not reuse them.

User Safety Recommendations

Users should: thoroughly wash hands with soap and water after handling this product and before eating, drinking, chewing gum, using tobacco or using the toilet; immediately remove clothing/PPE if pesticide gets inside, then thoroughly wash and put on clean clothing; immediately remove PPE after handling this product. Wash the outside of gloves before removing. As soon as possible, thoroughly wash and change into clean clothing.

{Products used exclusively indoors may omit the following Environmental Hazards statements:}

Environmental Hazards

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas.

10/20


This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

Physical or Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F [(54°C)] may cause bursting.

24-Hour Medical Emergency 1-866-836-8855

[A Product of:]
[Manufactured by:]



Claire Manufacturing Company

1005 S. Westgate Drive
Addison, IL 60101
[www.clairemfg.com]
[www.spraywayretail.com]



{Enlargement:
No CFCs.

Contains no CFCs which deplete the ozone layer.
Federal regulations prohibit CFC propellants in aerosols.}

PLEASE RECYCLE
WHEN EMPTY



{Marketing Claims:}

For use in animal quarters, gardens, homes, milk rooms, pet areas, poultry houses and non-food areas of apartments, hospitals, hotels, kennels, motels, nursing homes, offices, restaurants, schools and warehouses. [A] Water-based aerosol. Odorless. For bedding mattresses and furniture. Home lice control spray for bedding mattresses and furniture. For use on backpacks, beef cattle, clothing, dairy cattle, dogs, goats, hogs, horses, livestock, mattresses, nets, sheep, sleeping bags, tents and wool and other proteinaceous fibers. Will not stain water-safe fabrics and surfaces.

Kills [Controls] listed pests. Kills adult lice, and nymphs as they hatch, on bedding mattresses, garments, furniture and other inanimate objects. Kills dust mites through contact.

Kills [Controls] listed residential, industrial and garden insects. Kills and repels mosquitoes and ticks. Controls [and repels] ticks that ~~can cause~~ transmit Lyme Disease. For use on premises to control fleas and ticks. Controls pests up

to 4 weeks [1 month]. Kills lice and their eggs on mattresses, furniture, car interior and other non-washable items. Kills [Helps control] house dust mites (*Dermatophagoides* spp.) for up to 8 weeks [2 months] [60 days] in carpets, curtains and on upholstery. Controls [Helps control] house dust mites that may cause asthma, rhinitis, watery eyes and sneezing. Effective in the control of dust mites. 1-2-3 Lice Control System. Step 3.

One clothing [fabric] treatment lasts 2 weeks. For treatment of clothing, nets, sleeping bags and backpacks.

For use on dogs and on premises to control fleas and ticks. Controls fleas and ticks on dogs for 14 days [2 weeks].

Kills screw worms on beef cattle, horses and sheep.

Kills [Controls] Angoumous grain moths, ants, aphids, armyworms, bed bugs, black flies, blood sucking lice, blow flies, carpet beetles, centipedes, clothes moths, clover mites, cockroaches, confused flour beetles*, crickets, deer flies, exposed thrips, face flies, firebrats, fleas (adult and larvae), fruit flies, gnats, grain mites*, granary weevils*, horn flies, horse flies, house dust mites (*Dermatophagoides* spp.), houseflies, Indian meal moths, Japanese beetles, lace bugs, leafminers, lice/louse eggs, millipedes, mites, mosquitoes, palmetto bugs, pavement ants, pillbugs, poultry lice, red flour beetles*, red mites, rice weevils*, saw-toothed grain beetles*, scorpions, screw worms, silverfish, skipper flies, small flying moths, sowbugs, spider mites, spiders, stable flies, ticks (adult and larvae), waterbugs and whiteflies. *Exposed stages.

Contains the Synthetic Pyrethroid Permanone®

[Permanone® - Registered Trademark of Valent BioSciences Corporation]

[Viton is a Registered trademark of DuPont Performance Elastomers LLC]

Kills & Repels Mosquitoes and Ticks

Also Controls Fleas and Ticks

For Treatment of Clothing, Nets, Sleeping Bags & Backpacks

One Clothing [Fabric] Treatment Lasts 2 Weeks!

Controls Residential, Industrial and Garden Insects

For Use on Dogs and on Premises to Control Fleas and Ticks

A Water-Based Aerosol

Controls Pests for up to Four [4] Weeks

Kills Lice & Their Eggs on Mattresses, Furniture, Car Interiors and Other Non-Washable Items

For Bedding Mattresses and Furniture

Home Lice Control Spray for Bedding Mattresses and Furniture

Controls Fleas & Ticks on Dogs for 14 Days [2 Weeks]

Controls [Repels] Ticks that may carry Lyme Disease

Kills House Dust Mites in Carpets, Curtains and on Upholstery

Controls [Helps Control] House Dust Mites (*Dermatophagoides* spp.) for up to 8 Weeks [2 Months] [60 Days] in Carpets, Curtains and on Upholstery

Controls [Helps Control] House Dust Mites that may cause asthma, hay fever, rhinitis, watery eyes and sneezing Effective in the Control of Dust Mites

Kills Screw Worms on Beef Cattle, Horses and Sheep

Home Lice Control Spray for Bedding Mattresses and Furniture

1-2-3 Lice Control System – Step 3

Kills Bed Bugs

Kills Dust Mites


We assure your complete satisfaction with a 100% money-back guarantee on this {brand name} product.

Guarantee: Another {brand name} product fully guaranteed or money refunded if not 100% satisfied.

12/20



[Made in the U.S.A.]



[] Denotes alternate/optional language
{ } Denotes language that does not appear on the market label

13/20

{Subpart B Label: For Consumer/Residential Use}



Bed Bug, Lice and Dust Mite Spray

[[Select marketing claims from "Marketing Claims" section below]]

Active Ingredient:

Permethrin* (CAS No. 53645-53-1)	0.5%
Other Ingredients**	<u>99.5%</u>
Total	100.0%

*Cis/trans ratio: Max. 55% (±) cis and Min. 45% (±) trans.

**Contains petroleum distillate

**Keep Out of Reach of Children
CAUTION**

See back [side] panel for First Aid and Additional Precautionary Statements.

[Si usted no entiende la etiqueta, busque a alguien para que la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail).]

EPA Reg. No. 706-110 EPA Est. _____

Net Weight: _____ oz. (____ g.)
{8 ounces through 1.5 pounds}

{Back Panel}

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**Use Restrictions
Shake Well Before Using
Not For Use on Humans**

Entry Restrictions:

For surface spray use: Do not apply in a way that will contact children, either directly or through drift. Except when applying to dogs, livestock and to fabric, do not allow adults or pets to enter until sprays have dried.

For space spray use: Do not enter or allow adults, children or pets to enter until vapors, mists and aerosols have dispersed and the treated area has been thoroughly ventilated.

In the home, cover all food processing surfaces and utensils during treatment or thoroughly wash before use. Cover or remove exposed food. Those with asthma or severe allergies should consult their medical professional before using this product and have someone else apply this product.

{Products for use around floor drains must have the following paragraph:}

Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

Other than applications to building foundations, all outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors and eaves) are limited to only spot and crack-and-crevice applications. Do not apply outdoors during rain.

Remove protective cap, hold container upright and spray from a distance of 12-15 inches; 8-10 inches for fabrics such as clothing, furniture and ~~bedding~~ mattresses. Prior to ~~large-scale application,~~ treating entire article, test product on an inconspicuous area for unwanted effects (discoloration or bleeding, for example). Spray until surfaces are slightly wet, but not to the point of run-off as over-application may cause damage. This product will not stain surfaces or fabrics where water alone causes no damage.

Black Flies, Blow Flies, Fruit Flies, Gnats, Houseflies, Mosquitoes, Skipper Flies and Small Flying Moths: Close all doors and windows and spray room at the rate of 2-3 seconds per 1000 cubic feet. Direct spray to all parts of the room, especially windows and other light sources that attract these insects. Keep the nozzle in constant motion. Retreat if reinfestation occurs, but not more than once every 2 weeks.

Centipedes, Cockroaches, Crickets, Firebrats, Millipedes, Palmetto Bugs, Pillbugs, Scorpions, Silverfish, Sowbugs, Spiders and Waterbugs: Spray into hiding places such as cracks and crevices; behind sinks and cabinets; along baseboards and floors; around drains and plumbing, hitting insects with spray whenever possible. Retreat if reinfestation occurs, but not more than once every 2 weeks.

Ants: Spray trails, nests and structures' points of entry. Spray on ants whenever possible and retreat if reinfestation occurs, but not more than once every 2 weeks.

Angoumois Grain Moths and Indian Meal Moths: Close doors and windows. Direct spray into all parts of the room, especially around stored food product containers, pallets and darkened areas. Spray 7-10 seconds for each 1000 cubic feet of space. Keep area closed for 15 minutes following treatment. Retreat if reinfestation occurs, but not more than once every 2 weeks.

Exposed stages of Confused Flour Beetles, Grain Mites, Granary Weevils, Red Flour Beetles, Rice Weevils and Saw-toothed Grain Beetles: Spray into cracks and crevices; around cartons or containers; or other areas where these insects tend to congregate. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Retreat if reinfestation occurs, but not more than once every 2 weeks. Infested stored food products in the home must be disposed of in trash.

Carpet Beetles: Spray directly on beetles, floors, baseboards, shelves and carpets. Retreat if reinfestation occurs, but not more than once every 2 weeks.

Bed Bugs: Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. After mattress is dry, cover with mattress cover and sheet; do not use mattress without cover. Treat baseboards, moldings and floors. Retreat if infestation occurs, but not more than once every 2 weeks. ~~If lice infestations should occur on humans, use a product labeled for use on humans.~~

To Control Carpet Beetles and Clothes Moths on wool and other proteinaceous fibers: Remove infested articles from storage then thoroughly brush and air for several hours in sunlight, if possible. Apply spray to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated by spraying lightly, keeping nozzle at least 3 feet from fabric to avoid staining.

15/20

To [Helps] Control [Kill] House Dust Mites (*Dermatophagoides* spp.): This product [{product name}] controls [helps control] house dust mites that may cause asthma, hay fever, rhinitis, watery eyes and sneezing. One treatment lasts up to 8 weeks [2 months] [60 days]. Vacuum entire area once dry. Since vacuuming stirs dust up into the air, those with allergies should have another person vacuum or should wear a dust mask and use a vacuum with a high efficiency particulate (HEPA) filter. **Upholstery:** Prior to ~~large-scale use~~, treating entire article, test the ~~fabric~~ product in an inconspicuous area to ensure dyes will not bleed. Hold container upright with nozzle facing away from you. Depress valve and spray from a distance of 8-10 inches. Do not use on delicate fabrics. Allow furniture to thoroughly dry before using. **Carpets:** Spray over entire carpet area. Hold the nozzle approximately 12-18 inches from the carpet surface and spray in a sweeping motion. Use an overlapping pattern to ensure total coverage. After application, brush the surface of the carpet with a broom or brush to ensure deep penetration. Allow carpet to completely dry before re-entering the treated area. Drying time may be accelerated by using a fan. **Mattresses:** Spray the top, bottom and sides of mattresses, paying particular attention to tufts and seams. Allow to thoroughly dry before using. After mattress is dry, cover with mattress cover and sheet; do not use mattress without cover.

Fleas and Ticks (Adults and Larvae): Remove and thoroughly clean or destroy pet bedding. Spray pet's sleeping quarters, bed, entire floor and floor covering, paying special attention to cracks and crevices; around baseboards; and window and door frames. Infested upholstered furniture may also be treated with this product. Test upholstery or drapery fabrics in an inconspicuous place before ~~large-scale use~~ treating entire article.

This product is Step 3 in the {company name's} Lice Control System:

Step 1: Kill lice with {product name}. Reapply in 10 days.

Step 2: Comb out eggs and nits with {product name}.

Step 3: Clean home. Use this product [{product's name}] spray for non-washable items. Wash washable items in hot water and dry in high heat.

To Kill Lice and Louse Eggs: Prior to ~~large-scale applications~~, treating entire article, spray in an inconspicuous area to test for possible staining or discoloration. Inspect after drying, then proceed to spray entire area to be treated. Hold container upright with nozzle pointing away from you. Depress valve and spray from a distance of 8-10 inches. Spray each square foot for 3 seconds. Allow all sprayed articles to thoroughly dry before use. Spray only those garments and parts of bedding, including mattresses and furniture, that cannot be either laundered or dry cleaned. Do not use on sheets or pillowcases. If lice infestations occur on humans, use a product labeled for use on humans.

In animal quarters and milk rooms for rapid control of Houseflies, Mosquitoes and Small Flying Moths: Close windows and doors and spray at the rate of 2 seconds per 1000 cubic feet of space. For best results, keep area closed for 10 minutes after spraying; do not remain in treated area. Ventilate after treatment is completed. Do not contaminate animal feed or water during application.

To Treat Livestock: To protect beef cattle, dairy cattle, goats, hogs, horses and sheep from attacks of Deer Flies, Face Flies, Gnats, Horn Flies, Horse Flies, Houseflies, Mosquitoes and Stable Flies: Spray about 3 seconds on each side being careful to thoroughly spray back, withers and forelegs. **To protect from Face Flies,** spray the face and head, but do not spray into eyes. Repeat treatment when flies are troublesome.

To kill Screw Worms infesting beef cattle, horses and sheep: Hold can about 4-8 inches from area to be treated with nozzle pointed at wound. Spray the area until it is completely wet (3 to 10 seconds are usually enough). Spray the area surrounding the wound. This product is not recommended for use in deep wounds. Some strains of screw worms may develop resistance to pyrethroids; this will be observed by lack of response to treatment. Do not use this product where pyrethroid resistance is known or suspected.

For swine: Do not ship animals for slaughter within 5 days of last treatment.

To control Blood Sucking Lice: Apply to the infested areas of the animal, using a stiff brush to get the spray to the base of the hair. Repeat every 3 weeks if required.

To control Poultry Lice: Thoroughly spray roosts, walls and nests or cages then spray a fine mist over the birds.

For control of Bed Bugs and Mites in poultry houses: Spray crevices of roost poles, cracks in walls and in nests where the bed bugs and mites hide.

For the control of Garden Insects: To kill Aphids, Armyworms, Clover Mites, Exposed Thrips, Japanese Beetles, Lace Bugs, Leafminers, Pavement Ants, Red Mites, Spider Mites and Whiteflies: Using a sweeping motion from a distance of at least 18 inches, directly spray insects whenever possible on African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, crassula, dahlias, delphiniums, dogwood, English ivy, euonymus, fuchsia, geraniums, grape vine, Kentia palm, laurel, marigolds, rhododendrons, roses, rubber plants, snapdragons, stocks, wandering Jews, zinnias and other ornamentals. Spray in 1 second bursts and be cautious about wetting tender foliage, young plants and new growth. Over-application may cause damage. Do not spray plants when temperature exceeds 90°F (32°C). Reapply if reinfestation occurs, but not more than once every 2 weeks. Spray may be used on plants, as well as a multi-purpose spray in small gardens, and for spot treatments of incipient insect infestations to prevent spreading to large garden areas.

{If the market label includes use directions for use on dogs, the following two statements must appear at the top of the back [side] panel.}

**READ ENTIRE LABEL BEFORE EACH USE
FOR PET USE: USE ONLY ON DOGS**

To Control Fleas, Lice and Ticks on Dogs: Starting at the tail, stroke against the lay of the hair, spraying the parted fur in short bursts, directly behind the hand to ensure penetrating the coat. Dampen the fur up to the head. Retreat if reinfestation occurs, but not more than once every 2 weeks. Do not spray directly in/on eyes, mouth or genitalia of dogs. Do not use on dogs under 12 weeks of age. Consult a veterinarian before using this product on medicated, debilitated, aged, pregnant or nursing animals. Sensitivities may occur after using any pesticide product for pets. If signs of sensitivity occur, bath your pet with mild soap and rinse with large amounts of water. If signs continue, immediately consult a veterinarian.

Clothing Treatment

Treat only clothing; do not apply to skin.

For protection against Ticks, including those that may carry Lyme disease, and Mosquitoes: Apply product as directed below. For further protection, use in conjunction with an insect repellent registered for direct application to the skin and utilize the following primary preventive measures: Avoid areas where the pests are found, wear appropriate protective clothing (light-colored, long-sleeved shirt and long pants tucked into socks) and inspect body daily for ticks. Wear pant cuffs inside the socks or footwear to ensure full protection against ticks.

Initial Treatment Instructions:

1. Select a well-ventilated outdoor area protected from wind and lay out the clothing to be treated (as a complete outfit: shirt, trousers and socks).
2. Hold can upright about 6-8 inches from clothing surface and spray with a slow, sweeping motion to lightly moisten the fabric surface.
3. Continue spraying over entire outfit, until a total treatment time of 60 seconds has elapsed and the outer fabric surface is moist enough to cause a slight color change or darkening. Pay special attention to socks, and trouser and shirt cuffs.
4. Turn the clothing over and treat the other side as directed in steps 2 and 3.
5. Hang the treated clothing and allow to dry for at least 2 hours (4 hours under humid conditions) before wearing.
6. One can treats {number} complete outfit[s]. Do not exceed recommended spraying times.

Retreatment Instructions:

This product contains an active ingredient that actually binds to the fabric being treated, providing residual protection that lasts a minimum of 2 weeks, and holds up through several machine washings. **Do not retreat clothing more than once every 2 weeks. Launder clothing at least once before retreating.** Follow the instructions for initial treatment when retreating articles.

Treatment of Nets, Tents, Sleeping Bags and Backpacks

Do not treat the inside of sleeping bags. Spray only the exterior surfaces of tents.

Initial Treatment Instructions:

Select a well-ventilated outdoor area protected from wind and lay out article to be treated. Hold can upright about 6-8 inches from surface of the article and spray with a slow, sweeping motion to lightly moisten the fabric surface. Continue spraying over entire article until the article's outer surface is moist enough to cause a light color change or darkening. Turn the article over and treat the other side as described for the first side. Hang the treated article and allow it to dry for at least 2 hours (4 hours under humid conditions) before using.

Retreatment Instructions:

This product contains an active ingredient that actually binds to the fabric being treated, providing residual protection that lasts a minimum of 2 weeks. **Do not retreat articles more than once every 2 weeks.** Follow the instructions for initial treatment when retreating articles.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry area inaccessible to children and pets and away from heat, sparks and open flame. Do not freeze. **Pesticide/Container Disposal:** Do not puncture or incinerate! **If empty:** Place in trash or offer for recycling if available. [This container may be recycled in aerosol recycling centers. At present, there are only a few such centers in the country. Before offering for recycling, empty the can by using the product according to the label.] **If partly filled:** Call your local solid waste agency for disposal instructions.

{Batch Code/Lot Number will appear either on the label or the container per PR Notice 2007-4.}

First Aid

If Swallowed:	<ul style="list-style-type: none"> • Immediately call a poison control center or doctor. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give any liquid to the person. • Do not give anything by mouth to an unconscious person.
If on Skin or Clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If in Eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If Inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for treatment advice

Note to Physician: Contains petroleum distillate – vomiting may cause aspiration pneumonia.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-866-836-8855 for emergency medical treatment information.

{Note: The First Aid statements' grid format will be used if market label space permits; otherwise a paragraph format will be used.}

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Harmful if swallowed or absorbed through skin. Causes eye irritation. Avoid inhalation of spray mist and contact with skin, eyes or clothing. Thoroughly wash with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Avoid contamination of feed and foodstuffs.

{Products used exclusively indoors may omit the following Environmental Hazards statements:}

Environmental Hazards

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas.

This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

Physical or Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F [(54°C)] may cause bursting.

24-Hour Medical Emergency 1-866-836-8855

[A Product of:]
[Manufactured by:]



Claire Manufacturing Company

1005 S. Westgate Drive

Addison, IL 60101

[www.clairemfg.com]

[www.spraywayretail.com]



{Enlargement:
No CFCs.

Contains no CFCs which deplete the ozone layer.
Federal regulations prohibit CFC propellants in aerosols.}

PLEASE RECYCLE
WHEN EMPTY



19/20

{Marketing Claims:}

For use in animal quarters, apartments, gardens, homes, milk rooms, pet areas and kennels. [A] Water-based aerosol. Odorless. For bedding mattresses and furniture. Home lice control spray for bedding mattresses and furniture. For use on backpacks, beef cattle, clothing, dairy cattle, dogs, goats, hogs, horses, livestock, mattresses, nets, sheep, sleeping bags, tents and wool and other proteinaceous fibers. Will not stain water-safe fabrics and surfaces.

Kills [Controls] listed pests. Kills adult lice, and nymphs as they hatch, on bedding mattresses, garments, furniture and other inanimate objects. Kills dust mites through contact.

Kills [Controls] listed residential-and garden insects. Kills and repels mosquitoes and ticks. Controls [and repels] ticks that ~~can cause~~ transmit Lyme Disease. For use on premises to control fleas and ticks. Controls pests up to 4 weeks [1 month]. Kills lice and their eggs on mattresses, furniture, car interior and other non-washable items. Kills [Helps control] house dust mites (*Dermatophogoides* spp.) for up to 8 weeks [2 months] [60 days] in carpets, curtains and on upholstery. Controls [Helps control] house dust mites that may cause asthma, rhinitis, watery eyes and sneezing. Effective in the control of dust mites. 1-2-3 Lice Control System. Step 3.

One clothing [fabric] treatment lasts 2 weeks. For treatment of clothing, nets, sleeping bags and backpacks.

For use on dogs and on premises to control fleas and ticks. Controls fleas and ticks on dogs for 14 days [2 weeks].

Kills screw worms on beef cattle, horses and sheep.

Kills [Controls] Angoumous grain moths, ants, aphids, armyworms, bed bugs, black flies, blood sucking lice, blow flies, carpet beetles, centipedes, clothes moths, clover mites, cockroaches, confused flour beetles*, crickets, deer flies, exposed thrips, face flies, firebrats, fleas (adult and larvae), fruit flies, gnats, grain mites*, granary weevils*, horn flies, horse flies, house dust mites (*Dermatophogoides* spp.), houseflies, Indian meal moths, Japanese beetles, lace bugs, leafminers, lice/ouse eggs, millipedes, mites, mosquitoes, palmetto bugs, pavement ants, pillbugs, poultry lice, red flour beetles*, red mites, rice weevils*, saw-toothed grain beetles*, scorpions, screw worms, silverfish, skipper flies, small flying moths, sowbugs, spider mites, spiders, stable flies, ticks (adult and larvae), waterbugs and whiteflies. *Exposed stages.

Contains the Synthetic Pyrethroid Permanone®

[Permanone® - Registered Trademark of Valent BioSciences Corporation]

Kills & Repels Mosquitoes and Ticks

Also Controls Fleas and Ticks

For Treatment of Clothing, Nets, Sleeping Bags & Backpacks

One Clothing [Fabric] Treatment Lasts 2 Weeks!

Controls Residential and Garden Insects

For Use on Dogs and on Premises to Control Fleas and Ticks

A Water-Based Aerosol

Controls Pests for up to Four [4] Weeks

Kills Lice & Their Eggs on Mattresses, Furniture, Car Interiors and Other Non-Washable Items

For Bedding Mattresses and Furniture

Home Lice Control Spray for B Bedding Mattresses and Furniture

Controls Fleas & Ticks on Dogs for 14 Days [2 Weeks]

Controls [Repels] Ticks that may carry Lyme Disease

Kills House Dust Mites in Carpets, Curtains and on Upholstery

Controls [Helps Control] House Dust Mites (*Dermatophogoides* spp.) for up to 8 Weeks [2 Months] [60 Days] in Carpets, Curtains and on Upholstery

Controls [Helps Control] House Dust Mites that may cause asthma, hay fever, rhinitis, watery eyes and sneezing

Effective in the Control of Dust Mites

Kills Screw Worms on Beef Cattle, Horses and Sheep

Home Lice Control Spray for Bedding Mattresses and Furniture

1-2-3 Lice Control System – Step 3

Appropriate Size for Air Travel {3 oz. container}

For Use in Homes

For Home Use

Ideal for Travel

Kills Bed Bugs


Kills Dust Mites

We assure your complete satisfaction with a 100% money-back guarantee on this {brand name} product.

Guarantee: Another {brand name} product fully guaranteed or money refunded if not 100% satisfied.



[Made in the U.S.A.]



[] Denotes alternate/optional language

{ } Denotes language that does not appear on the market label