DITHANE M-45

ACCEPTED

AUG 2 1973

UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTERED UNDER NO. 707-78 SUBJECT TO ATTACHED COMMENTS.

ROHM AND HAAS
PHILADELPHIA, PA. 19105

CAUTION

KEEP OUT OF REACH OF CHILDREN

May cause irritation of nose, throat, eyes and skin. Do not breathe dust or spray mist. In case of skin contact wash with water; for eyes, wash copiously with water and get medical attention.

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Do not reuse empty container. Dispose of by perforating and either burning in strict accordance with air pollution control laws or by burying in a safe place in noncrop lands away from water supplies.

IMPORTANT: Keep away from fires and sparks. Store in a cool, dry place. Do not allow to become wet or overheated in storage. This may bring on chemical changes which will impair the fungicidal effectiveness of DITHANE M-45 and may also generate flammable vapors. Keep container closed when not in use.

ACTIVE INGREDIENTS	
A co-ordination product of zinc ion and manganese ethylene bisdithiocarbamate	80%
In which the ingredients are	
Manganese**	16%
Zinc**	2%
Ethylene bisdithiocarbamate ion ($C_4H_6N_2S_4$)=	62%
INERT INGREDIENTS	20%
	100%

U.S. Patents 3,379,610; 2,974,156
EPA Reg. No. 707-78-AA

NET CONTENTS

3 LBS.

DIRECTIONS FOR USE

Coniferous Christmas Trees - For control of foliage diseases incited by Lophodermium fungi. In nursery plantings and newly transplanted stock use Dithane M-45 at a rate of 4 pounds of product per 100 gallons of water at 3 week intervals during the period of sprinkler irrigation and at monthly intervals during the rest of the year when the beds are not covered with snow. The addition of a suitable spreader sticker is suggested.