

ROHM AND HAAS COMPANY

INDEPENDENCE MALL WEST
PHILADELPHIA, PENNSYLVANIA 19105



**SUPPLEMENTAL LABELING
EPA REG. NO. 707-78**

**BENLATE® BENOMYL FUNGICIDE PLUS
DITHANE M-45 AGRICULTURAL FUNGICIDE (TANK MIX)
FOR CONTROL OF CERTAIN DISEASES OF PEANUTS**

BENLATE, Benomyl Fungicide plus DITHANE M-45 Fungicide is recommended for the control of Cercospora leafspot and rust of peanuts.

HOW TO USE

Apply with ground or aerial equipment at the rate of $\frac{1}{2}$ lbs. BENLATE plus $1\frac{1}{2}$ lbs. DITHANE M-45 per acre in sufficient water to obtain thorough coverage of the plants (20 to 100 gallons by ground equipment; 5 to 10 gallons for aircraft).

Begin application 35 to 40 days after planting or when disease symptoms first appear; for rust, repeat at 7 to 10 day intervals; for Cercospora leafspot, repeat at 10 to 14 day intervals. Use the shorter interval under severe disease conditions. Do not apply within 14 days of harvest; do not graze or feed treated vines, hay, or hulls to livestock.

Add the required amount of BENLATE and DITHANE M-45 to a partially filled spray tank agitated by hydraulic or mechanical means; continuous agitation is required to keep the material in suspension. Non-phytotoxic emulsifiable oil (60 to 70 second viscosity range) may be added to the spray mixture at the rate of 1 pint to 1 gallon per acre to improve dispersion of spray and coverage of plant foliage.

NOTE: This tank mixture is toxic to fish. Keep out of lakes, streams or ponds. Do not apply when weather conditions favor drift from area treated. Do not contaminate water by cleaning of equipment or disposing of wastes.

IMPORTANT

BEFORE USING BENLATE AND DITHANE M-45 FUNGICIDE, READ AND CAREFULLY OBSERVE THE CAUTIONARY STATEMENTS AND ALL OTHER INFORMATION APPEARING ON PRODUCT LABELS.

This bulletin contains new or supplemental directions for use of this product which may not appear on package labels. Follow the instructions carefully.

BENLATE is a registered trademark of E. I. duPont de Nemours & Co., Inc.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use, storage or handling of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller. These risks include, but are not limited to damage to plants, crops and animals to which the material is applied, failure to control pests, damage caused by drift to other plants or crops and personal injury.

